Form 9-331 C (May 1963) n. m. etc. stad. statusents. P. O. SOX Elistemit in t

(Other instrument of reverse side)

CATE* Form app
Budget Bu

Form approved.
Budget Bureau No. 42-R1425.

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

5. LEASE DESIGNATION AND SERIAL NO.

I.C. - 063916

DEPEN DEPEND PULG BACK DITTOR WILL WILL BY WELL DATE OF STREET WILL BE STAND OF LEASE WARD STREET WILL BY WELL DATE OF STREET BE SOME STREET WILL BY WELL DATE OF STREET BE SOME STREET BE	APPLICATIO	N FOR PERMIT	TO DRILL, DEEP	EN, OR PLUG	BACK	6. IF INDIAN, ALLOTTE	S OR TRIBE NAME
NATE OF WALL WILL S. CANE OF CREATOR RANG OF CREATOR RANGE OF CREATOR RANG OF CREATOR RANG OF CREATOR RANGE	la. TYPE OF WORK	III 🕅	DEEPEN []	PLUG BA	CK □	7. UNIT AGREEMENT N	AMB
STATE OF HOLES. FI. PASO EXPERITION COMPANY	b. TYPE OF WELL			\$	· ,		
ELL PASO EXPLORATION COMPANY ADDRESS OF OPERATOR FL. PASO EXPLORATION COMPANY ADDRESS OF OPERATOR 18.00 Wilco Building, Midland, Texas 79701 10. PRILO AND POOL, OR WILCOARD AND A NEW CONFORM OF THE PROPERTY OF THE AND POOL, OR WILCOARD AND AND THE PROPERTY OF THE AND PROPERTY AND AND THE PROPERTY OF THE AND PROPERTY AND AND THE PROPERTY AND AND THE PROPERTY OF THE AND PROPERTY AND AND THE PROPERTY OF THE AND PROPERTY AND AND THE PROPERTY OF THE THE	OIL X				PLE	17.	
ADDRESS OF PREACHES PROPOSED PROCESS. If I proposal is to deepes or plug back, give data on present productive sons and proposed sew productive me. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Approve by Carlon or State of Sec. 21 10/04/83	2. NAME OF OPERATOR				÷*	Elliott Fede	ral
1800 Willoo Building, Midland, Texas 79701 1800 Willoo Building, Midland, Texas 79701 10.0037000 of wath. (Report location clearly and in accordance with any State requirements.) At surface 1980 FWL, and 660 FNL At proposed prod. sose 4. DATANCE IN MILES AND DIRECTION FROM NEARINST TOWN OR PORT OFFICE* 7. Thiles Southwest of Jal, New Mexico 8. DEFINICE FOR PROFESSED 18. No. OF ACRES AND SURFACE AND MILES AND DIRECTION FROM NEARINST TOWN OR PORT OFFICE* 7. Thiles Southwest of Jal, New Mexico 8. DEFINICE FROM FROM FROM FROM FROM FROM FROM FROM	ET, PASO EX	PIORATION COMPA	ANY			1 1	
EXCERNS OF WALL (Report location clearly and in accordance with any State requirements.) At surface 1980 FWL and 660 FML At proposed prod. sobs At perspect of Market and Descriptor FROM Measurer Town on Poer Office. 7 miles Southwest of Jal, New Mexico 6. DESTACE FROM FROM FROM MEASURER TOWN OR POER OFFICE. 7 miles Southwest of Jal, New Mexico 6. DESTACE FROM FROM FROM MEASURER TOWN OR POER OFFICE. 7 miles Southwest of Jal, New Mexico 6. DESTACE FROM FROM FROM MEASURER TOWN OR POER OFFICE. 7 miles Southwest of Jal, New Mexico 6. DESTACE FROM FROM FROM FROM MEASURER TOWN OR POER OFFICE. 7 miles Southwest of Jal, New Mexico 6. DESTACE FROM FROM FROM FROM MEASURER TOWN OR POER OFFICE. 7 miles Southwest of Jal, New Mexico 6. DESTACE FROM FROM FROM FROM MEASURER TOWN OR POER OFFICE. 7 miles Southwest of Jal, New Mexico 6. DESTACE FROM FROM FROM FROM FROM MEASURER TOWN OR POER OFFICE. 7 miles Southwest of Jal, New Mexico 6. DESTACE FROM FROM FROM FROM FROM FROM FROM FROM	3. ADDRESS OF OPERATOR				Ų.	5	***;
AT STREET OF MALE (Report location clearly and in secondance with any State requirements.*) At surface 1980 FWIL and 660 FWI. At proposed prod. sone 4. DEFTANCE IN MILES AND DESCRIPTOR FROM MRAHEST TOWN OR POST OFFICE* 7. miles Southwest of Jal, New Mexico 16. No. of ACRES AND MENTED TOWN OR PARKET IS. STATE 15. NOW MEXICO 16. No. of ACRES AND MENTED TOWN OR PARKET IS. STATE 16. No. of ACRES AND MENTED TOWN OR PARKET IS. STATE 17. No. of ACRES ANSIONABLY 17. No. of ACRES ANSIONABLY 18. NOW MEXICO 18. DEFTANCE FROM MENDED LOCATION** 19. NOW MEXICO 20. NOTATE LOCATION** 20. NOTATE OR CARLE FOOLS. 21. MANATIONS (Show whether DF, RT, GR, tec.) 22. AFROX. DATE TOOK AND WILL STATE 22. AFROX. DATE TOOK WILL STATE 11" 3. STATE OF HOLK SIZE OF CASING SIZE OF HOLK SIZE OF CASING WHICH PER FOOT SETTING DEPTH CANNOT CEMENT 11" 3. STATE OF HOLK SIZE OF CASING SIZE OF HOLK SIZE OF CASING WHICH PER FOOT SETTING DEPTH CANNOT CEMENT 11" 3. STATE OF HOLK SIZE OF CASING SIZE OF HOLK SIZE OF CASING AND CEMENTING PROGRAM SIZE OF HOLK SIZE OF CASING WHICH PER FOOT SETTING PROGRAM SIZE OF HOLK SIZE OF CASING WHICH PER FOOT SETTING PROGRAM SIZE OF HOLK SIZE OF CASING AND CEMENTING PROGRAM SIZE OF HOLK SIZE OF CASING AND CEMENT OF CASING CEMENT 11" 3. STATE OF HOLK SIZE OF CASING AND CEMENT OF CASING CEMENT OF CASING CEMENT 11" 3. STATE OF HOLK SIZE OF CASING CEMENT OF CASING CEMENT OF CASING CEMENT SIZE OF HOLK SIZE OF CASING CEMENT OF CASING C	1800 Wilco	Building, Mid	land, Texas 79	701		1	
At proposed prod. sone At production file in wiles and direction from Nearest fown or form office. 7 miles Southwest of Jal, New Mexico 6 Departace from from the file in any 1 660 6 Departace from from the file in any 1 660 8 DISTANCE FROM PROPOSED CACETION 1300 9 DISTANCE FROM PROPOSED CACETION 1300 10 PROPOSED CASING AND CEMENTINO PROGRAM 8 DISTANCE FROM SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH CANADAM 1400 11 Bereath 11 Consist of 3000 psi W.P test double gate preventer equipped with blind and pipe rams with rotating head to be installed after the 8-5/8 CENCULATE 11 DISTANCE FROM SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH CONTINUE PROGRAM 11 DISTANCE FROM SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH CONTINUE PROGRAM 8 DISTANCE FROM SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH CONTINUE PROGRAM 8 DISTANCE FROM SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH CONTINUE PROGRAM 8 DISTANCE FROM SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH CONTINUE PROGRAM 9 DISTANCE FROM SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH CONTINUE PROGRAM 9 DISTANCE FROM SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH CONTINUE PROGRAM 11 PROPOSED PROGRAM: If proposal is to drill or deepen directionally, give pertuent data on subsurface locations and measured and true vertical depths. Give biowout eventer program, if any. 10 DISTANCE FROM SIZE OF CASING AND SETTING PROGRAM: If proposal is to drill or deepen directionally, give pertuent data on subsurface locations and measured and true vertical depths. Give biowout eventer program, if any. 10 DISTANCE FROM SIZE OF CASING SE	LOCATION OF WELL (B	deport location clearly an	d in accordance with any	State requirements.*)		Rhodes-Yates	Seven Rive
At proposed prof. zone 4. Distance in Miles and Describin from Markey Town or Post Office* 7 miles Southwest of Jal, New Mexico 10. No. of acres in Leads 11. No. of acres in Leads New Mexico 12. County or faring 13. Stats New Mexico 13. No. of acres in Leads 14. No. of acres in Leads 15. No. of acres in Leads 16. No. of acres in Leads 17. No. of acres assigned 40. Horizont from the profit of	1980 F	WL and 660 FNL				11. SEC., T., R., M., OR	BLK.
4. DIRTANCE IN MILES AND DIRECTION FROM NAMERICATION OF PORT OF PICES* 7 miles Southwest of Jal, New Mexico 6. DIRTANCE FROM PROFESSOR 7 miles Southwest of Jal, New Mexico 6. DIRTANCE FROM PROFESSOR 7 miles Southwest of Jal, New Mexico 6. DIRTANCE FROM PROFESSOR FROM PROFESSOR DIRECTION FROM PROFESSOR DIRECTION FROM PROFESSOR DIRECTION 10. No. OF ACRES IN LEASE 17. No. OF ACRES ASSIGNME PROFESSOR DIRECTION PROFESSOR 19. PROFESSOR DIRECTION 10. OF ACRES IN LEASE 17. No. OF ACRES ASSIGNME 10. OF ACRES IN LEASE 11. NO. OF ACRES IN LEASE 11. NO. OF ACRES IN LEASE 12. OCHTATO OR REALIES TOOLS. 10. OCHTATO OR REALIES TOOLS. 10. ROLL TO THE WORK WILL START 11. NO. OF ACRES IN LEASE 11. NO. OF ACRES IN LEASE 12. OCHTATO OR REALIES TOOLS. 12. APPROVE DATE WORK WILL START 17. NO. OF ACRES IN LEASE 17. NO. OF ACRES IN LEASE 17. NO. OF ACRES IN LEASE 18. OCT ACRES IN LEASE 18. ACRES IN LEASE 19. PROFESSOR DIRECTION OR ACRES IN LEASE 19. PROFESSOR DIRECTION OR ACRES IN LEASE 10. OCT ACRES	At proposed prod. zoi		*				
7 miles Southwest of Jal, New Mexico 6. DISTANCE FROM PROFOSED* 106. THE STANCE FROM PROFOSED* 106. THE STANCE FROM PROFOSED FR	and programme production					Sec. 21, T-2	.6-S, R-37-I
DEPARTE PROPERTY PROPERTY AND ACRES IN LEASE TO PROPERTY THE STREET OF ACRES AND ACRES	4. DISTANCE IN MILES	AND DIRECTION FROM NEA	REST TOWN OR POST OFFIC	rr*		12. COUNTY OR PARISH	13. STATE
6. DISTANCE FROM PROPOSED 'SARRISS' 16. No. OF ACERS IN LEASE 17. No. OF ACERS ASSISTED TO ACED TO ACES ASSISTED TO ACED	7 miles Sc	outhwest of Jal,	, New Mexico			Lea	New Mexico
PROPOSED CASING AND CEMENTING PROPOSED LOCATION 1320' 3350' ROTATY OF CEMENT OR CABLE FOOLS. 3350' ROTATY OF THE MASS. 122 APPROV. DATE WORK WILL START' NOV. 1, 1983 18 INFORMATIONS (Show whether DF, RT. GR. etc.) 2977' GR. PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLK SHEE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT TO BE ASSETTED DEPTH A SIZE OF HOLK SHEE OF CASING AND CEMENTING PROGRAM 11" 8-5/8 20# 650 250 Sacks CIRCULATE 7-7/8" 4-1/2 10.5# 2350 400 Sacks Blowout preventer will consist of 3000 psi W.P test double gate preventer equipped with blind and pipe rams with rotating head to be installed after the 8-5/8" casing has been installed. AND PRACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive some and proposed new productive some. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout provided by Mark Mark Storm David E. Myers TITLE Sr. Production Engineer DATE 10/04/83 TITLE Sr. Production Engineer DATE 10/04/83			16. N	O. OF ACRES IN LEASE			5 x 1
E DESTRICT FROM PROPRET LOCATION TO NAMES TO NAMES WELL, DELLIN, COMPLETED, OR APPENDED FOR APPENDED FOR APPENDED FOR APPENDED FOR APPENDED FOR APPENDED FOR NOT SETTING DEPTH 3350' ROTARY LEMENTONS (SHOW Whether DF, RT, GR, etc.) 2977' GR. PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PREFERED SHOW APPENDED FOR SETTING DEPTH QUANTITY OF CEMENT TO THE WORK WILL START TO THE WILL START TO THE WORK WILL START TO THE WORK WILL START TO THE WILL START TO THE WORK WILL START TO THE WORK WILL START TO THE WILL START TO THE WORK WILL START TO THE WORK WILL START TO THE WILL START TO THE WORK WILL START TO THE WORK WILL START TO THE WILL	PROPERTY OR LEASE	LINE, FT.	50				
I. REMATIONS (Show whether DF, RT, GR, etc.) 2977' GR. PROFOSED CASING AND CEMENTING PROGRAM SIZE OF CASING SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT 11" 8-5/8 20# 650 250 Sacks CIRCULATE 7-7/8" AFFROVE BYACE DESCRIBE PROFOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive recent for first of the first of the blowout transport of the blowout content of the proposal is to deepen or plug back, give data on present productive zone and proposed new productive recenter program. If proposal is to deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout proventer program, if any. (This space for Federal or State office use) PERMIT NO. APPROVAL DATE 1018 22 APPROVAL DATE 1004/83 PROTECT 1983 22 APPROVAL DATE QUANTITY OF CEMENT QUAN	S. DISTANCE FROM PROI	POSED LOCATION*					i i
2977' GR. PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PRE FOOT SETTING DEPTH QUANTITY OF CEMENT 11" 8-5/8 20# 650 250 Sacks CIRCULATE 7-7/8" 4-1/2 10.5# 2350 400 Sacks Blowout preventer will consist of 3000 psi W.P test double gate preventer equipped with blind and pipe rams with rotating head to be installed after the 8-5/8" casing has been installed. AROVE SPACE DESCRIBE PROPOSED FROGRAM: If proposal is to deepen or plug back give data on present productive some and proposed new productive new. If proposal is to define or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout vertical proposed. If any. TITLE Sr. Production Engineer DATE 10/04/83 APPROVED BY APPROVE	TO NEAREST WELL, I OR APPLIED FOR, ON TH	ORILLING, COMPLETED, IIS LEASE, FT. 7	יחי	33501	, R	Rotary	
SIZE OF HOLE SIZE OF CASING AND CEMENTING PROGRAM SIZE OF HOLE 11" 8-5/8 20# 650 250 sacks CIRCULATE 7-7/8" 4-1/2 10.5# 2350 400 sacks Blowout preventer will consist of 3000 psi W.P test double gate preventer equipped with blind and pipe rams with rotating head to be installed after the 8-5/8" casing has been installed. CT 21 1983 COT 21 1983 CABOYE SPACE DESCRIBE PROFOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout reventer program, if any. CThis space for Federal or State office use) PERMIT NO. APPROVAL BATE 11/18/83	1. ELEVATIONS (Show wh		1	3330			RK WILL START*
SIZE OF HOLE SIZE OF CASING AND CEMENTING PROGRAM SIZE OF HOLE 11" 8-5/8 20# 650 250 sacks CIRCULATE 7-7/8" 4-1/2 10.5# 2350 400 sacks Blowout preventer will consist of 3000 psi W.P test double gate preventer equipped with blind and pipe rams with rotating head to be installed after the 8-5/8" casing has been installed. CT 21 1983 COT 21 1983 CABOYE SPACE DESCRIBE PROFOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout reventer program, if any. CThis space for Federal or State office use) PERMIT NO. APPROVAL BATE 11/18/83	2077! CD					Nov. 1 198	13
SIZE OF HOLK SIZE OF CASING WEIGHT PER FOOT 11" 8-5/8 20# 650 250 sacks CIRCULATE 7-7/8" 4-1/2 10.5# 2350 400 sacks Blowout preventer will consist of 3000 psi W.P test double gate preventer equipped with blind and pipe rams with rotating head to be installed after the 8-5/8" easing has been installed. **ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive one. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout excepter program, if any. **ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive one. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout excepter program, if any. **TITLE Sr. Production Engineer** DATE 11/8/83 APPROVAL DATE DATE 11/8/83	2911 GR. 3.		DEODOGED CASING AN	D CEMENTING PROGR	AM S	3 3 7 8 3 4	-
11" 8-5/8 20# 650 250 sacks CIRCULATE 7-7/8" 4-1/2 10.5# 2350 400 sacks Blowout preventer will consist of 3000 psi W.P test double gate preventer equipped with blind and pipe rams with rotating head to be installed after the 8-5/8" casing has been installed. **ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive one. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout reventer program, if any. **TITLE Sr. Production Engineer DATE 10/04/83 **DATE 11/18/83			· · · · · · · · · · · · · · · · · · ·				
Blowout preventer will consist of 3000 psi W.P test double gate preventer equipped with blind and pipe rams with rotating head to be installed after the 8-5/8" easing has been installed. OCT 21 1983		·	_			•	
Blowout preventer will consist of 3000 psi W.P test double gate preventer equipped with blind and pipe rams with rotating head to be installed after the 8-5/8" easing has been installed. ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive one. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout reventer program, if any. TITLE Sr. Production Engineer APPROVAL DATE DATE 11/18/83			-				
Blowout preventer will consist of 3000 psi W.P test double gate preventer equipped with blind and pipe rams with rotating head to be installed after the 8-5/8" casing has been installed. OCT 21 1983	<i>7</i> -7/8"	4-1/2	10.5#	2350	400	sacks	
one. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout reventer program, if any. I David E. Myers TITLE Sr. Production Engineer DATE 10/04/83 APPROVAL DATE DATE 1///8/83	with blind an	nd pipe rams wit	th rotating head	I to be install	ed afte	er the 8-5/8" ON FOLL STANFORD	WED CENTER
(This space for Federal or State office use) PERMIT NO	one. If proposal is to reventer program, if an	drill or deepen direction by.	ally, give pertinent data	on subsurface locations a	and measure	d and true vertical depti	ns. Give blowout
APPROVED BY A. A. Lopely TITLE DATE 11/18/83	SIGNED DAVIU		TITLE 5			DATE	
APPROVED BY Q. A. Lopey TITLE DATE 11/18/83	(This space for Fede	eral or State office use)					
APPROVED BY Q. A. Lopey TITLE DATE 11/18/83	DED MIT NO	•		APPROVAL DATE			January Britan
	I MEMIL NO	1 /				19 3 3 3 3 4 3 4 A	3 · 2
	APPROVED BY	4. topen	mimi is		•	DATE ////	8/83
		AL, IF ANY:	TTTDB				