Ene

State of New Mexico Minerals and Natural Resources Department

Form C-103 Revised 1-1-89

DISTRICT I P.O. Box 1980, Hobbs, NM 8824U

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe	, New Mexico	87504-2088
----------	--------------	------------

30-025-29587	
Indicate Type of Lease	

WELL API NO.

DESTRICT III 100 NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PIUS BACK TO A DIFFERENT RESERVOR. USE "APPLICATION FOR PREMIT" 1. Type of Wall: WELL	DISTRICT II P.O. Drawer DD, Artesia, NM 88210 Santa Fe, New Mexi	∞ 87504-2088	5. Indicate Type of Lease			
Sub Old Richert Sub Old Ri				Ш		
(DO NOT USE THIS FORM FOR PROPAGALS TO DRILLO ATO DEEPEN OR PLUG BACK TO A DEFENDENT RESERVOIR USE "APPLICATION FOR PERMIT" (ROPAID-101) FOR SUCH PROPOSALS.) 1. Type of Well:	1000 Rio Brazos Rd., Aztec, NM 87410					
(DO NOT USE THIS FORM FOR PROPAGALS TO DRILLO ATO DEEPEN OR PLUG BACK TO A DEFENDENT RESERVOIR USE "APPLICATION FOR PERMIT" (ROPAID-101) FOR SUCH PROPOSALS.) 1. Type of Well:	SUNDRY NOTICES AND REPORTS ON V	VELLS				
2. Ness of Openior Texaco Exploration and Production inc. 2. Ness of Openior Texaco Exploration and Production inc. 3. Address of Openior P. O. Box 730 Hobbs, NM 88240 4. Wall Lossina Ulat Lossina 32 Township 23-5 Range 37-E NMFM Lea 32 Township 23-5 Range 37-E NMFM Lea 3283° GL 11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK	(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEE! DIFFERENT RESERVOIR. USE "APPLICATION FOR	_				
2. Name of Operator Texaco Exploration and Production inc. 3. Address of Operator P. O. Box 730 Hobbs, NM 88240 P. O. Box 730 Hobbs, NM 88240 Langlie Mattix 7ROG Lan						
Texaco Exploration and Production Inc. 257	WELL X WELL OTHER					
13. Address of Operator P. O. Box 730 Hobbs, NM 88240 Langlie Mattix 7RQG 4. Well Location Use Later H : 2630 Feet From The NORTH Lise and 50 Feet From The EAST Lise Country Section 32 Township 23-S Reage 37-E NMFM Lea 10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3283° GL 11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT OTHER: OTHER: OTHER: Casing Integrity test 12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103. O4-26-89: Set CEP @ 3320' w/ 40' cement on top. Circulate corrosion inhibitor. 11-16-93: Test casing to 500# for 30 minutes. OK. Request Temporary Abandon Status (Copy of chart on Back) 1 heethy certify that the information shows is true and complete to the best of my knowledge and belief. 1 heethy certify that the information shows is true and complete to the best of my knowledge and belief. 1 heethy certify that the information shows is true and complete to the best of my knowledge and belief. 1 heethy certify that the information shows is true and complete to the best of my knowledge and belief. 1 heethy certify that the information shows is true and complete to the best of my knowledge and belief. 1 heethy certify that the information shows is true and complete to the best of my knowledge and belief. 1 heethy certify that the information shows is true and complete to the best of my knowledge and belief. 1 heethy certify that the information shows is true and complete to the best of my knowledge and belief. 1 heethy certify that the information shows is true and complete to the best of my knowledge and belief. 2 hearthy and the proposed of the best of my knowledge and belief. 3 hearthy and my and	,		8. Well No.			
P. O. Box 730 Hobbs, NM 88240 4. Well Leaster Ualt Leter H : 2630 Feet From The NORTH Liae and 50 Feet From The EAST Liae Section 32 Township 23-S Range 37-E NMFM Lea 10. Elevatice (Show whether DF, R.R.B, RT, GR, etc.) 3283 'GI 11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS CASING TEMPORARILY ABANDON CHANGE PLANS CASING TEMPORARILY ABANDON CHANGE PLANS CASING TEST AND CEMENT JOB OTHER: Casing Integrity test 12. Describe Proposed or Completed Operations (Clearly state all perficent details, and give perfinent dates, including estimated date of starring any proposed work) SEE RULE 1103. 04-26-89: Set CIBP @ 3320' w/ 40' cement on top, Circulate corrosion inhibitor. 11-16-93: Test casing to 500# for 30 minutes. OK. Request Temporary Abandon Status (Copy of chart on Back) 1 benefit certify that the information above is true and complete to the best of my knowledge and belief. 310-04-26-89: Remediated Application Status (Copy of Chart on Back) 1 benefit certify that the information above is true and complete to the best of my knowledge and belief. 311-16-93: Test casing to 500# for 30 minutes. OK. 312-04-26-89: Remediated Application Status (Copy of Chart on Back) 1 benefit certify that the information above is true and complete to the best of my knowledge and belief. 313-04-26-89: Remediated Application Status (Copy of Chart on Back) 1 benefit certify that the information above is true and complete to the best of my knowledge and belief. 314-04-26-89: Remediated Application Engineer 315-04-26-89: Remediated Application Engineer 316-04-26-89: Remediated Application Engineer 317-04-28-89: Remediated Application Engineer 318-04-28-89: Remediated Application Engineer 319-04-28-89: Remediated Application Engineer 319-04-28-89: Remediated Application Engineer 319-04-28-89: Remediated Application Engineer 319-04-28-89: Remediated Application Engineer 319-04-28-						
Wall Location Ualk Letter H : 2630 Feet From The NORTH Lies and 50 Feet From The EAST Lies Section 32 Township 23-S Range 37-E NMPM Lea North Lea S283" GL	<u> </u>	•	**************************************			
Unit Letter H : 2630 Foot From The NORTH Line and 50 Foot From The Country Section 32			Langlie Mattix 7RQG			
Section 32 Township 23-S Range 37-E NMPM Lea 10. Elevation (Show whether DP, REB, RT, GR, etc.) 3283' GL 11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK		Line and	recrease rec			
10. Elevation (Show whether DF, RKB, KT, GR, etc.) 3283° GL 11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT PULL OR ALTER CASING OTHER: Casing integrity test CASING TEST AND CEMENT JOB OTHER: Casing integrity test EXIDER 1103. 12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103. 04-26-89: Set CIBP @ 3320' w / 40' cement on top. Circulate corrosion inhibitor. 11-16-93: Test casing to 500# for 30 minutes OK. Request Temporary Abandon Status (Copy of chart on Back) 11-24-93 TITLE Production Engineer DATE 11-24-93 THE Production Engineer DATE 11-24-93 THE PRODUCTION OF 1993 ATTROVED BY TILE DATE			· · · · · · · · · · · · · · · · · · ·	xty		
11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT PULL OR ALTER CASING COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT PULL OR ALTER CASING OTHER: Casing integrity test The Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed worth) SEE RULE 1103. 12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed worth) SEE RULE 1103. 13. Test casing to 500# for 30 minutes OK. Request Temporary Abandon Status (Copy of chart on Back) 14. Describe Proposed or Complete to the best of my knowledge and belief. 15. SIGNATURE			NMPM Lea	<i>,,,,</i>		
11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK	<i>'////////</i>					
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK			Pennet or Other Data			
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT OTHER: CASING TEST AND CEMENT JOB OTHER: CASING TEST AND CEMENT JOB OTHER: CASING TEST AND CEMENT JOB OTHER: CASING TEST AND CEMENT JOB OTHER: CASING TEST AND CEMENT JOB OTHER: CASING TEST AND CEMENT JOB OTHER: CASING Including estimated date of starting any proposed work) SEE RULE 1103. 12 Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103. 13 O4-26-89: Set CIBP @ 3320' w/ 40' cement on top. Circulate corrosion inhibitor. 14 1-16-93: Test casing to 500# for 30 minutes. OK. Request Temporary Abandon Status (Copy of chart on Back) 15 bereby certify that the information above is true and complete to the best of my knowledge and belief. SKONATURE TILL Production Engineer TILL Production Engineer TILL Production Engineer ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR TILL DATE ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR TILL DATE	• • •					
TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT CASING TEST AND CEMENT JOB COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT CASING TEST AND CEMENT JOB COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT CASING TEST AND CEMENT JOB COMMENT TO THERE. Casing integrity test 12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103. 04-26-89: Set CIBP @ 3320' w/ 40' cement on top. Circulate corrosion inhibitor. 11-16-93: Test casing to 500# for 30 minutes.— OK. Request Temporary Abandon Status (Copy of chart on Back) 1 benefor certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TILL Production Engineer TILL Production Engineer TILL Production Engineer DATE 11-24-93 TITLE ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR TITLE DATE DATE DATE DATE 1 DATE	PERFORM REMEDIAL WORK PLUG AND ABANDON	REMEDIAL WORK	ALTERING CASING	П		
CASING TEST AND CEMENT JOB OTHER: Casing integrity test 12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent date, including estimated date of starting any proposed work) SEE RULE 1103. 04–25–89: Set CIBP @ 3320' w/ 40' cement on top. Circulate corrosion inhibitor. 11–16–93: Test casing to 500# for 30 minutes.— OK. Request Temporary Abandon Status (Copy of chart on Back) 1 hereby certify that the information shows is true and complete to the best of my knowledge sed belief. SIGNATURE TITLE Production Engineer DATE 11–24–93 TITLE Production Engineer ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR TITLE DATE DATE DATE ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR TITLE DATE DATE DATE DATE 1993	_	<u>,</u>	_	<u>т</u> П		
OTHER:						
12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103. 04-26-89: Set CIBP @ 3320' w/ 40' cement on top. Circulate corrosion inhibitor. 11-16-93: Test casing to 500# for 30 minutes OK. Request Temporary Abandon Status (Copy of chart on Back) 1 bereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE Production Engineer TITLE Production Engineer ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR TITLE ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR TITLE DATE OATE 1-24-93 DATE DATE 1-24-93 DATE DATE DATE DATE DATE DATE DATE DATE		_ '				
O4-26-89: Set CIBP @ 3320' w/ 40' cement on top. Circulate corrosion inhibitor. 11-16-93: Test casing to 500# for 30 minutes OK. Request Temporary Abandon Status (Copy of chart on Back) I bereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE Production Engineer DATE 11-24-93 THEOR PRINT NAME ROBERT McNaughton TELEPHONE NO. 397-0428 ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR TITLE DATE	OTHER:L] OTHER: casing in	tegnty test			
(Copy of chart on Back) I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE Production Engineer DATE 11-24-93 TYPE OR PRINT NAME ROBERT MCNaughton ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR TITLE DATE DATE DATE DATE	work) SEE RULE 1103. 04-26-89: Set CIBP @ 3320' w/ 40' cement on top. Circulate corrosion inhibitor.					
I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE Production Engineer TYPE OR PRINT NAME ROBERT MCNaughton ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR TITLE DATE OATE OATE DATE DATE	Request Temporary Abandon Status					
TYPE OR PRINT NAME ROBert McNaughton THE Production Engineer THE Production Engineer DATE 11-24-93 THE PRODUCTION ENGINEER STATE SERVISOR THE PRODUCTION ENGINEER STATE SERVISOR APPRIORED BY JERRY SEXTON DISTRICT I SUPERVISOR THE DATE STATE SERVISOR	(Copy of chart on Back)					
TYPE OR PRINT NAME ROBert McNaughton THE Production Engineer THE Production Engineer DATE 11-24-93 THE PRODUCTION ENGINEER STATE SERVISOR THE PRODUCTION ENGINEER STATE SERVISOR APPRIORED BY JERRY SEXTON DISTRICT I SUPERVISOR THE DATE STATE SERVISOR						
TYPE OR PRINT NAME ROBert McNaughton THE Production Engineer THE Production Engineer DATE 11-24-93 THE PRODUCTION ENGINEER STATE SERVISOR THE PRODUCTION ENGINEER STATE SERVISOR APPRIORED BY JERRY SEXTON DISTRICT I SUPERVISOR THE DATE STATE SERVISOR						
TYPE OR PRINT NAME ROBert McNaughton TELEPHONE NO. 397-0428 (This space for State Use) ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR TITLE DATE	I hereby certify that the information above is true and complete to the best of my knowledg	e and belief.				
(This space for State Use) ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR TITLE DATE	SIGNATURE	mue Production En	gineer DATE 11-24-93			
ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR TITLE DATE DATE	туре ок PRINT NAME Robert McNaughton		TELEPHONE NO. 397-0	428		
APPROVED BY DATE DATE	ORIGINAL SIGNED BY JERRY SEXTOR	•	6ኛ ሲ ላ ነው ብ ዕር	12		
•		7777 17		7 3		
	, , , , , , , , , , , , , , , , , , , ,	***************************************				

This Approval of Temporary Abandonment Expires



