

Well Completion History  
Hill "D" Federal No. 6  
Lea County, New Mexico  
Page 2

- 03-04-90 - Ran cement retainer at 6220'. Unable to pump into formation at 3000#. Spotted 300 gallons 15% NEFE acid. ISIP: 1550#. 5 SIP: 1050#. Swabbed well.
- 03-06-90 - Mixed 50 sx cement with .5% Halad 322 and 50 sx with 2# per sx salt. Squeezed perfs to 3000#.
- 03-07-90 - Drilled cement, cement retainer to 6330'. Pressured csg to 1000#. Circulated sand off bridge plug.
- 03-08-90 - Pulled RBP.
- 03-09-90 - Drilled CIBP at 7290'. Ran 4 1/2" RBP, 4 1/2" model R packer, seating nipple, 24 jts tbg, Otis XA sliding sleeve, 216 jts tbg to 7383'. Set RBP. Pulled 6 jts tbg. Set model R packer at 7196'. Swabbed well (Devonian).
- 03-10-90 - Opened sliding sleeve. Swabbed well (Both zones).
- 03-21-90 - Closed sliding sleeve. Swabbed well (Devonian).
- 03-23-90 - Started selling gas from the Abo on 12/64" positive choke at 6:00 p.m., March 22, 1990.
- 03-24-90 - Swabbed Devonian. SI waiting on downhole commingling permit.

RECEIVED

APR 2 1990

ODD  
HOBBS OFFICE

E.C. HILL "D" FEDERAL No. 6  
WELLBORE DIAGRAM

