

Submit to Appropriate
District Office
State Lease - 6 copies
Fee Lease - 5 copies
DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

Form C-105
Revised 1-1-89

WELL API NO.

30-025-31499

5. Indicate Type of Lease

STATE ☒

FEE ☐

6. State Oil & Gas Lease No.
B-9613

7. Lease Name or Unit Agreement Name

WEST DOLLARHIDE DRINKARD UNIT

8. Well No.

114

9. Pool name or Wildcat

DOLLARHIDE DRINKARD TUBB

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:

OIL WELL ☒

GAS WELL ☐

DRY ☐

OTHER

b. Type of Completion:

NEW
WELL ☒

WORK
OVER ☐

DEWREN ☐

PLUG
BACK ☐

DIFF
RESVR ☐

OTHER

2. Name of Operator

TEXACO EXPLORATION AND PRODUCTION INC.

3. Address of Operator

P. O. Box 3109, Midland, Texas 79702

4. Well Location

Unit Letter C: 108 Feet From The NORTH Line and 2325 Feet From The WEST Line

Section

5

Township 25-SOUTH

Range 38-EAST

NMPM

LEA

County

10. Date Spudded

10-05-92

11. Date T.D. Reached

10-18-92

12. Date Compl. (Ready to Prod.)

12-12-92

13. Elevations (DF& RKB, RT, GR, etc.)

GR-3145', KB-3163'

14. Elev. Casinghead

3145'

15. Total Depth

7440'

16. Plug Back T.D.

7287'

17. If Multiple Compl. How Many Zones?

18. Intervals Drilled By

Rotary Tools
0-7440'

Cable Tools

19. Producing interval(s), of this completion - Top, Bottom, Name

6340' - 7076': DRINKARD

20. Was Directional Survey Made

YES

21. Type Electric and Other Logs Run

GR-DLL-MSFL-SONIC, GR-DSN-SDL, GR-CCL

22. Was Well Cored

NO

23.

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB/FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
11 3/4	42#	1187'	14 3/4	800 SX, CIRC 112 SX	
8 5/8	32#	4200'	11	1380 SX, CIRC 175 SX	
5 1/2	15.5# & 17#	7440'	7 7/8	1300 SX, CIRC 90 SX	

24.

LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

25. **TUBING RECORD**

SIZE	DEPTH SET	PACKER SET
2 7/8	6325'	

26. Perforation record (interval, size, and number)

6810' - 7076', 2 JSPF: 98 HOLES
6548' - 6763', 2 JSPF: 102 HOLES
6340' - 6488', 2 JSPF: 84 HOLES

27. **ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.**

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
6340' - 7076'	ACID - 15700 GAL 15% NEFE
6340' - 6488'	FRAC - 23100 GAL XLG w/ 11000#
	16/30 SAND

28.

PRODUCTION

Date First Production 10-25-92		Production Method (Flowing, gas lift, pumping - Size and type pump) PUMPING - 2.5 x 1.75 x 26				Well Status (Prod. or Shut-in) PRODUCING	
Date of Test 12-17-92	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl. 159	Gas - MCF 65	Water - Bbl. 36	Gas - Oil Ratio 409
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.) 36	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

SOLD

Test Witnessed By
MIKE LOVE

30. List Attachments

DEVIATION SURVEY

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature C. P. Basham / cwh

Printed Name C. P. BASHAM

Title DRLG. OPER. MGR. Date 12-22-92

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

T. Anhy 1173	T. Canyon
T. Salt 1428	T. Strawn
B. Salt 2452	T. Atoka
T. Yates 2663	T. Miss
T. 7 Rivers	T. Devonian
T. Queen 3565	T. Silurian
T. Grayburg	T. Montoya
T. San Andres 3958	T. Simpson
T. Glorieta 5070	T. McKee
T. Paddock	T. Ellenburger
T. Blinberry	T. Gr. Wash
T. Tubb 5948	T. Delaware Sand
T. Drinkard 6340	T. Bone Springs
T. Abo 6490	T.
T. Wolfcamp	T.
T. Penn	T.
T. Cisco (Bough C)	T.

Northwestern New Mexico

T. Ojo Alamo	T. Penn. "B"
T. Kirtland-Fruitland	T. Penn. "C"
T. Pictured Cliffs	T. Penn. "D"
T. Cliff House	T. Leadville
T. Menefee	T. Madison
T. Point Lookout	T. Elbert
T. Mancos	T. McCracken
T. Gallup	T. Ignacio Otzte
Base Greenhorn	T. Granite
T. Dakota	T.
T. Morrison	T.
T. Todilto	T.
T. Entrada	T.
T. Wingate	T.
T. Chinle	T.
T. Permian	T.
T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from 6340' to 7076'	No. 3, from _____ to _____
No. 2, from _____ to _____	No. 4, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet	_____ feet
No. 2, from _____ to _____ feet	_____ feet
No. 3, from _____ to _____ feet	_____ feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
1173	1428	255	ANHYDRITE	6340	6490	150	DOLOMITE, LIMESTONE
1428	2452	1024	SALT	6490	7440	950	DOLOMITE, LIMESTONE
2452	2663	211	ANHYDRITE, SS, DOLO				
2663	3565	902	ANHYDRITE, SS, DOLO				
3565	3958	393	SS, DOLO, ANHYDRITE				
3958	5070	1112	DOLOMITE				
5070	5948	878	DOLOMITE, SS				
5948	6340	392	DOLOMITE, SS				

RECEIVED

DEC 28 1992

OCD RECORDS OFFICE

WELL West Dollarhide Drinkard Unit #114LOCATION Sec. 5-T25S-R38E Lea County, New Mexico108/N + 2325/W

(Give Unit, Section, Township, and Range)

OPERATOR Texaco Exploration and Production, Inc. P.O. Box 3109, Midland, TX. 79702DRILLING CONTRATOR Exeter Drilling Company

The undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above-described well and that he has conducted deviation tests and obtained the following results:

<u>Degrees @ Depth</u>	<u>Degrees @ Depth</u>	<u>Degrees @ Depth</u>
<u>3/4 493'</u>	<u>2 1/4 6,759'</u>	_____
<u>1 1/4 975'</u>	<u>2 1/2 7,228'</u>	_____
<u>1/4 1,145'</u>	<u>2 7,440'</u>	_____
<u>1 1,644'</u>	_____	_____
<u>1 2,117'</u>	_____	_____
<u>2 3/4 2,614'</u>	_____	_____
<u>2 1/4 2,896'</u>	_____	_____
<u>1 3/4 3,396'</u>	_____	_____
<u>1 3,890'</u>	_____	_____
<u>3/4 4,170'</u>	_____	_____
<u>1 4,647'</u>	_____	_____
<u>1 1/4 5,144'</u>	_____	_____
<u>1 1/2 5,644'</u>	_____	_____
<u>1 1/2 6,139'</u>	_____	_____
<u>1 3/4 6,259'</u>	_____	_____

Drilling Contractor EXETER DRILLING CO.By Bob Lange
Bob Lange-Drilling Manager -Southern Div.Subscribed and sworn to before me this 9th day of November, 1992.Notary Public Lisa J. Lange

Lisa J. Lange

Commission Expires: February 4, 1996