

Submit 3 copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I

P.O. Box 1980, Hobbs, NM 88240

DISTRICT II

P.O. Box Drawer DD, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

WELL API NO.	30 025 31956
5. Indicate Type of Lease	STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil / Gas Lease No.	
7. Lease Name or Unit Agreement Name	HARRISON, B. F. -C-
8. Well No.	1
9. Pool Name or Wildcat	TH TEAGUE LOWER PADDOCK - BLINEBRY ASSOCI
10. Elevation (Show whether DF, RKB, RT, GR, etc.)	GR-3320', KB-3332'

SUNDRY NOTICES AND REPORTS ON WELL
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:	OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>
2. Name of Operator	TEXACO EXPLORATION & PRODUCTION INC.
3. Address of Operator	205 E. Bender, HOBBS, NM 88240
4. Well Location	Unit Letter <u>L</u> 1840 Feet From The <u>S</u> Line and 670 Feet From The <u>W</u> Line Section <u>9</u> Township <u>23S</u> Range <u>37E</u> NMPM <u>LEA</u> COUNTY
10. Elevation (Show whether DF, RKB, RT, GR, etc.)	GR-3320', KB-3332'

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☒ ALTERING CASING ☐
COMMENCE DRILLING OPERATION ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

4-08-98: MIRU. PULL RDS & PMP.

4-09-98: INSTL BOP. PULL 2 7/8" TBG, TBG ANCHOR, SN, & MUD ANCHOR. RAN SONIC HAMMER ON 2 7/8" TBG. WSHD & ACIDIZED CSG PERFS 5602-5826' W/4500 GALS 15% 80:20 DAD ACID IN 4 STGS. FLWSH W/34 BBLS 2% KCL FW. SWAB 2 HRS INTO FLOWLINE.

4-10-98: RAN MUD ANCHOR, SN, 2 7/8" TBG, TBG ANCHOR. TAG FILL @ 5909'. REM BOP. MA @ 5892'. SN @ 5864'. TA @ 5454'. RAN 10' GAS ANCHOR ON PUMP. LOAD TBG W/15 BBLS 2% KCL FW. SPACE PUMP @ 4". PRESS TBG TO 500#-OK. RIG DOWN. ON PRODUCTION @ 5:30 PM. PUMPING & TESTING.

4-14-98: PUMPED 200 GALS TOLUENE DN CSG, FLWSH W/5 BBLS 2% KCL FW CONTAINING SURFACTANT.

4-15-98: RETURNED PRODUCTION TO FLOWLINE. TREATED DN ANNULAS W/10 GALS CORROSION INHIBITOR. PUMPING & TESTING.

5-01-98: ON 24 HR OPT. PUMPED 14 BO, 33 BW, & 50 MCF.

FINAL REPORT

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE J. Denise Leake TITLE Engineering Assistant

DATE 5/12/98

TYPE OR PRINT NAME J. Denise Leake

Telephone No. 397-0405

(This space for State Use)

APPROVED BY _____ TITLE _____

DATE MAY 19 1998

CONDITIONS OF APPROVAL, IF ANY: