		OPER. OG	RID NO. 20305		en en en en esta en est Recenta en esta	
Form 3160-3 (July 1992)	IINIT	PROPERT	TY NO17124_	re•	FORM APPR OMB NO. 100	04-0136
	UNIT DEPARTMENT	OF POOL CO	DE TO AAT	 	5. LEASE DESIGNATION A	
	BUREAU OF	LANE EFF. DAT	E = 0/(6/(3))		NM-77064	ND BERIAL NO.
APPL		ERMI API NO.	30-025-331)53 -	6. IF INDIAN, ALLOTTER	OR TRIBE NAME
la. TYPE OF WORK	RILL X	DEEPEN	6 : 85	\sim	7. UNIT AGREEMENT NA	K B
b. TYPE OF WELL OIL WELL X 2. NAME OF OPERATOR	DAS OTHER		SINGLE E MULTIP	- E B I	8. FARM OR LEASE NAME, WELL Mesa Verde "6"	
Santa Fe Energ	y Resources, Inc.		1 6 5 G	<u> </u>	9. API WELL NO.	i
3. ADDRESS AND TELEPHONE NO 550 W. Texas,	Suite 1330; Midla	nd, Texas 797	01 (945) 682 637	35 / -	10. FIELD AND POOL, OR	WILDCAT
4. LOCATION OF WELL (I	Report location clearly and		any State requirements.*)		Mesa Verde Delawa	
for 660, FSL &	800' FWL		arico		11. SHC., T., R., M., OR BL AND SURVEY OR ARE	<u>к</u> .
At proposed prod. zo	ne		a state in the second		Sec. 6, T-24-S,	
14. DISTANCE IN MILES 24 miles east (AND DIRECTION FROM NEAR Of Loving, New Me	EST TOWN OR POST O KICO	FFICE*		12. COUNTY OR PARISH	13. STATE New Mexico
15. DISTANCE FROM PROP LOCATION TO NEARES PROPERTY OR LEASE (Also to descent dri	T	660'	6. NO. OF ACRES IN LEASE 560		ACRES ASSIGNED IS WELL 40	
18. DISTANCE FROM PRO	POSED LOCATION [®] DRILLING, COMPLETED,	1000'	9. PROPOSED DEPTH 8700'	20. ROTAR	Y OR CABLE TOOLS Rotary	
21. ELEVATIONS (Show wh 3505 GR	nether DF, RT, GR, etc.)	C	entabled Controlled Wat	er B oein	22. APPROX. DATE WOR August 1,	
23.		PROPOSED CASING	AND CEMENTING PROGRAM	1		
SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT			QUANTITY OF CEMENT	
<u> </u>	H-40 13 3/8" K-55 8 5/8"	48.0	<u> </u>		600 sx to circulate	
7 7/8"	<u>K-55 5 1/2"</u>	17.0	8700'		1300 sx to circulate tie back to 4400'	
If productiv	7e, 5 1/2" casing abandoned in a ma	will be run t nner consiste	to test the Bone Sp to TD. If non-produ ant with Federal Reg No. 1 are outlined	uctive, sulation	the well will be s. Specific	8
Drilling Pro Exhibit A Exhibit B Exhibit C		n Manifold Program	Exhibit E - Topo M Exhibit F - Map Sh Exhibit F (A) - Pl Exhibit G - Well S Surface Use and Op	ap at La owing E: at of La ite Laya	ocation xisting Wells ocation out	
restrictions described ab	concerning opera	c. accepts al tions conduct	l applicable terms, ed on the leased la BLM Bond File No.:	and or po	ortion thereof,	ons and as
- N ABOVE SPACE DESCRIE eepen directionally, give pert	BE PROPOSED PROGRAM: If	proposal is to deepen, give is and measured and true	e data on present productive zone a vertical depths. Give blowout preven	ind proposed r	new productive zone. If pro	posal is to drill or
4. SIGNED LAMEL	P. Philistin		Agent for Santa Fe		DATE 6.30 -	95
<u>7</u>	eral or State office use)	na secol i	bna zinementuge	<u> </u>		
PERMIT NO.		Special S	tipulations			
Application approval does		Attached licant holds legal or equita	able title to those rights in the subject l	ease which wou	ald entitle the applicant to cond	luct operations thereon.

APPROVED BY T. IN Bucke	TTTE Activist	transfer and	DATE	Auu	157 at 10
	*See Instructions On Reverse	: Side			

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and will only to make to any department or agency of the

10

INSTRUCTIONS

from, the local Federal and/or State office. cedures and practices, either are shown below or will be issued by, or may be obtained number of copies to be submitted, particularly with regard to local, area, or regional proregulations. Any necessary special instructions concerning the use of this form and the Federal or a State agency, or both, pursuant to applicable Federal and/or State laws and tions, as indicated, on all types of lands and leases for appropriate action by either a GENERAL: This form is designed for submitting proposals to perform certain well opera-

land should be described in accordance with Federal requirements. Consult local State ITEM 4: If there are no applicable State requirements, locations on Federal or Indian State or Federal regulations concerning subsequent work proposals or reports on the well. tion or to a new reservoir, use this form with appropriate notations. Consult applicable ITEM 1: If the proposal is to redrill to the same reservoir at a different subsurface loca-

be furnished when required by Federal or State agency offices. roads to, and the surveyed location of, the well, and any other required information, should land or lease description. A plat, or plats, separate or on this reverse side, showing the ITEM 14: Needed only when location of well cannot readily be found by road from the or Federal office for specific instructions.

subsurface location of hole in any present or objective production zone. ITEMS IS AND 18: If well is to be, or has been directionally drilled, give distances for

ITEM 22: Consult applicable Federal or State regulations, or appropriate officials, con-

cerning approval of the proposal before operations are started.

NOTICE

uon -esilqge sint vd beriugen noitementer with information required by this applica-The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that ycu be fur-

AUTHORITY: 30 U.S.C. 181 et seq., 25 U.S.C. 396; 43 CFR Part 3160.

PRINCIPAL PURPOSE: The information is to be used to process and evaluate your application for permit

Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory (4)(5) Information from the record and/or the record will be transferred to appropriate proposed operation on surface and subsurface water and other environmental impacts. the Federal or Indian resources encountered. (2) The review of procedures and equip-ment and the projected impact on the land involved. (3) The evaluation of the effects of ROUTINE USES: (1) The analysis of the applicant's proposal to discover and extract to drill or deepen an oil or gas well.

information is mandatory only if the operator elects to initiate drilling operation on an oil and gas lease. EFFECT OF NOT PROVIDING INFORMATION: Filing of this application and disclosure of the investigations or prosecutions, as well as routine regulatory responsibility.

TNAMATARS SRUOH NAGRUB

(1004-0136), Washington, D.C. 20503. Washington, D.C. 20240, and the Office of Management and Budget, Paperwork Reduction Project Bureau of Land Management, (Alternate) Bureau Clearance Officer, (WO-771), 1849 C Street, N.W., comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct Public reporting burden for this form is estimated to average 30 minutes per response, including the time for

:1e**41** The Paperwork Reduction Act of 1980 (44 3.S.C. 3501 et seq) requires us to inform you

səseət seg pue lio neibnl bus lactors no zes no/or gio oil and/or gas on Federal and Indian oil This information is being collected to allow evaluation of the technical, safety, and en-

.snoitsoilqqs svorqqs bas saylyze and approve applications.

lio ne no znoizeroque si litili or store operator elects to initiate drilling operations on a node second si t

.assol sey bus

<u>DISTRICT I</u> 2. O. Box 1980 Hobbs, NM 88241-1980	Energy			New Mexico Sural Resour		ent	Revised	Form C-102 1 02-10-94 ons on back
<u>DISTRICT II</u> P. O. Drawer DD Artesia, NM 88211-0719 DISTRICT III	OII				DIVISION		Submit to the District Office State Lease — Fee Lease —	4 copies
1000 Rio Brazos Rd. Aztec, NM 87410	Sa			30x 2088 [exico 875	504-2088		AMENDED	REPORT
<u>DISTRICT IV</u> P. O. Box 2088 Santa Fe, NM 87507—208	⁸⁸ WELL LO	CATION A	ND AC	REAGE DI	EDICATION	PLAT		
' API Number	2 Pool Cod	41/967-	3 Pool	Name				
• Property Code 5 Pro	operty Name	20	Pie	E '6' FED	Delaware/Bo	ne Spring	* Well Number 13	
'OGRID No. Ope	erator Name				RCES, INC.		* Elevation 3505	
		· ·		LOCATION		·····		
1 1	-	nge , N.M.P.M.	Lot Ida	Feet from the 660	North/South line SOUTH	Peet from the 800	East/West line WEST	County LEA
·····	BOTTOM HOL	E LOCATI	ON IF	DIFFEREN	NT FROM SU	URFACE	1	
UL or lot no. Section Town	nship Ra	inge	Lot Ida	Feet from the	North/South line	Peet from the	East/West line	County
¹² Dedicated Acres ¹³ Joint or 40	Infill ¹⁴ Consolid	ation Code	15 Order N	lo.	L	-L	ll	
	BLE WELL BE A IDATED OR A N							
800'-						I hereby cert contained here to the best of Signature Printed Name James P. ' Title Agent for Date C-30-95 SURVEYOI I hereby c location sho plotted from surveys ma my supervisame is tru best of my Date of Survey JUN Signature and Professional S	Phil" Stin Santa Fe E C R CERTIFICA ertify that th wm, on this pu field notes of de by me or ision, and th e and correct belief.	ATION he well lat was f actual under he the

New Mexico Oil Conservation Division C-102 Instructions

IF THIS IS AN AMENDED REPORT, CHECK THE BOX LABLED AMENDED REPORT' AT THE TOP OF THIS DOCUMENT.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed contact the appropriate OCD district office. Independent subdivision surveys will not be acceptable.

- The OCD assigned API number for this well 1.
- 2. The pool code for this (proposed) completion
- The pool name for this (proposed) completion 3.
- The property code for this (proposed) completion 4.
- The property name (well name) for this (proposed) 5 completion
- The well number for this (proposed) completion 6.
- 7. Operator's OGRID number
- 8. The operator's name
- The ground level elevation of this well 9
- The surveyed surface location of this well measured from the section lines NOTE: If the United States 10 government survey designates a Lot Number for this location use that number in the "UL or lot no." box. Otherwise use the OCD unit letter.
- 11. Proposed bottom hole location. If this is a horizontal hole indicate the location of the end of the hole.
- 12. The calculated acreage dedicated to this completion to nearest hundredth of an acre
- 13. Put a Y if more than one completion will be sharing this same acreage or N if this is the only completion on this acreage
- 14. If more than one lease of different ownership has been dedicated to the well show the consolidation code from the following table: С
 - Communitization U
 - Unitization F
 - Forced pooling
 - 0 Other Ρ
 - Consolidation pending

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION!

15. Write in the OCD order(s) approving a non-standard location, non-standard spacing, or directional or horizontal drilling

16. This grid represents a standard section. You may superimpose a non-standard section over this grid. Outline the dedicated acreage and the separate leases within that dedicated acreage. Show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the dimensions from the section lines in the cardinal directions. (Note: A legal location is determined form the perpendicular distance to the edge of the tract.) If this is a high angle or horizontal hole show that portion of the well bore that is open within this pool.

> Show all lots, lot numbers, and their respective acreage.

If more than one lease has been dedicated to this completion, outline each one and identify the ownership as to both working interest and royalty.

- 17. The signature, printed name, and title of the person authorized to make this report, and the date this document was signed.
- 18. The Registered surveyors certification. This section does not have to be completed if this form has been previously accepted by the OCD and is being filed for a change of pool or dedicated acreage.



DRILLING PROGRAM SANTA FE ENERGY RESOURCES, INC. MESA VERDE "6" Fed. No. 13

In conjunction with Form 3160-3, Application For Permit to Drill the subject well, Santa Fe Energy Resources, Inc. submits the following ten items of pertinent information in accordance with Onshore Oil & Gas Order No. 1.

- 1. Geologic Name of Surface Formation: Permian
- 2. Estimated Tops of Significant Geologic Markers:

Rustler	9301
Delaware Lime	46001
Bell Canyon	4580 <i>1</i>
Cherry Canyon	5650 <i>1</i>
Bone Spring	8500 <i>'</i>
Total Depth	8700 <i>1</i>

3. The estimated depths at which water, oil, or gas formations are expected:

Water	None expected in area
Oil	Delaware @ 4600'
	Bone Spring @ 8500'

- 4. Proposed Casing Program: See Form 3160-3 and Exhibit A.
- 5. Pressure Control Equipment: See Exhibit B.

6. Drilling Fluid Program: See Exhibit C.

- 7. Auxiliary Equipment: A mud logging unit will be utilized to monitor penetration rate and hydrocarbon shows while drilling below the intermediate casing at 4600'.
- 8. Testing, Logging, and Coring Program:

Drill Stem Tests: None Planned.

Logging:

Dual Laterol	log w/MSFL and	Gamma Ray	4600′-8700′
Compensated	Neutron/Litho	-Density/Gamma Ray	4600′-8700′
Compensated	Neutron/Gamma	Ray (thru csg)	Surface-4600'

DRILLING PROGRAM Mesa Verde "6" Fed. No. 13 Page 2

9. Abnormal Conditions, Pressures, Temperatures, & Potential Hazards:

No abnormal pressures or temperatures are anticipated. The estimated bottom hole temperature is 135° psi and the estimated bottom hole pressure is 3100 psi. No Hydrogen Sulfide or other hazardous gases or fluids have been encountered, reported or are known to exist at this depth in this area. No major lost circulation zones have been reported in the offsetting wells.

10. Anticipated Starting Date and Duration of Operations:

Road and location work will not begin until approval has been received from the BLM. The anticipated spud date is August 1, 1995. Once spudded the drilling operation should be completed in approximately 15 days. If the well is productive, an additional 30 days will be required for completion and testing before permanent facilities are installed.

EXHIBIT A OPERATIONS PLAN SANTA FE ENERGY RESOURCES, INC. Mesa Verde "6" Federal No. 13 Section 6, T-24-S, R-32-E Lea County, New Mexico

- 1. Drill a 17-1/2" hole to approximately 600'.
- Run 13-3/8" 48.0 ppf H-40 ST&C casing. Cement with 600 sx Class "C" cement containing 2% CaCl₂. Run centralizers on every other joint above the shoe.
 Apply thread lock to bottom two joints and guide shoe.
- 3. Wait on cement twelve hours prior to cutting off.
- 4. Nipple up an annular BOP system and test casing to 600 psi. WOC twenty-four (24) hours prior to drilling out.
- 5. Drill a 11" hole to approximately 4600'.
- 6. Run 8-5/8" 32.0 ppf K-55 ST&C casing. Cement with 1100 sx Cl "C" Lite containing 12 pps salt and 1/4 pps celloflake followed by 200 sx Class "C" with 2% CaCl₂. Run guide shoe on bottom and float collar two joints from bottom. Centralize every other joint for bottom 400' of casing and place two centralizers in surface casing. Thread lock bottom 2 joints.
- 7. Wait on cement for twelve hours prior to cutting off.
- 8. Nipple up and install a 3000 psi. Double Ram and Annular BOP system with choke manifold. WOC 24 hours prior to drilling out.
- 9. Test BOP system to 1500 psi with the rig pump. Test casing to 1500 psi.
- 10. Drill 7-7/8" hole to 8700'. Run logs.
- 11. Either run and cement 8700' of 5-1/2" 17.0 ppg K-55 LT&C 5-1/2" 15.50 ppf K-55 LT&C casing or plug and abandon as per BLM requirements.

