

COMPANY	TEXACO EXP	LEASE	E.E.BLINEBRY "Q" FEDWELL NO.	4	Pc =	95.2	Pw2 =	9.1				
UNIT #		SECTION #		TOWNSHIP : 235								
L :	3109	H :	3109	L/H :	1	G/GMX	: 0.760		Pt2 =	2.7	Pw =	65.5
ZC02 :	6.53	ZN2 :	1.36	H2S :			DATE : 6/3/96			0.0		ERR
d :	1.995	Fr :	0.018231	GH :	2425.0		RANGE : 37E			0.0		ERR
VOL 1 :	329	PSIA 1 :	52.2	RESV. TEMP	89.0					0.0		ERR
VOL 2 :		PSIA 2 :			<td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>ERR</td>							ERR
VOL 3 :		PSIA 3 :		SHUT-IN PR=	95.2							ERR
VOL 4 :		PSIA 4 :										ERR
		PCR :	692		<td> <td></td> <td></td> <td></td> <td>n =</td> <td>1.000</td> <td></td> </td>	<td></td> <td></td> <td></td> <td>n =</td> <td>1.000</td> <td></td>				n =	1.000	
		TDR :	426		<td> <td> <td> <td></td> <td></td> <td></td> <td></td> </td></td></td>	<td> <td> <td></td> <td></td> <td></td> <td></td> </td></td>	<td> <td></td> <td></td> <td></td> <td></td> </td>	<td></td> <td></td> <td></td> <td></td>				
										Pt2/(Pc2-Pw2) =	1.897	
LINE		RATE 1		RATE 2		RATE 3		RATE 4				
		'1ST		'2ND		'1ST		'2ND				
		/		/		/		/				
1	QH	0.329		0.329		0.000		0.000		0.000		
2	TW	534		534		534		534		534		[Pc2/Pc2-Pw2]n = 1.897
3	Ts	549.0		549.0		549.0		549.0		549.0		ERR
4	T	541.5		541.5		541.5		541.5		541.5		ERR
PR (est)		0.08		0.00		0.00		0.00		0.00		ERR
5	Z(est)	0.963		0.961		ERR		ERR		ERR		
6	TZ	521.5		520.3		ERR		ERR		ERR		ADF= Q 0.624
7	GH/TZ	4.850		4.861		ERR		ERR		ERR		ERR
8	eS	1.190		1.191		ERR		ERR		ERR		ERR
9	1-e-S	0.160		0.160		ERR		ERR		ERR		ERR
10	Pt	52.2		52.2		0.0		0.0		0.0		
11	Pt2 /1000:	2.7		2.7		0.0		0.0		0.0		
12	Fr	(0.018231	(0.018231	(0.018231	(0.018231	(0.018231	(0.018231	(0.018231	(0.018231	(0.018231		
13	Fc=FrTZ	9.508		9.485		ERR		ERR		ERR		
14	FcDm	3.13		3.12		ERR		ERR		ERR		
15	L/H(FcDm)	9.8		9.7		ERR		ERR		ERR		
16	Fw	1.565738		1.561676		ERR		ERR		ERR		
17	Pw2	4.3		4.3		ERR		ERR		ERR		
18	Ps2	5.1		5.1		ERR		ERR		ERR		
19	Ps	71.5		71.5		ERR		ERR		ERR		
20	P	61.8		61.8		ERR		ERR		ERR		
21	Pr	0.09		0.09		ERR		ERR		ERR		
22	Tr	1.27		1.27		1.27		1.27		1.27		
23	Z	0.961		0.961		ERR		ERR		ERR		FORM C122-D