District 1 PO Box 1980, Hobbs, NM 88241-3980 District II PO Drawer DD, Artesia, NM \$8231-0719 District III 1000 Rio Brazos Rd., Aziec, NM 87410

State of New Mexico Energy, Maerain & Natural Resources Departu

OIL CONSERVATION DIVISION PO Box 2088 Santa Fe, NM 87504-2088

For\_ C-101 Revised February 10, 1994 Instructions on back Submit to Appropriate District Office State Lease - 6 Copies Fee Lease - 5 Copies

1

District IV PO Box 2088, S	anta Fe, Ni	M 87504-2088							. [	AME	NDED REPOR	
APPLICA	TION	FOR PE	ERMIT		ILL, RE-E		EEPI	en, plugi	BACK		DD A ZON	
APACHE CORPORATION									00873			
2000 POST OAK BLVD. SUITE 100								* AFI Nea			API Number	
HOU	TEXAS 7	7056–4	400						30-025-3378-			
* Property Code						4 Property Name					* Wall No.	
16843 Skelly Penrose "A					se "A" Ur						85	
				· · · ·	<sup>7</sup> Surfac	e Location					•	
		Tow aship			Feet from the	North/South line		Feet from the	East/West line		County	
		23S	37E		2562 <b>'</b>	North	North		West		LEA	
		<sup>®</sup> Pr	oposed	Bottom	Hole Loca	tion If Dif	ferer	t From Sur	face			
UL er lot so.	Section	Township	Range	Lot Ida	Fact from the	North/South	äac	Feet from the	East/W	ent line	County	
											х. 	
		* Рторон	ed Pool I					" Propor	ed Pool 2	2		
Langlie 1	Mattix	7Rive	rs Que	en Gra	yburg							
" Work Type Code			Well Type	Cedc	" Cable/Rotary		" Lense Type Code			" Ground Level Elevation		
N			0				Р			3301' GR.		
" Multiple		.,	" Proposed Depth		" For	matien .	" Cestractor			* Spud Date		
NO			3800'		PENROSE		UNKI	NOWN	1	WHEN APPROVED		
			21	Propose	d Casing a	nd Cement	Pro	gram				
Hole Size		Casing		· · · · · · · · · · · · · · · · · · ·	e weight/foot	Setting D		Secto of	Cement	E	timated TOC	
12½"		9	9 5/8" 32.		3	1160'	555		•	Circ. to surfa		
8	3/4"	51/2"		17		3800'		1540		Circ. to surfac		
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				1				1		1		
										1		
	-+-							1		+		
<ul> <li>Describe the</li> <li>Drill</li> <li>Cement</li> <li>to sur</li> </ul>	12½" h With face.	onvestion pro nole to 555 Sx.	gna. V a 1160'. Class	Run a ''C'' +	nd set 11 2% CaCl	******* .60' of 9 + ½# Cel(	5/8 ofla	prment productive " 32.3# H- kes/Sx. Ci	40 ST rcula	&C cas te cem	ing.	
Cement	with . Tail	490 Sx. in wit	Class	"C" 3.	5/65 POZ	+ 5% salt	t + (	7# K-55 LT 6% Gel + ½ 소# Celofla	# Celd	oflakes	s culate	
								1 Year From Drilling Un	•••			
screby certify the y knowledge and	the mform belief	ation given abe	ove is true a	nd complete	to the best	OIL	CON	SERVATIO	DN DI	VISION	1	
DADUTE: De Tancio						Approved by:						
Joe T. Janice						Tak:						
Agent						Approval Date: AN 23 1997 Expiration Date:						
e: Phone:						Loss of Approval		1331			Ň	
01/21/97 <b>505-392-2112</b>						Attached D						



, ,

-

DISTRICT I P.C. Box 1980, Hobbs, NM 88241-1980

• , ---

DISTRICT II P.O. Drawer DD, Artesia, NM 88211-0719

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV P.O. Box 2088, Santa Fe, NM 87504-2088

## State of New Mexico

Energy, Minerals and Natural Resources Department

Form C-102 Revised February 10, 1994 Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

## OIL CONSERVATION DIVISION P.O. Box 2088 Santa Fe, New Mexico 87504-2088

□ AMENDED REPORT

## WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-33787		3724	Pool Code	La	Pool Name 7R's Queen Grayburg							
Property Code 16843					Well Number							
осяю No. 000843					Elevation							
					Surface Loc	ation						
UL or lot No. E			RangeLot Idn37E		Feet from the 2562	North/South line NORTH	Feet from the 1219	Bast/West line WEST	County LEA			
Bottom Hole Location If Different From Surface												
UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County			
Dedicated Acres	Joint of	r Infill C	onsolidation (	Code Or	der No.	I	L <u>.</u>	1	I <u></u>			
NO ALLO	WABLE W	ILL BE A OR A	SSIGNED NON-STAN	TO THIS DARD UN	COMPLETION UNIT HAS BEEN	NTIL ALL INTER APPROVED BY	RESTS HAVE BI THE DIVISION	EEN CONSOLIDA	TED			
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION									lormation ite to the ION m shown notes of sinder my true and JLP 2D-97 27 676 3239			



-



900 Series 3000 PSI WP

•

-

---



~~..