

Submit 3 Copies To Appropriate District  
Office

**District I**

1625 N. French Dr., Hobbs, NM 88240

**District II**

811 South First, Artesia, NM 88210

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410

**District IV**

2040 South Pacheco, Santa Fe, NM 87505

*Amended*  
State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
2040 South Pacheco  
Santa Fe, NM 87505

Form C-103

Revised March 25, 1999

WELL API NO.

30-025-34246

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name:

Stevens "11"

8. Well No. 1

9. Pool name or Wildcat

Wildcat

**SUNDRY NOTICES AND REPORTS ON WELLS**

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☐ Gas Well ☒ Other

2. Name of Operator

Santa Fe Snyder Corporation

3. Address of Operator

550 W. Texas, Suite 1330, Midland, TX 79701

4. Well Location

Unit Letter K : 760 feet from the South line and 1980 feet from the West line

Section 11 Township 24S Range 33E NMPM Lea County NM

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

3621 RKB

**11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data**

**NOTICE OF INTENTION TO:**

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

**SUBSEQUENT REPORT OF:**

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

**Plug and Abandon well.**

Set cmt retainer at 13,940' and sqz current perfs at 14,040-054' with 20 sxs class H. Place and tag 150' plug with 12.5 sxs at 13,930'. Cement 7" shoe at 12,675' with 25 sxs and tag. Set plug at liner top at 12,018' w/ 25 sxs and tag. Place 150' plug at 8600' w/ 32 sxs class H. Cut & pull approximately 5300' of 7" casing. Plug stub and 9 5/8" shoe with 64 sxs class C and tag. Set 100' (43 sxs) plugs at 3250' and 1320' (top of salt). Set and tag 150' (62 sxs) plug at 13 3/8" casing shoe at 871'. Set 70' (25 sxs) surface plug. Cut off well head 3' below ground level, install dry hole marker, clean and reclaim location.

Note: Place 9.5 ppg mud between all plugs. Add 2% CaCl<sub>2</sub> to slurry to reduce WOC time on tagged plugs.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

*Terry McCullough*

TITLE Sr.. Production Clerk

DATE 5/1/00

Type or print name Terry McCullough

Telephone No. 915/686-6612

(This space for State use)

APPROVED BY

TITLE

DATE

Conditions of approval, if any:

IC

dp

# PLUGGING & ABANDONMENT WORKSHEET

OPERATOR Santa Fe Snyder Corporation

WELL NAME Stevens 11 #1

SECT 11

TWN 24S

RNG 33E

1980 FSL


1980 FWL

TD 15,250

FM @ TD Morrow

PBTD 14,130

FM @ PBTD Atoka



	SIZE	SET @	TOC	TOC Determined	
SURFACE	13 3/8	796	Surf.	Circ. 120 sxs	
INTMED 1	9 5/8	5,246	Surf.	Circ.	
INTMED 2	7	12,600	5,300	Temp. Survey	
PROD					
	SIZE	TOP	BOT	TOC	Determined
LINER 1	4 1/2	11,918	15,250	11,918	--
LINER 2					
CUT & PULL @			TOP - BOTTOM		
INTMED 1			PERFS	14,040-054	
INTMED 2		5275			
PROD			O/H		

\* Required plugs - Dist. 1

Rustler (Anhyd) *	PLUG	TYPE PLUG	SACKS	DEPTH
Yates			CMT	
Queen	EXAMPLES			
Grayburg	Plug #1	OH	25 SXS	9850
San Andres	Plug #2	SHOE	50 SXS	8700-8800
	Plug #3	CIBP/35		5300
Capitan Reef *	Plug #4	STUB	25 SXS	5300
	Plug #5	RETR SQZ	50 SXS	4600-4700
Delaware	Plug #6	SURF	200 SXS	400
Bell Canyon	Plug #7		10 SXS	0-10
Cherry Canyon	Plug #1	CIBP/20'	In Place	15,087
Brushy Canyon	Plug #2	CIBP/20'	In Place	14,150
Bone Spring	Plug #3	Retnr Sqz	20 sxs	13,940
	Plug #4	150'	12.5 sxs	13,930
Glorieta *	Plug #5	7" Shoe	25	12,675
Blinbry	Plug #6	4 1/2" Liner Tp	25	12,018
Tubb	Plug #7	150'	32	8,600
Drinkard	Plug #8	7" Stub/9 5/8 Shoe	64	5,300
Abo	Plug #9	Glorieta	43	3,250
	Plug #10	T/Salt	43	1,320
Wolfcamp	Plug #11	13 3/8" Shoe	62	871
Penn	Plug #12	Surf	25	70
Strawn	Plug #			
Atoka	Plug #			
Morrow	Plug #			
Miss	Plug #			
Devonian				