

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

N.M. Oil Cont. Division
1625 N. French Dr.
Hobbs, NM 88240

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Roden Oil Company

3. Address and Telephone No.

550 W. Texas, Suite 1140, Midland, Texas 79701 915-682-6373

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

(E) 1250' FNL & 1000' FWL Sec. 35, T-26-S, R-35-E

5. Lease Designation and Serial No.

NM-101610

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

MIRO "35" Fed #1

9. API Well No.

30-025-34897

10. Field and Pool, or Exploratory Area

Wildcat

11. County or Parish, State

Lea, New Mexico

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice


TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other Progress Report
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

5-2-2000	Drig @ 3550'	1 3/4" @ 3496'
5-3-2000	Drig @ 3865'	1 1/4" @ 3743'
5-4-2000	Drig @ 4300'	1/4" @ 4022'
5-5-2000	Drig @ 4700'	3/4" @ 4645'
5-6-2000	Drig @ 5030'	3/4" @ 4974'
5-7-2000	Drig @ 5150'	1/2" @ 5150' Running 10 3/4" Csg.
5-8-2000	Fin. Running 10 3/4" Csg. Set @ 5150'. Cmt w/ 1000 sx cmt. Circ. 265 sx to Surface. NU 13 5/8" 10M Triple ram BOP's w/ annular Test BOP's & Choke Manifold to 5000 psi. <i>what class cmt, what additives?</i>	
5-9-2000	Drig @ 5750'	3/4" @ 5454'
5-10-2000	Drig @ 6550'	1/4" @ 6357'



14. I hereby certify that the foregoing is true and correct

Signed

James J. Philpott

Title Agent for Roden Oil Company

Date 5-19-2000

(This space for Federal or State office use)

Approved by

Conditions of approval, if any

see above

Title

*ORIGINAL SIGNED BY JAMES J. WILLIAMS
DISTRICT OF NEW MEXICO*

Date

JUN 05 2000

RECEIVED
MAY 19 2000
BLM
POSDEN, NM

4
JUN 2000
Received
Hobbs
OCD

100
100