



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office _____

Lease No. 186150

Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Shaw Federal

Hobbs, New Mexico July 17, 1958

Well No. 1 is located 660 ft. from N line and 1980 ft. from E line of sec. 18

NE 1 Sec 18 25-S 32-E NMPL
(4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat Lea New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3418 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

TD 759'
Spudded 17 1/2" Hole 7-10-58

Ran 19 joints 737' 13 3/8" casing set @ 759' and cemented with 750 sacks 4% Gel & 100 sacks Regular Neat Cement. 7-12-58 Cement Circulated.

Tested 13 3/8" casing with 1000 PSI for 30 minutes from 5:00 to 5:30 P.M. 7-14-58. Tested OK. Drilled cement and retested 13 3/8" casing with 1000 PSI for 30 minutes from 6:00 to 6:30 P.M. 7-14-58. Tested OK.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE TEXAS COMPANY

Address Box 458

Hobbs, New Mexico

By [Signature]

Title Assistant District Superintendent