NUULIT N DE COPIES RECEIVED DISTRIBUTION SANTA FE FLE U.S.G.J LAND @PPICE OIL		CO OIL CONSERVAT SANTA FE, NEW M F COMPLIANCE		FORM C-110 (Rev. 7-60)
TRANSPORTER GAS PRORATION OFFICE OPERATOR		SPORT OIL AND	NATURAL GAS	
Company or Operator	Investment Campa		Lease Perry Federal	Well No.
l		Range	Coun ty	I
Pool Padana (Delamere)			Kind of Lease (State, Fed. Fee.	
If well produces oil or condens give location of tanks	uate Unit Lette	r Section	Township	Range
Authorized transporter of oil mor conde The Pozzian Corporation Poz 42,57 M.Conde Texas	ensate Is Gas Actually Co	New 1257 Midlands	idress to which approved copy of	this form is to be sent)
Authorized transporter of casing head gas		Con- Address (give ad	ldress to which approved copy of	this form is to be sent)
Change in Trans Oil		FILING (please check p Change in Own Other (explain	ership	-
Remarks ILLEGIBL The undersigned certifies that the Rul Executed thi Approved by	les and Regulations of the	e Oil Conservation Comp Polymenty By	mission have been complied w , 19	ith.
Approved to		Title Acoust	Bivision Office Max	
Title		Company Perthe	e City Investment &	
Date		Address	178 Muchans, Tenn	•

Form 9-881 a (Feb. 1001) E. W. STANDLEY DISTRICT ENGINEERA	(SUBMIT IN TRIPLI UNITED STAT RTMENT OF THE GEOLOGICAL SUF	ES INTERIOR	Budget Bureau No. 42-R358.4 Approval explores 12 31 60. Land Office New Maxi 00 Solg 59 Lesse No. LC 100189 Unit Cotton Draw
SUNDRY NOTIO	CES AND RE	PORTS ON	WELLS
NOTICE OF INTENTION TO DRILL NOTICE OF INTENTION TO CHANGE PLANS NOTICE OF INTENTION TO TEST WATER SHUT-OFF NOTICE OF INTENTION TO RE-DRILL OR REPAIR W NOTICE OF INTENTION TO SHOOT OH ACIDIZE. NOTICE OF INTENTION TO PULL OR ALTER CASING NOTICE OF INTENTION TO ABANDON WELL	SUBSEQUE SUBSEQUE SUBSEQUE SUBSEQUE	NT REPORT OF WATER NT REPORT OF SHOOTH NT REPORT OF ALTERIN NT REPORT OF RE-DRIL NT REPORT OF ABANDO NTARY WELL HISTORY	NG OR ACIDIZING IG CASING LING OR REPAIR
INDICATE ABOVE BY C	CHECK MARK NATURE OF REPO	RT, NOTICE, OR OTHER	DATA)
	ft. from ^(N) line ar	nd 1980 tt. from	m We line of sec 21
NW 1/4 (a Bec and Sec No Undesignated (Field) T-25-3 (Twp Lea (The elevation of the derrick floor above the elevation of the derrick floor above t	S R-32-E Ratger County (County or Subdivision) ve sea level is # DETAILS OF WO day show sizes, weights, and le ts, and all other important pi ts and all other important pi	N. M. P. (Meridian) New ft. #Not yet reported RK	M. Mexico State or Territory) available. Will be when rig is moved in.
NW 1/4 (A bec and see No Undesignated (Frid) T-25-3 (Twp Undesignated (Frid) The elevation of the derrick floor above ing point ropose to drill and complete n approximate total depth of -5/8" OD new 24 lb. per foot, nd cemented back to the surface	S R-32-E (Ratge) County (County Subdivision) ve sea level is # DETAILS OF WO day above sizes, weights, and le ts, and all other important pi a woll in the up 4790'. grade H-40 casin ce with 275 SX. (N. M. P. (Meridian) New ft. #Not yet reported RK ngths of proposed cash opened work) Der part of the hg is to be so of regular new	M. Mexico State or Territory) available. Will be when rig is moved in. ver/indicate mudding jobs, comment- he Delaware Sand at et in an ll [#] hole at just comment.
NW 1/4 (A bec and see No Undesignated (Ficid) T-25-3 (Twp Undesignated (Ficid) The elevation of the derrick floor above the elevation of the derrick floor above ing point ropose to drill and complete n approximate total depth of -5/8" OD new 24 lb. per foot.	S R-32-E Ratger County (County or Subdivision) ve sea level is # DETAILS OF WO day show sizes, weights, and le ts, and all other important pr a well in the up 4790'. grade H-40 casin ce with 275 sx. of ing is to be set th 100 set of 50-	N. M. P. (Meridian) New ft. #Not yet reported RK mgths of proposed cash opposed work) per part of the hg is to be so of regular new in 6-3/4" hol 50 Pogwary 25	M. Mexico State or Territory) available. Will be when rig is moved in. servindicate mudding jobs, comment- the Delaware Sand at et in an ll [#] hole at 1 at cement. Le, on bottom, at appr
NW 1/4 (a bec and see No Undesignated (Frid) T-25-3 (Twp) Undesignated (Frid) The elevation of the derrick floor above the elevation of the derrick floor above ing point ropose to drill and complete a approximate total depth of -5/8" OD new 24 lb. per foot, and cemented back to the surface ately 4790°, and comented with Latex cement, to fill approxi- ble. Ne well will be drilled with re- age to a sections, and apply from preliminary natural ter	S R-32-E Ratige) County (County Counts on Subdivision) We sea level is # DETAILS OF WO day show sizes, weights, and le ts, and all other important of a well in the up 4790'. grade H-40 casin ce with 275 sx. of ing is to be set th 100 sx. of 50- ximately 709' between rotary tools. Co ying stimulation	N. M. P. (Meridian) New ft. #Not yet reported RK myths of proposed cash oper part of the hg is to be so of regular new in 6-3/4" hol- 50 Pozmix 25 ween the cash oppletion will treatments by	M. Mexico State or Territory) available. Will be when rig is moved in. merrindicate mudding jobs, comment- the Delaware Sand at et in an ll" hole at in at cement. le, on bottom, at appringel, followed by 50 min ing and the 6-3/4" drived be made by gun-performance of the second
NW 1/4 (a bec and see No Undesignated (Frid) T-25-3 (Twp) Undesignated (Frid) The elevation of the derrick floor above intenames of and expected depths to objective same ing point ropose to drill and complete a approximate total depth of -5/8" OD new 24 lb. per foot, and cemented back to the surface a commented back to the surface a commented back to the surface a commented back to fill approxi- bla commented with Latex cement, to fill approx- bla.	S R-32-E Ratige) County (County Counts on Subdivision) We sea level is * DETAILS OF WO day show sizes, weights, and le ts, and all other important pi a well in the up 4790'. grade H-40 casin ce with 275 sx. of ing is to be set th 100 sx. of 50- ximately 709' between rotary tools. Co ying stimulation sts. approval in writing by the Geo	N. M. P. (Meridian) New ft. #Not yet reported RK myths of proposed cash oper part of the hg is to be so of regular new in 6-3/4" hol- 50 Pozmix 25 ween the cash oppletion will treatments by	M. Mexico State or Territory) available. Will be when rig is moved in. merrindicate mudding jobs, comment- the Delaware Sand at et in an ll" hole at in at cement. le, on bottom, at appringel, followed by 50 min ing and the 6-3/4" drived be made by gun-performance of the second
NW 1/4 (a bec and see No Undesignated (Frid) T-25-3 (Twp) Undesignated (Frid) The elevation of the derrick floor above ing point ropose to drill and complete approximate total depth of -5/8" OD new 24 lb. per foot, and cemented back to the surface ately 4790°, and comented with Latex cement, to fill approxi- ble. The well will be drilled with response to apply sections, and apply from preliminary natural ter-	S R-32-E Ratige) County (County Counts on Subdivision) We sea level is * DETAILS OF WO day show sizes, weights, and le ts, and all other important pi a well in the up 4790'. grade H-40 casin ce with 275 sx. of ing is to be set th 100 sx. of 50- ximately 709' between rotary tools. Co ying stimulation sts. approval in writing by the Geo	N. M. P. (Meridian) New ft. #Not yet reported RK myths of proposed cash oper part of the hg is to be so of regular new in 6-3/4" hol- 50 Pozmix 25 ween the cash oppletion will treatments by	M. Mexico State or Territory) available. Will be when rig is moved in. merrindicate mudding jobs, comment- the Delaware Sand at et in an ll" hole at in at cement. le, on bottom, at appringel, followed by 50 min ing and the 6-3/4" drived be made by gun-performance of the second
NW 1/4 (a Bec and Sec No Undesignated (Frid) T-25-3 (Twp) Undesignated (Frid) The elevation of the derrick floor above the elevation of the derrick floor above impoint ropose to drill and complete approximate total depth of -5/8" OD new 24 lb. per foot, and comented back to the surface ately 4790', and comented with Latex cement, to fill approxi- ble. Ne well will be drilled with r ag the pay sections, and apply from preliminary natural tor understand that this plan of work must receive a company PANTHER CITY INVESTM	S R-32-E Ratige) County (County Counts on Subdivision) We sea level is * DETAILS OF WO day show sizes, weights, and le ts, and all other important pi a well in the up 4790'. grade H-40 casin ce with 275 sx. of ing is to be set th 100 sx. of 50- ximately 709' between rotary tools. Co ying stimulation sts. approval in writing by the Geo	N. M. P. (Meridian) New ft. #Not yet reported RK reported ang is to be so of regular new in 6-3/4" hol 50 Pozmix 25 ween the cast mpletion will treatments by blogical Survey before of By	M. Mexico State or Territory) available. Will be when rig is moved in. merrindicate mudding jobs, comment- the Delaware Sand at et in an ll" hole at in at cement. le, on bottom, at appringel, followed by 50 min ing and the 6-3/4" drived be made by gun-performance of the second

		WEL										FORM C-128 Reviewd 5/1/57
WELL LOCATION AND ACREAGE DEDICATION PLAT												
	<u> </u>					SECT	ION A E		1 17	PH 1	4 77	
Operator		_				Lease			*******	· · · · · · · · · · · · · · · · · · ·	2-4	Vell No.
Pantl	her (City	Invest	tmen	t Co.		Pe	TTY	Federa	a1		6
Unit Letter	Sectio		Town	ship		R	age		County			
F		21	25	Sou	th		32 Eas	st		Lei	L	
Actual Footage L	ocation	of Vell:										
1980	feet i	rom the	Not	rth	line and		1980	fee	from the	West	1	line
Ground Level Ele	IV. F	roducing	Formatio	Ċ.		Pool					Dedic	ated Acreage:
3400.	0											Acres
who has the ri another. (65- 2. If the answer t wise? YES_	ight to d -3-29 (i to quest NC	bill into a c) NMSA Lion one i)	and to pro 1935 Com a ''ao,'' h If answe	duce /r p.) ave the z is ''y	om any poo e interests 'es,'' Type	of all the of all the of Cons	appropriat ne owners b solidation _	e the p	moduction e	ither for his by communi	tizatio	owner" means the person r for himself and a agreement or other-
3. If the answer t	ra dess		≠ ≝0,"l	19C 811 (ras omsets	and the				:		
Banther	R	17	<u> </u>	1	16	•	Land De	escript	ioa		11	
Uan/102		y I	71/2574	oren	10		+					JAN 1 1 1961
			S.F	CTIO	NR					ר	cent	S. COOLCHROND CONVEY
≺ 19	80'				• ••••• ••••• ••••					in SECTI plete to t belief. Name Position Company Date, Date, I hereby of	ON A in the best for the best f	that the information above is true and com- t of my knowledge and <u>O. Provens</u> <u>TV. Mgr</u> <u>Hy Jnu. Co</u> <u>U. 1961</u> that the well location
0 330 660 1		20 1620	/360 23							plotted fr surveys g supervisi	e fiel ed tiel et tiel et tiel et tiel Pt tiel No.	At is SECTION B was decreased actual White Anger that the main of actual best of at actual 676 41-10-61 Autom Bagino Ay W. West W. West B L.S. NO. 676