

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised March 25, 1999

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-08217
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other: Injection		5. Indicate Type of Lease FEDERAL STATE <input type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator SAHARA OPERATING COMPANY		6. State Oil & Gas Lease No. Federal Lse LC-061869
3. Address of Operator P.O. BOX 4130, Midland, TX 79704		7. Lease Name or Unit Agreement Name: Cotton Draw Unit
4. Well Location Unit Letter <u>G</u> : <u>1980</u> feet from the <u>NORTH</u> line and <u>1980</u> feet from the <u>East</u> line Section <u>21</u> Township <u>25-S</u> Range <u>32-E</u> NMPM County <u>Lea</u>		7. Well No. 23
10. Elevation (Show whether DR, RKB, RT, GR, etc.) 3422' DF		9. Pool name or Wildcat Paduca (Delaware)

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☒ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Propose to repair casing & return well to injection.

1. Rig up, NU BOP. Pull tbg & pkr. Run packer & bridge plug, Locate casing leak.
2. Depending on depth of casing leak, either squeeze or pull and replace casing.
3. Pressure test casing, return well to active injection

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE President DATE 7-9-02

Type or print name Robert McAlpine Telephone No. 915-697-0967
(This space for State use)

APPROVED BY PAUL F. KAUTZ TITLE PETROLEUM ENGINEER DATE JUL 16 2002
Conditions of approval, if any: