UNITED STATES UN	
(SUBMIT IN TRIPLICATE) Land UNITED STATES UNITED STATES DEPARTMENT OF THE INTERIOR United States DEPARTMENT OF THE INTERIOR United States DEPARTMENT OF THE INTERIOR United States SUNDRY NOTICES AND REPORTS ON U SUBSCOUENT REPORT OF WATER SHUT- OF INTENTION TO DRILL E OF INTENTION TO DRILL SUBSCOUENT REPORT OF WATER SHUT- OF INTENTION TO REPORT OF ACTERNEL SUBSCOUENT REPORT OF ALTERNEL SUBSCOUENT REPORT OF ALTERNEL COF INTENTION TO BUIL OR ALTER CASING SUBSCOUENT REPORT OF ALTERNEL UNDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA MORE OF INTENTION TO ABANDON WELL (Mary 26, (MARY 265) (Mary 26, (Mary 26, (Mary 26, (Mary 26, (Mary 26, (Mary 26, (Mary 26, (Mary 26, (Mary 26, (Budget Bureau No. 42-R358.4. Approval expires 12-31-60.
UNITED STATES USBEQUENT REPORT OF WATER SHUT SUBSEQUENT REPORT OF WATER SHUT SUBSEQUENT REPORT OF MATER SHUT SUBSEQUENT REPORT OF MATER SHUT SUBSEQUENT REPORT OF ABANDONNEE E OF INTENTION TO FULL OR ALTER CASING UNITED STATES WELL HISTORY. E OF INTENTION TO SHOOT OF ACIDIZE E OF INTENTION TO ABANDON WELL UNITED STATES UNIT	nd Office Sente Po
DEPARTMENT OF THE INTERIOR UN GEOLOGICAL SURVEY DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY SUBSCUENT REPORT OF ANTER SHUT-OF: SUBSCUENT REPORT OF WATER SHUT-OF: GE OF INTENTION TO TEST WATER SHUT-OF: GE OF INTENTION TO TACIDIZE. GE OF INTENTION TO ABANDON WELL GE OF INTENTION TO PULCAR ATTER CASING GE OF INTENTION TO ABANDON WELL GE OF INTENTION TO ABANDON WELL GE OF INTENTION TO MELONIZE. G	
GEOLOGICAL SURVEY GEOLOGICAL SURVEY SUBSEQUENT REPORT OF WATER SHUT OF FE OF INTENTION TO DRILL FE OF INTENTION TO TAMORE PLANS. SUBSEQUENT REPORT OF WATER SHUT OF FE OF INTENTION TO TEST WATER SHUT-OFF. SUBSEQUENT REPORT OF ALTERING CA SUBSEQUENT REPORT OF ALTERNAL TREPORT OF ALTERNAL SUBSEQUENT REPORT OF ALTERNAL COLORNAL COL	No. Lic 068846
GEOLOGICAL SURVEY GEOLOGICAL SURVEY SUBSEQUENT REPORT OF WATER SHUT OF FE OF INTENTION TO DRILL FE OF INTENTION TO TAMORE PLANS. SUBSEQUENT REPORT OF WATER SHUT OF FE OF INTENTION TO TEST WATER SHUT-OFF. SUBSEQUENT REPORT OF ALTERING CA SUBSEQUENT REPORT OF ALTERNAL TREPORT OF ALTERNAL SUBSEQUENT REPORT OF ALTERNAL COLORNAL COL	tD
SUNDRY NOTICES AND REPORTS ON W EVALUATION TO DRILL E OF INTENTION TO DRILL SUBSEQUENT REPORT OF WATER SHUT- SUBSEQUENT REPORT OF SMOOTING O E OF INTENTION TO TEST WATER SHUT-OFF. SUBSEQUENT REPORT OF ALTERING O, SUBSEQUENT REPORT OF ALTERING OF ALTERNATION TO PULL OR ALTER CASING. E OF INTENTION TO PULL OR ALTER CASING. SUBSEQUENT REPORT OF ALTERING OF ALTERNATION TO ADANDON WELL. ICO INTENTION TO ADANDON WELL. SUBSEQUENT REPORT OF ADANDONNEL ICO INTENTION TO ADANDON WELL. SUBSEQUENT REPORT OF ADANDONNEL ICO INTENTION TO ADANDON WELL. SUBSEQUENT REPORT OF ADANDONNEL ICO INTENTION TO ADANDON WELL SUBSEQUENT REPORT OF ADANDONNEL ICO INTENTION TO ADANDON WELL SUBSEQUENT REPORT OF ADANDONNEL ICO INTENTION TO ADANDON WELL SUBSEQUENT REPORT OF ADANDONNEL ICO INTENTION TO PULL OR ALTER CASING. SUBSEQUENT REPORT OF ADANDONNEL ICO INTENTION TO PULL OR ALTER CASING. SUBSEQUENT REPORT OF ADANDON ICO INTENTION TO PULL OR ALTER CASING. SUBSEQUENT REPORT OF ADANDON ICO INTENTION TO PULL OR ALTER CASING. INTENTION TO PULL OR ALTER CASING. ICO INTENTION TO ADANDON DELL. INTENTION TO ADANDON ICO INTENTIO	
2. OF INTENTION TO DRILL	
2. OF INTENTION TO DRILL	JUN 1 5 1960
2. OF INTENTION TO DRILL	VELLS. GEOLOGICAL
2. OF INTENTION TO DRILL	CLL ROBBS, NEW MENTER
2. OF INTENTION TO CHANGE PLANS. SUBSEQUENT REPORT OF SHOOTING O 2. OF INTENTION TO TEST WATER SHUT-OFF. SUBSEQUENT REPORT OF ALTERING C/ 2. OF INTENTION TO TEST WATER SHUT-OFF. SUBSEQUENT REPORT OF ALTERING C/ 2. OF INTENTION TO TEST WATER SHUT-OFF. SUBSEQUENT REPORT OF ALTERING C/ 2. OF INTENTION TO TEST WATER SHUT-OFF. SUBSEQUENT REPORT OF ALTERING C/ 2. OF INTENTION TO TEST WATER SHUT-OFF. SUBSEQUENT REPORT OF ALTERING C/ 2. OF INTENTION TO TO ALTER CASING. SUBSEQUENT REPORT OF ALTERING C/ 2. OF INTENTION TO PULL OR ALTER CASING. SUBSEQUENT REPORT OF ABANDONMER 3. OF INTENTION TO ABANDON WELL. SUBSEQUENT REPORT OF ABANDONMER 3. OF INTENTION TO ABANDON WELL. SUBSEQUENT REPORT OF ALTERING C/ 3. OF INTENTION TO ABANDON WELL. SUBSEQUENT REPORT OF ABANDONMER 3. OF INTENTION TO ABANDON WELL. Intention TO ALTERING C/ 3. OF INTENTION TO ABANDON WELL. Intention TO ALTERING C/ 4. OK AGE Intention TO ABANDON WELL. Intention TO TO ALTER CASING. 3. OF INTENTION TO ABANDON WELL. Intention TO ALTER CASING. Intention TO ALTERING C/ 4. OF INTENTION TO ABANDON WELL. Intention TO ALTER CASING. Intention TO ALTER CASING. 3. OF INDERTAINS Intention TO ALTER CASING.	
Image: Stand that this plan of work must receive approval in writing by the Geological Survey before operation Subscuent Report of Altering C/ Subscuent Report of Re-DRILL OR REPARE WELL Subscuent Report of Re-DRILLING Subscuent Report of AbaNDONMER Subscuent Report of Alter CASING Subscuent Report of AbaNDONMER Subscuent Report of Alter CASING Subscuent Report of AbaNDONMER Subscuent Report of Alter CASING Subscuent Report of AbaNDONMER Control of Intention to AbaNDON well Subscuent Report of AbaNDONMER (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA Meeker - Base Pederal "5" May 26, Io. is located 660 ft. from. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA Meeker - Base Pederal "5" May 26, Io. is located 660 ft. from. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA Meeker - Base Pederal "5" May 26, Io. is located 660 ft. from. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA Meeker - Base Pederal "5" May 26, (Int Case Count ty (May 20) (Mardilan) Of NEL 253 (Kase, and Sec. No.)	
Le of INTENTION TO REDRILL ON REPAIR WELL SUBSEQUENT REPORT OF RE-DRILLING SUBSEQUENT REPORT OF ABANDONMEL SUBSEQUENT REPORT OF ABANDONMEL SUBSEQUENT REPORT OF ABANDONMEL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA Meeker - Bass Federal "5" May 26. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA Meeker - Bass Federal "5" May 26. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA Meeker - Bass Federal "5" May 26. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA Meeker - Bass Federal "5" May 26. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA Meeker - Bass Federal "5" May 26. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA Meeker - Bass Federal "5" May 26. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA Meeker - Bass Federal "5" May 26. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA Meeker - Bass Federal "5" May 26. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA Meeker - Bass Federal "5" May 26. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA Meeker - Bass Federal "5" May 26. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA (Field) Composition (INDICATE) (INDICATE ABOVE INTERVISION) (INDICATE) (INDICATE ABOVE BY CHECK HORE SEA INTERVISION) (INDICATE) (INDICATE ABOVE BY CHECK MARK MALL AND	
Le of INTENTION TO SHOUT OF ACIDIZE	OR REPAIR
SUPPLEMENTARY WELL HISTORY. E OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA Meeker - Bass Pederal "5" May 26. No. 1. is located 660 ft. from. Notice, OR OTHER DATA Meeker - Bass Pederal "5" May 26. No. 1. is located 660 ft. from. Notice, OR OTHER DATA Meeker - Bass Pederal "5" May 26. No. 1. is located 660 ft. from. Notice, OR OTHER DATA Meeker - Bass Pederal "5" May 26. No. 1. is located 660 ft. from. Notice, OR OTHER DATA Meeker - Bass Pederal "5" May 26. No. 1. Is located 660 ft. from. Notice, OR OTHER DATA Meeker - Bass Pederal "5" May 26. (Kange) (Meridian) (Kange) (Meridian) (Kange) (Meridian) dcat (Kagee, and See, No.) dcat (Kagee, and See, No.) dcat (Print) Detailed 660 above sea level is ft. (Furnish I DETAILS OF WORK mes of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; in ing point, and all other important proposed work) DETAILS OF WORK mes of and expected depths to objective sands; show aises, weights, and lengths of proposed casings; in ing point, and all other important proposed work) DETAILS OF WORK mes of and expected depths to objective sands; show aises, weights, and lengths of proposed casings; in ing point, and all other important proposed work) DETAILS OF WORK in a 300° 8 5/8" 21# new casing to fr.D. If complet run new 1 1/2", 9.5# J-55 casing to T.D. and co alks regular and 25 sacks latex. Pay section will bated if necessary. stand that this plan of work must receive approval in writing by the Geological Eurycy before operation with receive approval in writing by the Geological Eurycy before operation with receive approval in writing by the Geological Eurycy before operation with receive approval in writing by the Geological Eurycy before operation with receive approval in writing by the Geological Eurycy before operation with receive approval in writing by the Geological Eurycy before operation with receive approval in writing by the Geological Eurycy b	т
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA Meeker - Bass Federal "5" May 26. No. 1 is located 660 ft. from N line and 660 ft. from of NEL 253 33E N.M.P.M. (Meridian) dea County (Marge) May 26. (Meridian) dea County (Marge) No. (Meridian) dea County (Marge) No. (Meridian) (Meridi	
Meeker - Bass Federal "5" May 26. No. 1. is located 660 ft. from [] line and 660 ft. from [of NEL 265 33E NM-P.M. (Yabe. and Sec. No.) (Twp.) (Bange) May 26. (Meridian) deat NM-P.M. (Yabe. and Sec. No.) (Twp.) (Bange) Meridian) deat NM-P.M. (Yabe. and Sec. No.) (Meridian) deat NM-P.M. (Yabe. And Sec. No.) (Meridian) Meridian) deat of the derrick floor above sea level is ft. (Furnish I DETAILS OF WORK mes of and expected depths to objective and all other important proposed casings; in ing point, and all other important proposed work) period form top of Delaware Sand to T.D. If Gemplet has regular and 25 sacks latex. Pay section will be the if necessary. stand that this plan of work must receive approval in writing by the Geological Survey before operation of the destination of the section of the destination of the destination with receive approval in writing by the Geological Survey before operation of the destination of the	
Meeker - Bass Federal "5" May 26. No. 1. is located 660 ft. from [] line and 660 ft. from [of NEL 265 33E NM-P.M. (Yabe. and Sec. No.) (Twp.) (Bange) May 26. (Meridian) deat NM-P.M. (Yabe. and Sec. No.) (Twp.) (Bange) Meridian) deat NM-P.M. (Yabe. and Sec. No.) (Meridian) deat NM-P.M. (Yabe. And Sec. No.) (Meridian) Meridian) deat of the derrick floor above sea level is ft. (Furnish I DETAILS OF WORK mes of and expected depths to objective and all other important proposed casings; in ing point, and all other important proposed work) period form top of Delaware Sand to T.D. If Gemplet has regular and 25 sacks latex. Pay section will be the if necessary. stand that this plan of work must receive approval in writing by the Geological Survey before operation of the destination of the section of the destination of the destination with receive approval in writing by the Geological Survey before operation of the destination of the	
Io. 1 is located 660 ft. from bline and 660 ft. ft. from bline and bline and bline and 660 ft. ft. (Meridian) Ideat	
Io. 1 is located 660 ft. from bline and 660 ft. ft. from bline and bline and bline and 660 ft. ft. (Meridian) Ideat	
of NEL (4 Sec. and Sec. No.) dcat (Field) evation of the derrick floor above sea level is ft. (Furnish I DETAILS OF WORK mes of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; in ing points, and all other important proposed work) and formation with rotary tools. I run 300° 6 5/8" 21# new casing to circulate of from top of Delaware Sand to T.D. If complet I run new 4 1/2", 9.5# J-55 casing to T.D. and c base regular and 25 sacks latex. Pay section will pated if necessary.	,
evation of the derrick floor above sea level is ft. (Furnish I DETAILS OF WORK mess of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; in ing points, and all other important proposed work) all to be drilled to an approximate depth of 520 re Sand formation with rotary tools. I run 300° B 5/8° 21# new casing to circulate on d from top of Delaware Sand to T.D. If complet I run new 4 1/2°, 9.5# J-55 casing to T.D. and c oks regular and 25 sacks latex. Pay section will bated if necessary.	First co
DETAILS OF WORK mes of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; in ing points, and all other important proposed work) all to be drilled to an approximate depth of 520 re Sand formation with rotary tools. I run 300' 8 5/8" 24# new casing to circulate on od from top of Delaware Sand to T.D. If complet run new 4 1/2", 9.5# J-55 casing to T.D. and c bks regular and 25 sacks latex. Pay section will bated if necessary.	
mes of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; it ing points, and all other important proposed work) all to be drilled to an approximate depth of 520 re Sand formation with rotary tools. I run 300' 8 5/8" 24# new casing to circulate on of from top of Delaware Sand to T.D. If complet run new 4 1/2", 9.5# J-55 casing to T.D. and co oks regular and 25 sacks latex. Pay section will bated if necessary.	ater)
re Sand formation with rotary tools. run 300' 8 5/8" 24# new casing to circulate on d from top of Delaware Sand to T.D. If complet run new 4 1/2", 9.5# J-55 casing to T.D. and c bks regular and 25 sacks latex. Pay section will bated if necessary.	
re Sand formation with rotary tools. run 300' 8 5/8" 24# new casing to circulate on d from top of Delaware Sand to T.D. If complet run new 4 1/2", 9.5# J-55 casing to T.D. and c bks regular and 25 sacks latex. Pay section will bated if necessary.	diaman and the second
Trun 300' 8 5/8" 24# new casing to circulate on of from top of Delaware Sand to T.D. If complet run new 4 1/2", 9.5# J-55 casing to T.D. and c oks regular and 25 sacks latex. Pay section will bated if necessary.	ancate mudding jobs, cement-
A run 300° 6 5/6° 24# new casing to circulate on od from top of Delaware Sand to T.D. If complet I run new 4 1/2°, 9.5# J-55 casing to T.D. and c oks regular and 25 sacks latex. Pay section will bated if necessary.	
run new 4 1/2", 9.5# J-55 casing to T.D. and c bks regular and 25 sacks latex. Pay section will bated if necessary.	
stand that this plan of work must receive approval in writing by the Geological Survey before operation	top is stromptod
ated if necessary.	
stand that this plan of work must receive approval in writing by the Geological Survey before operati	be perforated
519 Midland Savings & Loan Building	
Bullding	
Midland, Texas By ANA	

						FOR	C-128		
	WELL	NEW MEXICO ON LOCATION AN					sed 5/1/57		
		STRUCTIONS FOR CO			the second		·····		
	//		SECTION A		EVERSE SIDE	in lite			
Operator HILL & MEEKER			Lease BASS-1	BASS-FEDERAL "5" 23 One					
Unit Letter A	Section Five	Township 25 South	Range 33 I	County	LEA COU	NTY , NEW	MEXIC		
Actual Footage Lo 660		orth line a	nd 660'	feet from th	East	line of	Sec.5		
Ground Level Elev. Producing Formation Delaware Sand			Pool	I	Dedicated Acreage: 320 Acres				
who has the right another. (65-3 c. If the answer to wise? YES c. If the answer to Dwner	bt to drill into and 3-29 (e) NMSA 193 question one is ' NO If question two is '	the dedicated acreage to produce from any p 55 Comp.) 'no,'' have the interest answer is ''yes,'' Tyj 'no,'' list all the owne 19 Midland Sa	ool and to appropri ts of all the owners pe of Consolidation rs and their respec	ate the production to been consolidat tive interests bel	n either for hims ed by communitiz ow:	elf or for himsel	f and		
& Loan	Blag. Mid	Land, Texas.	OI S	C. Five,	Twp 25 5	outh, Ran	ge 33		
		SECTION B							
				3 - 0' 440'	in SECTION	rtify that the inf A above is tru best of my know Manne A. Cle	e and com- wiedge and ,		
					Position HILL & Company May 24 Date	, 1958			
					shown on the plotted from surveys mad supervision,	JUN1 51 ify that the well plat in SECTIO field notes of a e by me or unde and that the sai o the best of my	A. SURVEY I Tocation ON B was ctual f my me is true		
						17 20.1960 Professional Eng	gineer		
330 660 99	0 1320 1650 198	0 2310 2640 20	00 1500 100	0 500	Certificate N	0. 1.4	<u>) yz</u>		

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for *both* oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.