

APPROVED

* Subject to conditions below COPY TO O. C. C.

Form 9-331a
(Feb. 1951)

JUN 2 1960

(SUBMIT IN TRIPLICATE)

HOBBS

Budget Bureau No. 42-R358.4.
Approval expires 12-31-60.

			1

E. W. STANDLEY
DISTRICT ENGINEER

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office _____

Lease No. **LC 068847**

Unit _____

MAY 25 1960

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 23, 19 60

Federal-Marshall

Well No. **1** is located **660** ft. from **[N]** line and **660** ft. from **[E]** line of sec. **21**NE/4 NE/4 Unit A Sec. 21 25-S 33-E NMPM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)Wildcat
(Field)Lea
(County or Subdivision)New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

Proposal is to set 8-5/8" O.D. 20 lb. casing into the red bed at approximately 250 feet and circulate cement to the surface. To drill 150 feet into the Delaware sand to a total depth of approximately 5200 feet. To set 4-1/2" O.D. 9.50 lb. casing at total depth and cement with 125 sacks of cement. Completion will be through perforations opposite Delaware formation after acid and fracture treatment. The well will be rotary cored and logs run. Approximate spudding date will be May 30, 1960 with rotary tools.

~~1. Make up sand transmission log.~~

* Make approval subject to sufficient cement be placed behind the 4 1/2" casing to return above the top of the salt section.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **George L. Buckles Company**Address **P. O. Box 56****Monahans, Texas**By  (Robert M. Orr)Title **Chief Engineer**

RECEIVED
MAY 25 1960 C-128
Revised 5/1/57

NEW MEXICO OIL CONSERVATION COMMISSION
WELL LOCATION AND ACREAGE DEDICATION PLAT

SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE

SECTION A

Operator George L. Buckles Company			Lease Federal-Marshall		Well No. 1
Unit Letter A	Section 21	Township 25-S	Range 33-E	County Lea	
Actual Footage Location of Well: 660 feet from the North line and 660 feet from the East line					
Ground Level Elev.	Producing Formation Delaware		Pool Wildcat		Dedicated Acreage: 40 Acres

1. Is the Operator the only owner in the dedicated acreage outlined on the plat below? YES ☒ NO ____ . ("Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1935 Comp.)
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? YES ____ NO ____ . If answer is "yes," Type of Consolidation ____
3. If the answer to question two is "no," list all the owners and their respective interests below:

Owner	Land Description

SECTION B

0-660'	0-660'	0-660'	0-660'

CERTIFICATION

I hereby certify that the information in SECTION A above is true and complete to the best of my knowledge and belief.

Name
Position (Robert M. Orr) Chief Engineer
Company George L. Buckles Company
Date May 23, 1960

I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.


Date Surveyed May 4 - 1960
Registered Professional Engineer and/or Land Surveyor

George L. Buckles
Certificate No. **648**

0 330 660 990 1320 1650 1980 2310 2640 2000 1500 1000 500 0

INSTRUCTIONS FOR COMPLETION OF FORM C-128

1. Operator shall furnish and certify to the information called for in Section A.
2. Operator shall outline the dedicated acreage for *both* oil and gas wells on the plat in Section B.
3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
4. All distances shown on the plat must be from the outer boundaries of the Section.
5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.



SCALE: 1"=2000'

- PRODUCTION WELL
- PROPOSED PRODUCTION WELL
- ⊙ INJECTION WELL
- ⊙ PROPOSED INJECTION WELL
- ⊙ ABANDONED WELL
- ⊙ DRY HOLE

Prepared By:
GEORGE L. BUCKLES CO.

GEORGE L. BUCKLES CO. LEASES
640 ACRES MORE OR LESS

SECTION 15 & 21,
T25 S, R 33 E,
LEA COUNTY, NEW MEXICO