(SUBMIT IN TRIPLICATE) (SUBMIT IN TRIPLICATE) UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY 1962 JUL 17 PM 3 33 SUNDRY NOTICES AND REPORTS ON WELLS	Subject to 200 sa cement on $4\frac{1}{2}$	" casing	Budget Bureau No. 42-R358.4. Approval expires 12-31-60.
UNITED STATES UNITED TO THE NUMBER OF THE INTERNOR UNITED STATES UNITED OF MATERIAL DESCRIPTION TO STATES UNITED OF MATERIAL DESCRIPTION TO STATES UNITED OF MATERIAL DESCRIPTION TO STATES AND OF THE OFFICE OF MATERIAL DESCRIPTION TO STATES AND OF THE OFFICE OF MATERIAL DESCRIPTION TO STATES AND OF THE OFFICE OF MATERIAL DESCRIPTION TO STATES AND OFFICE OF MATERIAL DESCRIPTION TO STATES AND OF THE OFFICE OF MATERIAL DESCRIPTION TO STATES AND OF THE OFFICE OF MATERIAL DESCRIPTION TO STATES AND OF THE OFFICE OF MATERIAL DESCRIPTION TO ADDRESS FAMS. MATER OF MATERIAL DESCRIPTION TO ADDRESS FAMS. MATER OF MATERIAL DESCRIPTION OF ADDRESS FAMS. MATERIAL DESCRIPTION OF ADDRESS FAMS. MATERIAL DESCRIPTION OF ADDRESS FAMS. MATER OF MATERIAL DESCRIPTION OF ADDRESS FAMS. MATER OF MATERIAL DESCRIPTION OF ADDRESS FAMS. MATER OF MATERIAL DESCRIPTION DESCRIPTION OF ADDRESS FA	(Feb. 1961) UL 1 1962 (SUBMIT	IN TRIPLICATE)	Land Office
DEPARTMENT OF JILLE INTERNOR GEOLOGICAL SURVEY More dependent of the internet of			Loase No. LC-068405
BURNARY MENT OF STATE IN EAROR GOLOGICAL SURVEY INST UL 17 PA 3:33 JUL 11 3962 SUNDRY NOTICES AND REPORTS ON WELLS SUPERIOR AND REPORTS ON WELLS SUPERIOR AND THE MATTOR SUBSCIENT REPORT OF WATER SWITCH AND	11、12221前222、12321前月前段 11	· · · ·	57 (2078) Unit
Bord WL 17 PM 3 38 JUL 11 1962 SUNDRY NOTICES AND REPORTS ON WELLS GOLDORAL SUPERIOR MULTION TO DEAL MULTION TO THE WATER SUPPORT MULTION TO PALOTA MULTION MULTION TO PALOTA MULTION MUL			
High Will 11 1962 JUL 12 JUL 11 1962 JUL 12 JUL 10 1962 JUL 12 JUL			
SUNDRY NOTICES AND REPORTS ON WELLS Instruction of the sum of the s		UL 17 PH 2:20	
U.S. GCOLOUM VELOCIES NOTICE OF INTENTION TO DIRILL NOTICE OF INTENTION TO DIRILL OR REAL WILL NOTICE OF INTENTION TO TEST WATER SHUT OF NOTICE OF INTENTION TO TEST WATER SHUT OF NOTICE OF INTENTION TO TEST WATER SHUT OF NOTICE OF INTENTION TO SHOOT OF ALTIDE OF REPORT OF ALTERING CASING NOTICE OF INTENTION TO SHOOT OF ALTIDE OF REPORT OF ALTERING CASING NOTICE OF INTENTION TO SHOOT OF ALTIDE OF REPORT, NOTICE OF OF ANNOUNDERT NOTICE OF INTENTION TO ANDON WELL NUMERATE ABOVE BY CHECK MARK INTURE OF REPORT, NOTICE OF OF ANNOUNDERT NOTICE OF INTENTION TO ANNOUND WELL NUMERATE ABOVE BY CHECK MARK INTURE OF REPORT, NOTICE OF OF ANNOUNDERT NOTICE OF INTENTION TO ANNOUND WELL NUMERATE ABOVE BY CHECK MARK INTURE OF REPORT, NOTICE OF OF ANNOUNDERT NOTICE OF INTENTION TO ANNOUND WELL NUMERATE ABOVE BY CHECK MARK INTURE OF REPORT, NOTICE OF OF ANNOUNDERT NOTICE OF INTENTION TO ANNOUND WELL NUMERATE ABOVE BY CHECK MARK INTURE OF REPORT, NOTICE OF OF ANNOUNDERT NUMERATE ABOVE BY CHECK MARK INTURE OF REPORT, NOTICE OF OF ANNOUND TO NUMERATE ABOVE BY CHECK MARK INTURE OF REPORT, NOTICE OF OF ANNOUND TO NUMERATE ABOVE BY CHECK MARK INTURE OF REPORT, NOTICE OF OF ANNOUND TO NUMERATE ABOVE BY CHECK MARK INTURE OF REPORT, NOTICE OF OTATIONY NUMERATE ABOVE BY CHECK MARK INTURE OF REPORT, NOTICE OF OF ANNOUND TO NUMERATE ABOVE BY CHECK MARK INTURE OF REPORT, NOTICE OF OTATIONY NUMERATE ABOVE BY CHECK MARK INTURE OF REPORT, NOTICE OF OTATIONY NUMERATE ABOVE BY CHECK MARK INTURE OF REPORT, NOTICE OF ORTHONY NUMERATE ABOVE BY CHECK MARK INTURE OF REPORT, NOTICE OF ORTHONY NUMERATE ABOVE BY CHECK MARK INTURE OF REPORT, NOTICE OF ORTHONY NUMERATE ABOVE BY CHECK MARK INTURE OF REPORT, NOTICE OF ORTHONY NUMERATE ABOVE BY CHECK MARK INTURE OF REPORT OF TOTAL AT AN NEW PARTIES AND		• 5 • 50	JUL 1 1 1962
Notice of WIRKING TO CHARGE PLANS. Dissection Report of Short Res Allows Notice of WIRKING TO CHARGE PLANS. Dissection Report of Short Res Allows Notice of WIRKING TO THE WATER SHOLT OF REPORT OF ADALTARING CASING Dissection Report of Reconstruction Res Allows Notice of WIRKING TO THE WATER SHOLT OF REPORT OF ADALTARING CASING Dissection Report of Reconstruction Res Allows Notice of WIRKING TO THE CASING Dissection Report of Reconstruction Res Allows Notice of WIRKING TO ALLOW ALLOW RELL Dissection Report of Reconstruction Res Allows Notice of WIRKING TO ALLOW ALLOW RELL Dissection Report of Reconstruction Res Allows Notice of WIRKING TO ALLOW ALLOW RELL OR RECONSTRUCTED OF ADALOWS Dissection Report of Reconstruction Res Allows Notice of WIRKING TO ALLOW ALLOW RELL OR RECONSTRUCTED OF REPORT OF ADALOWS Dissection Report of Reconstruction Res Allows Notice of WIRKING TO CHARDON WELL Dissection Report of Reconstruction Res Allows Dissection Report of Reconstruction Res Allows Notice of WIRKING TO CHARDON WELL Dissection Report of Reconstruction Res Allows Dissection Report of Reconstruction Res Allows Notice of WIRKING TO CHARDON WELL County of Rubot Res Allows Dissection Report of Reconstruction Res Allows Well No. ONE Is a count of Reconstruction Res Allows Dissecount Report of Reconstruction Res Allows <th>SUNDRY NOTICES A</th> <th></th> <th>U. S. GEOLOGICAL SURVET</th>	SUNDRY NOTICES A		U. S. GEOLOGICAL SURVET
MOTICE OF INTENTION TO TEST WATER SHUT-OFF. BUBSCOURT REPORT OF ALTERING CASING. NOTICE OF INTENTION TO BEDRILL ON REPARE WELL BUBSCOURT REPORT OF ALTERING CASING. NOTICE OF INTENTION TO BEDRILL ON REPARE WELL BUBSCOURT REPORT OF ALTERING CASING. NOTICE OF INTENTION TO BEDRILL ON REPARE WELL BUBSCOURT REPORT OF ALTERING ON REPARE. NOTICE OF INTENTION TO BEDRILL ON REPARE WELL BUBSCOURT REPORT OF ALTERING CASING. NOTICE OF INTENTION TO BEDRILL ON REPARE WELL BUBSCOURT REPORT OF ALTERNIELING ON REPARE. NOTICE OF INTENTION TO ALTER CASING. BUBSCOURT REPORT OF ALTERNIE ON REPARE. NOTICE OF INTENTION TO ALTERNA WELL BUBSCOURT REPORT OF ALTERNEET. NOTICE OF INTENTION TO ALTERNA WELL ASING. BUBSCOURT REPORT OF ALTERNEET. MUSE-PEDERAL #3 July 9, 1962 19 MUSE-PEDERAL #3 July 9, 1962 19 Well NO. ONE is located 660 ft. from [S] BUSCOURT PEDERAL #3 MERCHANCE New Mexico Well NO. ONE Is located MERCHANCE Well NO. ONE Is located MERCHANCE Well NO. ONE Is located MERCHANCE Well NO. Otherick floor Is located MERCHANCE	NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER	SHUT-OFF
MOTICE OF INTERTION TO REDAIL OR REPAIR WELL SUBSCUENT REPORT OF REDRILLING OR NEPAIR. MOTICE OF INTENTION TO SMOOT OR ALDER CASHE. SUBSCUENT REPORT OF A CONLING ON REPAIR. MOTICE OF INTENTION TO SMOOT OR ALDER CASHE. SUBSCUENT REPORT OF A CONLING ON REPAIR. MUSEL-PEDERAL #3 July 9, 1962, 19 Well No. ONE is located 660 ft. from End for the form of the sec. SE/4 Sec.3 25 South 34 East NMPM New Mexico (Noted are sector above set of the sector) (Issue) (Issue) (Issue) (Visio) (Issue) (Issue) (Issue) (Issue) (Visio) (Issue) (Issue) (Issue) (Issue) (Issue) (Visio) (Issue) (Issue) (Issue) (Issue) (Issue) (Issue) (Visio) (Issue) (Issue) (Issue) (Issue) (Issue) (Issue) (Visio) (Issue) (Issue) (Issue) (Issue) Issue and and espectad depths to obscue as approximate depth of 5500 feet. It of the third of the second work This well will be drilled to an approximately 330 feet of 8 5/0° 24/° 24/° Issue and and then coread is 1/2° casing will be cassement to the surface. If production is found			
MOTICE OF INTENTION TO SHOOT OF ACIDIZE SUBSEQUENT REPORT OF ADAMDONMENT. NOTICE OF INTENTION TO PULL OF ALERE CASING. SUPLEMENTARY WELL HISTORY. MUTCE OF INTENTION TO PULL OF ALERE CASING. SUPLEMENTARY WELL HISTORY. MUSE-PEDERAL #3 July 9, 1962, 19 Well No. ONZ is located 660 ft. from [S] line and 660 ft. from [S] line of sec. SEP4 Secd 25 South 34 East NMPM (Weid) (Unit) (Memory) (Memory) (Weid) (Unit) (Clearly acknowled) New Mexico (Weid) (Clearly acknowled) New Mexico State De d			
MOTICE OF INTERTION TO PULL OR ALTER CASING. SUPPLEMENTARY WELL HISTORY. NOTICE OF INTENTION TO ADARDON WELL. (MOICATE ABOVE BY CHECK MARK MATURE OF REPORT, NOTICE, OR OTHER DATA) MUSE-PEDERAL #3 July 9, 1962, 19 Well No. ONZ is located 660 ft. from. 5 line and 660 ft. from E line of sec. 8 SE/4 Sec.d 25 South 34 East NHPM Will Moent (Prep.) (Marking) (Marking) (Pred) (County of Studdrigen) (Marking) New Mexico (Pred) (County of Studdrigen) (Marking) Studgen of Stu	-		
NOTICE OF INTENTION TO ABANDON WELL			
MUSE-PEDERAL #3 July 9, 1962			
MUSE-PEDERAL #3 July 9, 1962			
Well No. ONE is located 660 ft. from Sin line and 660 ft. from Sin line of sec. Sin line and 660 ft. from Sin line and 660 ft. from Sin line and 660 ft. from Sin line and Sin line and 660 ft. from Sin line and Sin line a	(INDICATE ABOVE BY CHECK MARK I	NATURE OF REPORT, NOTICE, OR OTHER	DATA)
SE/4 Sec.d 25 South 34 East NHPM (Kan of Sec.No) (Twp) (Field) (Country of Subdivision) (Mind) (State of Territory) (Field) (Country of Subdivision) (State of Territory) (State of Territory) The elevation of the derrick floor above sea level is Purnish Later . DETAILS OF WORK State names of and expected depths to objective and all other incomparing proposed confige; Indicate mudding jobs, consent- ing point, and all other incomparing proposed confige; Indicate mudding jobs, consent- ing point, and all other incomparing proposed confige; Indicate mudding jobs, consent- ing point, and all other incomparing proposed confige; Indicate mudding jobs, consent- ing point, and all other incomparing proposed confige; Indicate mudding jobs, consent- ing point, and all other incomparing proposed confige; Indicate mudding jobs, consent- ing point, and all other incomparing proposed confige; Indicate mudding jobs, consent- ing point, and all other incomparing proposed confige; Indicate mudding jobs, consent- ing point, and all other incomparing proposed confige; Indicate mudding jobs, consent- ing point, and all other incomparing proposed confige; Indicate mudding jobs, consent- ing point, and all other incomparing proposed confige; Indicate mudding job, consent- ing point, and all other incomparing point, and point, an	MUSE-PEDERAL #3	Jul	y 9, 1962 , 19
SE/4 Sec.d 25 South 34 East NHPH (Kause) (Kause) (Kause) (Marce)	Well No. ONE is located 660 ft. from	N line and	m $\left\{ \begin{array}{c} \mathbf{E} \\ \mathbf{K} \end{array} \right\}$ line of sec. \mathbf{B}
Wildert Lea New Maxico (Pied) (County or Bubdivision) (Blate or Territory) (Pied) (County or Bubdivision) (Blate or Territory) (Pied) (County or Bubdivision) Furnith (Pied) DETAILS OF WORK State names of and expected depths to objective and is abov dise, wights, and lengths of proposed easings indicate mudding jobs, coment- trageoint, and all other important proposed easings indicate mudding jobs, coment- trageoint, and all other important proposed easings indicate mudding jobs, coment- trageoint, and all other important proposed easings indicate mudding jobs, coment- trageoint, and all other important proposed easings indicate mudding jobs, coment- trageoint, and all other important proposed easings indicate mudding jobs, coment- trageoint, and all other important proposed easings indicate mudding jobs, coment- trageoint, and all other important proposed easings indicate mudding jobs, coment- trageoint, and all other important proposed easings indicate mudding jobs, coment- trageoint, and all other important proposed easings indicate mudding jobs, coment- trageoint, and all other important proposed easings indicate mudding jobs, coment- trageoint, and all other important proposed easings indicate mudding jobs, coment- ing of the proposed easing of the Delaware Sand and then corred to total depth. We will run approximately 350 feet of 8 5/8" 24# LLEEGIBBLE Inderstand that the plan of work must receive approximately be Geological Survey before operations may be commenced. Company HILL & MERKER Midland, Texas By Joe S Hill <td< td=""><th></th><td>34 East NMPH</td><td></td></td<>		34 East NMPH	
(Field) (County or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is Furnish Later . DETAILS OF WORK State names of and expected depths to objective sender; show all exits, wrights, and lengths of proposed exitings; indicate mudding jobs, coment- trageont; and all other incomparing proposed exitings; indicate mudding jobs, coment- trageont; and all other incomparing the proposed work) This well will be drilled to an approximate depth of 5500 feet. It will be drilled with rotary to top of the Delaware Sand and then cored to total depth. We will run approximately 350 feet of 3 5/8" 244 casing, circulate coment to the surface. If production is found i 1/2" casing will be cemented to total depth and pay section will be perforated and treated, if mecessary. Inderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. HILL & MEEKER Midland, Texas By Joe S- Mill Title Partner.			er Harton
The elevation of the defrick hoor above sea level is it. DETAILS OF WORK State names of and expected depths to objective rands, show also, weight, and lengths of proposed cadings; indicate mudding jobs, essents ing points, and all other important proposed work) This well will be drilled to an approximate depth of 5500 feet. It rill be drilled with rotary to top of the Delaware Sand and then cored to total depth. We will run approximately 350 feet of 8 5/8" 24# casing, circulate cement to the surface. If production is found i 1/2" casing will be cemented to total depth and pay section will be be reforated and treated, if necessary. ILLEGIBLE Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. HILL & MERKER Ompany	(Field) (County or		
Address S19 Midland Savings Building, Midland, Texas Will Gap of the Delaware Sand and then cored to total depth. We will run approximately 350 feet of 8 5/8" 24% Source of 24% State of 24% S	State names of and expected depths to objective sands; show sizes ing points, and all oti	approximate denth	of 5500 feet 14
HILL & MEEKER Company	casing, circulate cement to the 1/2" casing will be cemented perforated and treated, if nace	pproximately 3,50 fo surface. If pro- to total depth and	tet of 8 5/8" 24#
S19 Midland Savings Building, Midland, Texas By Joe S. Hill Title			
Title Partner.	HTLL & MERKER	riting by the Geological Survey before	operations may be commenced.
Title Partner.	Company 519 Midland Sawings Build		operations may be commenced.
litle	Company		Josef
	Company		Josef
GP0 862040	Company	By	Joe S. Hill
	Company	By	Joe S. Hill
	Company	By	Joe S. Hill iner.
	Company	By	Joe S. Hill Iner.
	Company	By	Joe S. Hill iner.

,

	TRIBUTION	
ANTA FF	T	
FILE		
U. S. G. S.		
LAND OFFICE		
TRANSPORTER	OIL GAS	
PRORATION OFFI	CE	
OPERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION

FORM C-128 Revised 5/1/57

WELL LOCATION AND ACREAGE DEDICATION PLAT

SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE

DPERATOR								
			SECTIO	N A				
Operator HILL &	MEEKER		Lease	MUSE-FI	EDERAL	# 8	Well No.	
Unit Letter	Section	Township	Rang		County	-		
<u> </u>	6	25 S		34 創		Lea	······	
Actual Footage Lo 660	feet from the	nu 4 3	and 660			5°°	••	
Ground Level Elev				tee	t from the	Laot	line	. *
urnish lat	•	aware Sand	Pool	Wilder	a †		Dedicated Acreage:	
MI (64.011 4.0.5)					* •		<u> </u>	Acres
another. (65-3 2. If the answer to	bt to drill into and 3–29 (e) NMSA 193 9 question one is '	l to produce from a 35 Comp.)	ny pool and to a	ppropriate the owners been c	production	either for hims	elf or for himself a	nd
3. If the answer to					rests belo	w:	· · · · · · · · · · · · · · · · · · ·	
Owner			T	Land Descrip	.,			
11		IDI'E		~courb	- 014			
		IBLE		- • • • • • • • • • • • • • • • • • • •				
_	inen inne inne 🗸							
		SECTION B				7 0		
		. 1					• • • • •	
1	1			1		I hereby ce	ertify that the inform	nation
						in SECTIO	N A above is true a	nd com-
	ļ			1		plete to the	e best of my knowle	dge and
				1		belief.		
								7
						Name	- tot	P
						X	\mathbf{K}^{-1}	
 				+		Position	Joe	8.H.
	Ì	· ·		I	1		ARTNER	
	ļ			1	(Company		
	ļ			1	\smile		L & MEEKER	
				l		Date	₩ \$4 € J=4208283	
							10, 1962	• • ••••
						shown on th plotted from surveys maa supervision	rtify that the well 1 he plat in SECTION h field notes of actu de by me or under n , and that the same to the best of my k	B was nal ny is true
	90 1320 1650 19	80 2310 2640	2000 1500	500 ·	660'	Date Survey C H Registered and/or Land Certificage	<u>e1-1962</u> Professional Engin d Surveyor Saurrey	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for *botb* oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.