



E. W. SCANDLEY
DISTRICT ENGINEER

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

API 30-025-08496

Budget Bureau No. 42-R358.4.
Form Approved.

Land Office _____

Lease No. **LC 044087**

Unit _____

APR 1 1953

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 10, 1953

Well No. **1-19** is located **860** ft. from **NN** line and **1080** ft. from **E** line of sec. **19**

S/2 of S1/4 Sec. 19,
(1/4 Sec. and Sec. No.)

25-S
(Twp.)

34-S
(Range)

N.M.P.M.
(Meridian)

Wildcat
(Field)

Lea
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level **3338.2** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Operator set a 10' back plug from surface to 30'; 100' plug from 400-500'; 100' plug from 1060-1180'; 100' plug from 5100-5200', filled hole with mud between each cement plug, leveled pits, erected a marker on 7" casing and restored location to its natural contour.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Johnson & Hilliard, No. 5 Ltd.**

Address **303 N. Marionfield St.**

Midland, Texas

By

Title **Partner**