COPY TO D." APP WED HOOBS OFFICE OCC HOBBE Budget Bureau No. 42-R368.4. Approval expires 12-31-60. Form 9-881 a (Feb. 1961) (SUBMA IN TRIPLICATE) o E. LC 062087 UNITED STATES DEPARTMENT OF THE INTERIOR Unit N6719 GEOLOGICAL SURVEY \$ S. 60. SUNDRY NOTICES AND REPORTS ON WELL NOTICE OF INTENTION TO DRILL SUBSEQUENT REPORT OF WATER SHUT-OFF ... NOTICE OF INTENTION TO CHANGE PLANS. SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING ... NOTICE OF INTENTION TO TEST WATER SHUT-OFF SUBSEQUENT REPORT OF ALTERING CASING .... NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL ... SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR NOTICE OF INTENTION TO SHOOT OR ACIDIZE .... SUBSEQUENT REPORT OF ABANDONMENT .... NOTICE OF INTENTION TO PULL OR ALIER CASING. SUPPLEMENTARY WELL HISTORY NOTICE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) November 16, , 1962 Well No. 2-19 is located 660 ft. from  $\begin{bmatrix} N \\ M \end{bmatrix}$  line and 1980 ft. from  $\begin{bmatrix} E \\ W \end{bmatrix}$  line of sec. 19 NE of NW Sec. 19 25-S 34-E (1 Sec. and Sec. No.) N.M.P.M. (Twp.) (Range) (Meridian) Wildcat Lea (Field) (County or Subdivision) New Mexico (State or Territory) The elevation of the derrick floor above sea level is 3334.8ft. DETAILS OF WORK ctive sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement-ing points, and all other important proposed work) Operator set 13 jts 7", 20# csg. (411") @ 422' rotary table, cemented w/125

sxs 6% gel, 50 sxs regular 2% HA-5. Drilled to 5350'. Requests approval to set 10' plug @ surface, 100' plug from 400-500', 100' plug from 1100-1200' and 100' plug from 5230-5330', mark with steel marker and clean location.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Ashmun & Hilliard, No. 5 Ltd.

Address 303 N. Marienfeld St.

Midland, Texas

Β. J Ashmun

Title Partner

GP0 85204