



(SUBMIT IN TRIPLICATE)

and Office **Las Cruces**Lease No. **LC. 067081**UNITED STATES
HOBBS OFFICE OGC
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

1959 AUG 18 AM 10:19

AUG 12 1959

U. S. GEOLOGICAL SURVEY
HOBBS, NEW MEXICO

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Operations **SUN'S #1, ELLIOTT-FEDERAL**

August 7

19 **59**

Well No. **1** is located **660** ft. from **[N]** line and **660** ft. from **[W]** line of sec. **22**
SW/4 of SW/4 of Sec. 22 **25-S** **35-E** **N.M.P.M.**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
(Wildcat) **Lee** **New Mexico**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We expect to set and cement 370' of 8-5/8" surface casing and 5500' of 4-1/2" oil string using sufficient cement to adequately protect any oil or gas shows. The principal objective of this well is the Delaware Sand for possible oil production.

1. The Santa Rosa formation at approximately 900 feet must be isolated from the salt section either by running sufficient surface casing to cover that formation with cement circulated to surface, or by using sufficient cement behind the production string to extend at least 50 feet above the top of the salt formation as determined by a temperature survey.
2. That you file four properly executed copies of the attached plat, form G-128

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **SUN OIL COMPANY**Address **BOX 2880****DALLAS, TEXAS**By  **A. S. Khee**Title **Division Superintendent**

100 PAGES LONG

01 01 15 01 00000

UNITED STATES OF AMERICA

THE SECRETARY OF THE ARMY
WASHINGTON, D. C.
20315-5000

OFFICE OF THE SECRETARY
OF THE ARMY

MEMORANDUM FOR THE SECRETARY
OF THE ARMY

SUBJECT: [Illegible]

DATE: [Illegible]

BY: [Illegible]

FOR THE SECRETARY OF THE ARMY

RECEIVED

AUG 12 1959

U. S. DEPT. OF THE INTERIOR
BUREAU OF LAND MANAGEMENT



I, Robert L. Howell, Registered Public Surveyor, certify that this plat is accurately drawn to scale and correctly reflects all pertinent and required data to the best of my knowledge and belief.

0 Corners

Subscribed and sworn to before me this 11th day of August, A. D., 1959

James E. Gilmer
Notary Public, Dallas
JAMES E. GILMER
County, Texas

SUN OIL COMPANY
ELLIOTT-FEDERAL-79.93AC.LSE
W1/2, SW1/4, SEC. 22-T25S-R35E
LEA COUNTY, NEW MEXICO
SCALE: 1"=1000'
N.M.O.C.C. NO. 2
8-10-59