

(SUBMIT IN TRIPLICATE)
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Las Cruces
Lease No. 069469 (a) A
Unit W.B. & Ida Harper

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<u>Subsequent Report on Drill Stem Test</u>	<u>X</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Loco Hills, New Mexico, March 21, 1952

Well No. 1 is located 660 ft. from N line and 660 ft. from E line of sec. 26
Sec. 26 (1/4 Sec. and Sec. No.) 25-3 (Twp.) 35-3 (Range) NMPM (Meridian)
Wilcox (Field) La (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is 3114 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

ON MARCH 19, 1952, A DRILL STEM TEST WAS RUN ON THIS WELL AS FOLLOWS:

TOTAL DEPTH: 5130'.

INTERVAL TESTED: 5082' (9-5/8" casing seat) to 5130' with Johnson Hookwall Packer set in casing at 5078'.

FORMATION TESTED: First Delaware Sand.

TOOL OPEN: 12 hours and 50 minutes. Opened with fair blow of air gradually decreasing to very weak blow at end of test.

(Continued on Next Sheet)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company GENERAL AMERICAN OIL COMPANY OF TEXAS

Address Box 416, Loco Hills, New Mexico

By R. J. Heard
R. J. Heard,
Title Field Supt.

RECOVERY: 250' of salt water cut mud.
340' of slightly mud cut salt water.
2250' of slightly gas cut salt water*.
2840' total fluid.

*Gravity of water = 23° Baume (heavy).

INITIAL FLOWING PRESSURE: 0#.

CLOSING FLOWING PRESSURE: 1350#.

15 MINUTE SHUT IN PRESSURE: Unknown (recorder failed to mark).

HYDROSTATIC MUD PRESSURE: 2220#.

10/10/10

10/10/10

10/10/10

10/10/10

10/10/10

10/10/10

10/10/10