(SUBMIT IN TRIPLICATE)

Las Cruces Land Office ... 069469 -A Unit W.E. & Ida Harper

Budget Bureau 42-R358.2. Approval expires 12-31-52.

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

	A	SEQUENT REPORT OF WATER SHUT-OFF	
OTICE OF INTENTION TO DRILL	CHE	DESCRIENT REPORT OF SHOOTING OR ACIDIZING	
THE OF INTENTION TO CHANGE PLA	NS	PSECULENT REPORT OF ALTERING CASING	
THE OF INTENTION TO TEST WATER	SHUT-OFF	BSEQUENT REPORT OF REDRILLING OR REPAIR.	
OFFICE OF INTENTION TO RE-DRILL OF	REPAIR WELL	BSEQUENT REPORT OF ABANDONMENT	
AND TO SHOOT OR A	CIDIZE	PPLEMENTARY WELL HISTORY	
PARTIES OF INTENTION TO PULL OR AL	TER CASING	PPLEMENTARY WELL THOUSEN	
NOTICE OF INTENTION TO ABANDON W	ELL		l
		PETERT NOTICE OR OTHER DATA)	
(INDICATE	ABOVE BY CHECK MARK NATURE	OF REPORT, NOTICE, OR OTHER DATA)	
	1	Hills, New Mexico, December 14	1951
	1060	BAAAS NOW	
	111	line and 660 ft. from Jine of sec.	26
3 . 1	. 1 660 ft from 6	line and ft. from time of sec.	
Vell No is loca	atedS	,(,,,,	
	25-8 35-8		
SE Sec. 26	25-S 35-E (Twp.) (Rang	(Meridian)	
(14 Sec. and Sec. No.)	Lea		
ildest	(County or Subd	livision) (State or Territory)	
(Field)		•	
وأمسام المسامل المسامل	Apor above sea level is	rt.	
The elevation of the derrick	11001 above com 10		
	SETATIC (OF WORK	•
	SETATIC (OF WORK	bs, cem
	SETATIC (OF WORK ights, and lengths of proposed casings; indicate mudding jo mportant proposed work)	bs, cem
State names of and expected depths t	DETAILS (o objective sands; show sizes, well ing points, and all other is	OF WORK ights, and lengths of proposed casings; indicate mudding jo mportant proposed work)	bs, cem
State names of and expected depths t	DETAILS (o objective sands; show sizes, well ing points, and all other is	OF WORK ights, and lengths of proposed casings; indicate mudding jo mportant proposed work)	bs, cem
State names of and expected depths to	DETAILS (c objective sands; show sizes, we imp points, and all other is	OF WORK ights, and lengths of proposed casings; indicate mudding jo mportant proposed work)	bs, cem
State names of and expected depths to	DETAILS (c objective sands; show sizes, we imp points, and all other is	OF WORK ights, and lengths of proposed casings; indicate mudding jo mportant proposed work)	bs, cem
State names of and expected depths to WE PROPOSE TO DRILL THE	DETAILS (cobjective sands; show sizes, we ing points, and all other is SELL AS FOLLOWS But Devonian.	OF WORK ights, and lengths of proposed casings; indicate mudding jo mportant proposed work)	bs, cem
State names of and expected depths to PROPOSE TO DRILL THE OBJECTIVE: To to	DETAILS (o objective sands; show sizes, wei ing points, and all other in U.S. WELL AS FOLLOWS set Devonian. proximately 13,500	OF WORK ights, and lengths of proposed casings; indicate mudding jo important proposed work)	
State names of and expected depths to PROPOSE TO DRILL THE OBJECTIVE: To to	DETAILS (o objective sands; show sizes, wei ing points, and all other in U.S. WELL AS FOLLOWS set Devonian. proximately 13,500	OF WORK ights, and lengths of proposed casings; indicate mudding jo important proposed work)	
State names of and expected depths to PROPOSE TO DRILL THE OBJECTIVE: To to	DETAILS (o objective sands; show sizes, well ing points, and all other in (IS WELL AS FOLLOWS ast Devonian. proximately 13,500	OF WORK ights, and lengths of proposed casings; indicate mudding jo important proposed work)	
State names of and expected depths to PROPOSE TO DRILL THE OBJECTIVE: To to	DETAILS (o objective sands; show sizes, well ing points, and all other in (IS WELL AS FOLLOWS ast Devonian. proximately 13,500	OF WORK ights, and lengths of proposed casings; indicate mudding jo mportant proposed work)	
State names of and expected depths to PROPOSE TO DRILL THE OBJECTIVE: To to	DETAILS (o objective sands; show sizes, well ing points, and all other in (IS WELL AS FOLLOWS ast Devonian. proximately 13,500	OF WORK ights, and lengths of proposed casings; indicate mudding jo important proposed work)	
State names of and expected depths to PROPOSE TO DRILL THE OBJECTIVE: To to	DETAILS (cobjective sands; show sizes, we impoints, and all other in the sands; show sizes, we impoints, and all other in the sands; show sizes, we impoint a sand sizes, we imposs the sand sizes, we impoint a sand sizes, we imposs the sand sizes are sand sizes. If the sand sizes is the sand sizes is sand sizes, we imposs the sand sizes in the sand sizes in the sand sizes is sand sizes. If the sand sizes is sand sizes is sand sizes is sand sizes in the sand	OF WORK ights, and lengths of proposed casings; indicate mudding jo important proposed work) it row surface to approximately 3501 from 3501 to total depth.	
State names of and expected depths to PROPOSE TO DRILL THE OBJECTIVE: To to	DETAILS (cobjective sands; show sizes, we impoints, and all other in the sands; show sizes, we impoints, and all other in the sands; show sizes, we impoint a sand sizes, we imposs the sand sizes, we impoint a sand sizes, we imposs the sand sizes are sand sizes. If the sand sizes is the sand sizes is sand sizes, we imposs the sand sizes in the sand sizes in the sand sizes is sand sizes. If the sand sizes is sand sizes is sand sizes is sand sizes in the sand	OF WORK ights, and lengths of proposed casings; indicate mudding jo important proposed work)	
State names of and expected depths to the PROPOSE TO DRILL. THE OBJECTIVE: To the TOTAL DEPTH: APIMETHOD OF DRILLING	DETAILS (cobjective sands; show sizes, weising points, and all other in Its WELL AS FOLLOWS But Devonian. proximately 13,5001 Rotary tools (Continue)	OF WORK ights, and lengths of proposed casings; indicate mudding journant proposed work) it row surface to approximately 3501 from 3501 to total depth.	•
State names of and expected depths to the PROPOSE TO DRILL. THE OBJECTIVE: To the TOTAL DEPTH: APIMETHOD OF DRILLING	DETAILS (cobjective sands; show sizes, weising points, and all other in Its WELL AS FOLLOWS But Devonian. proximately 13,5001 Rotary tools (Continue)	OF WORK ights, and lengths of proposed casings; indicate mudding journant proposed work) it row surface to approximately 3501 from 3501 to total depth.	•
State names of and expected depths to THE PROPOSE TO DRILL THE OBJECTIVE: TO the TOTAL DEPTH: API	DETAILS (o objective sands; show sizes, well ing points, and all other is U.S. WELL AS FOLLOWS But Devonian. proximately 13,500 (Continue ork must receive approval in write	of WORK ights, and lengths of proposed casings; indicate mudding journant proposed work) it row surface to approximately 350* from 350* to total depth. ied on Sheet -2-) ting by the Geological Survey before operations may be continued to the surface of the surface of the surface operations may be continued by the Geological Survey before operations may be continued to the surface operations may be continued to the surface operations of the surface operations may be continued to the surface operations of the surface operations operations of the surface operations	•
State names of and expected depths to THE PROPOSE TO DRILL THE OBJECTIVE: TO the TOTAL DEPTH: API	DETAILS (o objective sands; show sizes, well ing points, and all other is U.S. WELL AS FOLLOWS But Devonian. proximately 13,500 (Continue ork must receive approval in write	of WORK ights, and lengths of proposed casings; indicate mudding journant proposed work) it row surface to approximately 350* from 350* to total depth. ied on Sheet -2-) ting by the Geological Survey before operations may be continued to the surface of the surface of the surface operations may be continued by the Geological Survey before operations may be continued to the surface operations may be continued to the surface operations of the surface operations may be continued to the surface operations of the surface operations operations of the surface operations	•
State names of and expected depths to the PROPOSE TO DRILL, THE OBJECTIVE: To the TOTAL DEPTH: APPENDING OF DRILLING I understand that this plan of we Company GENE AL AM	DETAILS (cobjective sands; show sizes, weight points, and all other in the six shows are shown as the same of the six shows as the six shows are shown as the six shows are shown as the six shows a	of WORK ights, and lengths of proposed casings; indicate mudding journant proposed work) it row surface to approximately 3501 from 3501 to total depth. and on Sheet -2-) ting by the Geological Survey before operations may be confirmed by the Geological Survey before operations and the confirmed by the Geological Survey before operations and the confirmed by the Geological Survey before operations and the confirmed by the Geological Survey before operations and the confirmed by the Geological Survey by the Geological Survey before operations and the confirmed by the Geological Survey	•
State names of and expected depths to the PROPOSE TO DRILL, THE OBJECTIVE: To the TOTAL DEPTH: APPENDING OF DRILLING METHOD OF DRILLING COMPANY GENE AL AMERICAN	DETAILS (cobjective sands; show sizes, weight points, and all other in the six shows are shown as the same of the six shows as the six shows are shown as the six shows are shown as the six shows a	of WORK ights, and lengths of proposed casings; indicate mudding journant proposed work) it row surface to approximately 3501 from 3501 to total depth. and on Sheet -2-) ting by the Geological Survey before operations may be confirmed by the Geological Survey before operations and the confirmed by the Geological Survey before operations and the confirmed by the Geological Survey before operations and the confirmed by the Geological Survey before operations and the confirmed by the Geological Survey by the Geological Survey before operations and the confirmed by the Geological Survey	•
State names of and expected depths to the PROPOSE TO DRILL THE OBJECTIVE: To the TOTAL DEPTH: APPENDING OF DRILLING COMPANY CENE AL AMADEM Address Box 416, Land	DETAILS (o objective sands; show sizes, well ing points, and all other is U.S. WELL AS FOLLOWS But Devonian. proximately 13,500 (Continue ork must receive approval in write	of WORK ights, and lengths of proposed casings; indicate mudding journant proposed work) it row surface to approximately 3501 from 3501 to total depth. and on Sheet -2-) ting by the Geological Survey before operations may be confirmed by the Geological Survey before operations and the confirmed by the Geological Survey before operations and the confirmed by the Geological Survey before operations and the confirmed by the Geological Survey before operations and the confirmed by the Geological Survey by the Geological Survey before operations and the confirmed by the Geological Survey	•
State names of and expected depths to the PROPOSE TO DRILL THE OBJECTIVE: To the TOTAL DEPTH: APPETHOD OF DRILLE OF	DETAILS (cobjective sands; show sizes, weight points, and all other in the same state of the same sta	of WORK ights, and lengths of proposed casings; indicate mudding journant proposed work) it row surface to approximately 3501 from 3501 to total depth. ied on Sheet -2-) ting by the Geological Survey before operations may be confirmed by the Geological Survey before operations and the Geological Survey by the Geological Survey before operations and the Geological Survey by the Geological	•
State names of and expected depths to the PROPOSE TO DRILL. The OBJECTIVE: To the TOTAL DEPTH: Appendix APPENDIX OF DRILLE. I understand that this plan of we Company GENE AL AMPANDAMENTAL AMPANDAME	DETAILS (cobjective sands; show sizes, weight points, and all other in the same state of the same sta	of WORK ights, and lengths of proposed casings; indicate mudding journant proposed work) it row surface to approximately 3501 from 3501 to total depth. ied on Sheet -2-) ting by the Geological Survey before operations may be confirmed by the Geological Survey before operations and the Geological Survey by the Geological Survey before operations and the Geological Survey by the Geological	•

WE PROPOSE TO DRILL THIS WELL AS FOLLOWS: (Continued)

CASING PROGRAM: Will set 13-3/8" OD casing at 350° in 16" hole and cement to surface with 185 sacks of cement (125% of calculated volume).

will set 9-5/8" CO casing at 4000' in 12-1/4" hole and cement back to 900' (approximately 100' above top of salt) with 1335 sacks of cement (150% of calculated volume).

In the event that commercial production is obtained in the Devonian, approximately 13500' of 5-1/2" 00 casing will be set and cemented with 1300 sacks of cement.

DRILLING CONTRACTOR: Donnell Drilling Company.

DRILLING OPERATIONS TO COSCENCE: On or about December 27, 1951.

and the first of the second se

Control of the second of the s 1 Car 1 Car

grading the state of the state

A STATE OF THE PORT OF THE STATE OF THE STAT