

COPIES RECEIVED

DISTRIBUTION		
ANY AFE		
ILE		
U.S.G.S.		
AND OFFICE		
OPERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION

Supersedes Old
C-102 and C-103
Effective 1-1-65

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO RE-ENTER OR PLUG BACK TO A DIFFERENT RESERVOIR. USE APPLICATION FOR REPORT ON (FORM C-101, FOR SUCH PROPOSALS.)

OIL WELL ☐ GAS WELL ☐ OTHER- P.A.

Name of Operator
Maralo, Inc. (Cities Service) (Empire Oil & Gas)

Address of Operator
P. O. Box 832 Midland, Texas 79702

Location of Well
UNIT LETTER K 2310 FEET FROM THE South LINE AND 2310 FEET FROM
THE West LINE, SECTION 13 TOWNSHIP 25-S RANGE 36-E N.M.P.M.

5a. Indicate Type of Lease
State ☐ Fee ☐

5. State Oil & Gas Lease No.
N/A

7. Unit Agreement Name

8. Farm or Lease Name
Lidley B

9. Well No.
2

10. Field and Pool, or Wildcat
Jalmat

12. County
Lea

13. Elevation (Show whether DF, RT, CR, etc.)
N/A

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK ☐	Re-PLUG AND ABANDON ☒	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	PLUG AND ABANDONMENT ☐
NULL OR ALTER CASING ☐	OTHER ☐	CASING TEST AND CEMENT JOBS ☐	

1. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Remove surface plug.

Replug as follows:

- 1) Tag cement plug @ 2936', add 35 sx plug (200') - set plug from 2936' to 2736'.
- 2) 7" casing shot off @ 1507'; 9 5/8" set @ 1426'. Set plug from 7" to 9 5/8" with 75 sx from 1552' to 1320'.
- 3) T/Anhy, set 40 sx cement plug in 9 5/8" from 1150' to 1050'.
- 4) 9 5/8" shot off @ 100'; set 40 sx plug (110'), 50' in & out of 9 5/8" from 150' to 50'.
- 5) Set 10 sx plug at surface.

I, hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED [Signature] TITLE Drilling Superintendent DATE Dec. 5, 1979

APPROVED BY [Signature] TITLE [Blank] DATE DEC 13 1979

CONDITIONS OF APPROVAL, IF ANY:


IDLEY B. NO. 2

2

2310 FSL & 2310' FWL

SECTION 13 T-25-S R-36-E

(UNIT K)

Present Plug & B.P.

CITIES SERVICE (EMPIRE OIL & GAS)


(LIDLEY B. NO. 2 (

2310 FSL & 2310' FWL

SECTION 13 T-25-S R-36-E


Proposed Plugging Programme

(UNIT K)




12 1/2" 50[#] CSG. SET AT
60' CEM. W/ 50 SX
(CEM. CALCULATED TO CIRC)

SHOT OFF 9 5/8" CSG.
AT 100'



SHOT OFF 7" CSG.
AT 1507'



CALC. TOP CEM. AT 2025'

2920

3129

3245

3257

7" 24[#] CSG. SET AT
3272' CEM. W/ 400 SX