

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

RECEIVED

OCT 24 10 29 AM '90

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

5. Lease Designation and Serial No.  
LC 032581A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Sholes A No. 5

9. API Well No.

300250975900

10. Field and Pool, or Exploratory Area

Jalmat Tansill Yates 7 Rvr

11. County or Parish, State

Lea, NM

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Conoco Inc.

3. Address and Telephone No.

10 Desta Drive West, Midland, Texas 79705 (915) 686-6548

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

660' FSL & 1980' FEL  
Sec. 13, T25S, R-36E

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent  
☐ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment  
☒ Recompletion  
☒ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☐ Other

- ☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

It is proposed to permanently abandon the 7-Rivers zone, temporarily abandon the Yates lower 7th and 8th zones, and perforate zones 5 through the upper 7th zones in the Yates as follows:

1. Test the casing and run a CBL.
2. Permanently abandon 7-Rivers perforations (2976'-85') by setting a CIBP at 2970'. Dump 1 sx cement on top of CIBP.
3. Isolate existing Yates lower 7th and 8th zone perforations by setting a RBP at 2936'.
4. Perforate, acidize, and test Yates zones 5 through upper 7th from 2880'- 2928'.
5. If the new perforations produce at a low water cut, the RBP will be left in the hole until the new upper zones are depleted.

14. I hereby certify that the foregoing is true and correct

Signed Gregory W. Moore

Title Regulatory Coordinator

Date 10-22-90

(This space for Federal or State office use)

Approved by \_\_\_\_\_  
Conditions of approval, if any:

Title \_\_\_\_\_

Date 10-25-90

RECEIVED

OCT 29 1990

OCD  
HOBBS OFFICE