



AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

Ralph Lowe **Box 832 Midland, Texas**
Company or Operator Address
Winters "B" Well No. **1** in **NE/4** of Sec. **13**, T. **25S**
Lease
R. **36E**, N. M. P. M., **Cooper Jal** Field, **Lea** County.
Well is **1650** feet south of the North line and **330** feet west of the East line of **NE/4 Sec 13**
If State land the oil and gas lease is No. _____ Assignment No. _____
If patented land the owner is **Elydie C. Winters**, Address **Jal, New Mex.**
If Government land the permittee is _____, Address _____
The Lessee is _____, Address _____
Drilling commenced **Aug 1, 1950** 19 _____ Drilling was completed **Sept 15, 19 50**
Name of drilling contractor **H. R. Sindorf**, Address **Kernit, Texas**
Elevation above sea level at top of casing **3162** feet.
The information given is to be kept confidential until _____ 19 _____

OIL SANDS OR ZONES

No. 1, from **2900** to **3000** No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from **186** to **226** feet. **5 Bbl. per hr.**
No. 2, from _____ to _____ feet.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	OUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
10 3/4	32.75	8	NT	588	TP				
7"	20	8	NT	2835					

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
13	10 3/4	588	300	Halliburton		
9	7"	2835	350	Halliburton		

PLUGS AND ADAPTERS

Heaving plug—Material **None** Length _____ Depth Set _____
Adapters — Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

None

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from **0** feet to **3000** feet, and from _____ feet to _____ feet
Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing **Sept 15 1950** 19 _____
The production of the first 24 hours was **85** barrels of fluid of which **0** % was oil; _____ %
emulsion; _____ % water; and _____ % sediment. Gravity, Be **38** **RED WAT. 1.01005**
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in _____

EMPLOYEES

Forrest Rumbaugh **F. R. Garrett**
Driller Driller
Tom Williams
Driller Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this **20**
day of **Sept.** 19 **50**

Notary Public

My Commission expires **6-1-51**

Midland, Texas 9-20-50
Place Date
Name **W. A. Taylor**
Position **Agent**
Representing **Ralph Lowe**
Company or Operator
Address **Box 832 Midland, Texas**

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	41	41	Caliche
41	91	50	Blue Shale
91	185	94	Red Shale
185	250	65	Red Rock
250	325	75	Sand
325	500	175	Grey Sand
500	1117	617	Red Rock
1117	1127	10	Anhydrite
1127	1170	43	Salt
1170	1290	120	Anhydrite
1290	1350	60	Salt
1350	2730	1380	Salt Anhydrite
2730	2820	90	Brown Lime
2820	2900	80	Lime
2900	3000	100	Broken Lime & Sand
			T.D. 3000