

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	5. LEASE DESIGNATION AND SERIAL NO. LC-032581 (B)
2. NAME OF OPERATOR CONOCO INC.	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P. O. Box 460, Hobbs, N.M. 88240	7. UNIT AGREEMENT NAME NMFU
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 660' FNL & 660' FEL	8. FARM OR LEASE NAME Sholes B-25
	9. WELL NO. 4
	10. FIELD AND POOL, OR WILDCAT Jalmat Yates 7 Rurs
	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 25-255-36E
14. PERMIT NO.	12. COUNTY OR PARISH Lea
15. ELEVATIONS (Show whether DF, HT, GR, etc.)	13. STATE NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☒
REPAIR WELL ☐
(Other) **plug back & open add'l pay**

PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
ABANDON* ☐
CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐
FRACTURE TREATMENT ☐
SHOOTING OR ACIDIZING ☐
(Other) ☐

REPAIRING WELL ☐
ALTERING CASING ☐
ABANDONMENT* ☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log Form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

MIRU. Run GR-CCL-CBL from 2997' to 2500'. Set CIBP @ 2968'. Spot 1 bbl 15% HCL-NE-FE from 2957'-2915'. Perf w/ 1 JSPF @ 2939', 40', 41', 42', 43', 44', 50', 51', 52', 53', 54', 55', 56', & 57' for total of 14 holes. Pressure test CIBP @ 2968' to 2000 psi. Set treating pkr @ 2840'. Acidize perfs 2939'-2957' w/28 bbls. 15% HCL-NE-FE. Flush w/ 16 bbls 9 lb/gal brine. Swab. Rel pkr. Set RBP @ 2930'. Spot 1 bbl. 15% HCL-NE-FE from 2908'-2865'. Perf w/ 1 JSPF @ 2899', 2900', 01', 02', 03', 06', 07', & 08' for total of 8 holes. Set pkr @ 2800'. Acidize 2899'-2908' w/16 bbls. 15% HCL-NE-FE. Flush w/19 bbls. 9.0 lb/gal brine. Swab. Rel pkr & RBP. Return well to production.

18. I hereby certify that the foregoing is true and correct

SIGNED David S. Smylie

TITLE Administrative Supervisor

DATE 2/19/85

(This space for Federal or State office use)

APPROVED BY [Signature]

TITLE [Signature]

DATE 2-25-85

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

RECEIVED

FEB 26 1985

ROOM 100