



RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 3248 feet, and from feet to feet.  
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing June 1, 19 60  
OIL WELL: The production during the first 24 hours was 81 barrels of liquid of which 93 % was  
was oil; 0 % was emulsion; 7 % water; and 0 % was sediment. A.P.I.  
Gravity.  
GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of  
liquid Hydrocarbon. Shut in Pressure lbs.  
Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy. 1080	T. Devonian	T. Ojo Alamo	
T. Salt 1300	T. Silurian	T. Kirtland-Fruitland	
B. Salt 2870	T. Montoya	T. Farmington	
T. Yates 3102	T. Simpson	T. Pictured Cliffs	
T. 7 Rivers	T. McKee	T. Menefee	
T. Queen	T. Ellenburger	T. Point Lookout	
T. Grayburg	T. Gr. Wash	T. Mancos	
T. San Andres	T. Granite	T. Dakota	
T. Glorieta	T.	T. Morrison	
T. Drinkard	T.	T. Penn	
T. Tubbs	T.	T.	
T. Abo	T.	T.	
T. Penn	T.	T.	
T. Miss	T.	T.	

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	1080	1080	Red Bed				
1080	1300	220	Anhydrite				
1300	2870	1570	Salt & Anhydrite				
2870	3102	232	Dolomite & Anhydrite				
3102	3248	146	Sand, Shale & dolomite				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator. Standard Production Company  
Name. H. L. Smith  
Address. BOX 703 HOBBS, NEW MEXICO  
Position or Title. Agent  
June 19, 1963 (Date)  
% OIL REPORTS & GAS SERVICES