

## NEW 'EXI OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Hobbs, New Mexico

October 30, 1937

OIL CONSERVATION COMMISSION,  
Santa Fe, New Mexico

Place

Date


Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as

Skelly Oil Co. E. T. Johns

Well No. 1 in CNW SW

of Sec. 21, T. 24, R. 37, N. M. P. M., Lease Knight, Field Lea, County. 1980 South 660 West Section 21 -

AREA 640 ACRES  
LOCATE WELL CORRECTLY

The well is 1980 feet [N.] [S.] of the South line and 660 feet [E.] [W.] of the West line of Section 21 -

(Give location from section or other legal subdivision lines. Crossout wrong directions.)

If state land the oil and gas lease is No. Assignment No.

If patented land the owner is

Address

If government land the permittee is E. T. Johns (Gov. Per. No. 035673).

Address

The lessee is Skelly Oil Company,

Address Tulsa, Oklahoma

We propose to drill well with drilling equipment as follows:

Rotary tools to approximately 3200' - cable tools to total depth.

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows:

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
11"	9-5/8"	36#	New	1180'	Cemented	300
8-1/2"	7"	20#	New	3200'	Cemented	250

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 3526 feet.

Additional information: In cementing the 9-5/8" OD casing the cement will be circulated back into cellar.

Approved  
except as follows:

Sincerely yours,

Skelly Oil Co.

Company or Operator

By

Position

District Superintendent

Send communication regarding well to

Name Skelly Oil Company

Address Hobbs, New Mexico

OIL CONSERVATION COMMISSION,

By

Title

Oil &amp; Gas Inspector

