


DUPLICATE

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico



MISCELLANEOUS REPORTS ON WELL

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Report by Checking Below

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF PLUGGING WELL		REPORT ON RECOMPLETION OPERATION		REPORT ON (Other) Acidizing	X

January 21, 1954
(Date)

Hobbs, New Mexico
(Place)

Following is a report on the work done and the results obtained under the heading noted above at the

Gulf Oil Corporation
(Company or Operator)

Plains-Knight
(Lease)

Leffland Bros. Co.
(Contractor)

Well No. **2** in the **SE** $\frac{1}{4}$ **SW** $\frac{1}{4}$ of Sec. **23**

T. **24-S**, R. **37-S**, NMPM., **Fowler** Pool, **Lea** County.

The Dates of this work were as follows: **1-18-54 thru 1-21-54**

Notice of intention to do the work (~~was~~ (was not) submitted on Form C-102 on _____, 19____, and approval of the proposed plan (~~was~~ (was not) obtained.

(Cross out incorrect words)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

On January 18, 1954 ran Howco straddle packers on 2-3/8" tubing, treated with a total of 6000 gallons acid in 2 stages. 1st stage with bottom packer at 7778', top packer 7731', treated thru perforations in 7" casing from 7765' to 7740', with 3000 gallons 15% NE acid. Flushed with 31 bbls water. Reset bottom packer 7731', top packer 7684', treated formation thru perforations in 7" casing from 7725' to 7700' with 3000 gallons 15% NE acid. Flushed with 31 bbls water. Ran 2-3/8" tubing 7774' set at 7783'.

Swabbed 20 bbls lead water, no oil 4-3/4 hours. Showed light blow of gas after each pull of the swab. Swabbed 63 bbls sulphur water slightly salty with trace oil 8 hours. Released swab unit 1-21-54.

Witnessed by **Glenn Stach**
(Name)

Gulf Oil Corporation
(Company)

Drilling Foreman
(Title)

Approved: **OIL CONSERVATION COMMISSION**

S. J. Stanley
(Name)

Engineer District 1
(Title)

JAN 27 1954
(Date)

I hereby certify that the information given above is true and complete to the best of my knowledge.

Name **E. F. Taylor**

Position **Area Prod. Supt.**

Representing **Gulf Oil Corporation**

Address **Box 2167, Hobbs, N. Mex.**

DUPLICATE

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

RECEIVED

JAN 26 1954

MISCELLANEOUS REPORTS ON WELLS

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days of completion. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Report by Checking Below

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF PLUGGING WELL		REPORT ON RECOMPLETION OPERATION		REPORT ON (Other) Plugging Back	X

January 25, 1954

(Date)

Hobbs, New Mexico

(Place)

Following is a report on the work done and the results obtained under the heading noted above at the

Gulf Oil Corporation
(Company or Operator)

Plains-Knight
(Lease)

Jeffland Bros. Co.
(Contractor)

Well No. 2 in the SE 1/4 SW 1/4 of Sec. 23

T. 24-S, R. 37-E, NMPM., Fowler Pool, Lea County.

The Dates of this work were as follows: January 21-22, 1954

Notice of intention to do the work (X) (was not) submitted on Form C-102 on _____, 19____, and approval of the proposed plan (X) (was not) obtained.
(Cross out incorrect words)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Ran 7" Baker cast iron bridge plug on Lane-Wells wire line, set at 6350', dumped 2 sacks cement on plug. After waiting 3 hours found top of cement at 6348'. Dumped 2 more sacks cement on plug. After waiting 4 hours found top of cement at 6340'.

Witnessed by: Glenn Stach (Name) Gulf Oil Corporation (Company) Drilling Foreman (Title)

Approved: OIL CONSERVATION COMMISSION

S. G. Stanley
(Name)

Engineer District I

(Title)

JAN 27 1954

(Date)

I hereby certify that the information given above is true and complete to the best of my knowledge.

Name: E. F. Taylor

Position: Area Prod. Supt.

Representing: Gulf Oil Corporation

Address: Box 2167, Hobbs, N. Mex.