


N


 AREA 640 ACRES
 LOCATE WELL CORRECTLY

 NEW MEXICO OIL CONSERVATION COMMISSION
 Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

Plains Production Company

1110 Tower Petroleum Bldg., Dallas 1, Texas

Humble-Knight

Company or Operator

9

SW SE NE

Address

24S

Lease

Langlie-Mattix

of Sec.

T.

R. 37E

N. M. P. M.

990' Field,

Section 23

County.

Well is 2310'

feet south of the North line and

feet west of the East line of

If State land the oil and gas lease is No.

Assignment No.

If patented land the owner is

Lillie M. Knight

Address

Jal, New Mexico

If Government land the permittee is

Humble Oil & Refining Company

Address

Roswell, New Mexico

The Lessee is

August 10, 1948

October 6,

48

Drilling commenced

19

Drilling was completed

19

Name of drilling contractor

Company tools

Address

Elevation above sea level at top of casing

feet.

The information given is to be kept confidential until

19

OIL SANDS OR ZONES

No. 1, from 3491

to 3512

No. 4, from

to

No. 2, from

to

No. 5, from

to

No. 3, from

to

No. 6, from

to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 465

to 505

Hole full of water 470'

No. 2, from 1055

to 1065

Water

No. 3, from

to

feet.

No. 4, from

to

feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
12 1/2"	48			116'	Reg				Surface
10 3/4"	40			750'	Reg				
8 1/2"	32			1270'	Hal				
7"	23				Hal				

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
12 1/2"	12 1/2"	116'	Mud		Mudded	Pulled
	10 3/4"	750'	Mud		Mudded	Pulled
	8 1/2"	1270'	100 sks	Hal.		
	7"	3207'	Packer			

PLUGS AND ADAPTERS

Heaving plug—Material..... Length..... Depth Set.....

Adapters — Material..... Size.....

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
	4"	Gly.	550 qts.	10-6-48	3490-3600	Bottom

Results of shooting or chemical treatment.....

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from..... feet to..... feet, and from..... feet to..... feet

Cable tools were used from..... 0..... feet to..... 3600..... feet, and from..... feet to..... feet

PRODUCTION

Put to producing....., 19.....

The production of the first 24 hours was..... 30..... barrels of fluid of which..... 80.....% was oil;..... 20.....% emulsion;.....% water; and.....% sediment. Gravity, Be.....

If gas well, cu. ft. per 24 hours..... Gallons gasoline per 1,000 cu. ft. of gas.....

Rock pressure, lbs. per sq. in.....

EMPLOYEES

E. C. Cowan..... Driller..... J. M. Horner..... Driller

G. C. Parish..... Driller..... Joe E. Gernier..... Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this..... 5th.....

day of..... November....., 19..... 48.....

Dorothy E. Long..... Notary Public

My Commission expires..... June 1, 1949.....

Dallas, Texas..... November 5, 1948

Name..... W. L. COOPER

Position..... Agent

Representing..... Plains Production Company

Address..... 1110 Tower Pet. Bldg., Dallas 1, Texas

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
			(SEE ATTACHED SHEET)