
NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

W-G Company P. O. Box 1490, Alice, Texas
Company or Operator
E. E. Jacks B-26 Well No. **2** in **SW 1/4** of Sec. **26**, T. **24 S**
Lease
R. **37 E**, N. M. P. M. **Langle-Mattix** Field, **Lea** County.
Well is **3300** feet south of the North line and **3300** feet west of the East line of **Sec. 26**
If State land the oil and gas lease is No. Assignment No.
If patented land the owner is Address
If Government land the permittee is **Continental Oil Company** Address **Ponca City, Texas**
The Lessee is **W-G Company** Address **Box 1490, Alice, Texas**
Drilling commenced **March 20,** 19 **49** Drilling was completed **April 24,** 19 **49**
Name of drilling contractor **R. L. Kirkwood** Address **Box 1490, Alice, Texas**
Elevation above sea level at top of casing feet.
The information given is to be kept confidential until 19.

OIL SANDS OR ZONES

No. 1, from **3290** to **3330** No. 4, from **3445** to **3450**
No. 2, from **3360** to **3400** No. 5, from to
No. 3, from **3420** to **3435** No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from **None** to feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	OUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
10 3/4	40 1/2	8	Natl.	236'	Halliburton		-	-	Surface
5 1/2	14	8	"	3262'	Baker Triplex		-	-	Oil string

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
13 3/4	10 3/4	236	150	Halliburton	9.5	
7 7/8	5 1/2	3262	425-3% aguagel	"	10.2	

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set
Adapters — Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
4"	Dupont	Oil Well Spec.	303 qts.		3330-3450	T. D. 3475'
8"	"	Nitroglycerine	100 qts.		3290-3330	T. D. 3475'

Results of shooting or chemical treatment

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from **0** feet to **3475** feet, and from feet to feet
Cable tools were used from feet to feet, and from feet to feet

PRODUCTION

Put to producing **April 24,** 19**49**
The production of the first 24 hours was **24** barrels of fluid of which **99** % was oil; **1** % emulsion; % water; and % sediment. Gravity, Be.
If gas well, cu. ft. per 24 hours **2,190,000** Gallons gasoline per 1,000 cu. ft. of gas.
Rock pressure, lbs. per sq. in.

EMPLOYEES

C. C. Meek, Driller **M. B. Southerland**, Driller
J. E. Smith, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this **26** thday of **April**, 19**49**

Dorothy L. Ritz
Notary Public

My Commission expires **My Commission Expires April 23, 1952**Place **Hebbs, New Mexico** Date **4/26/49**Name *M. B. Southerland*Position **Agent**Representing **W-G Company**
Company or OperatorAddress **Box 1490, Alice, Texas**

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	43		Surface clay and Caliche
43	92		Sand
92	370		Red bed
370	930		Hard sand and shale
930	1055		Anhydrite
1055	1130		Anhydrite and gyp
1130	1435		Salt
1435	2290		Anhydrite, salt and gyp
2290	2690		Anhydrite and dolomite
2690	3287		Hard lime and gyp
3287	3475		Hard lime with sandy streaks