

Form 9-331a
(March 1942)

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYLand Office 19-032592(b)Lease No. 41682

Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL <u>1</u>	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Port Worth, Texas, January 16, 1950.

Well No. 3, KOT-2 is located 660 ft. from S line and 660 ft. from E line of sec. 26

SE 1/4 Sec. 26 24-3 37-2 111
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Leagle-Battix Lea New Mexico
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3265 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

FORMATION EXPOSED	SIZE CASING	CASING DEPTH (Approx.)	Cement
Top of Anhydrite	- 1150'	9-5/8"	1000'
" " Salt	- 1250'	7"	600 #x.
Base of Salt	- 2325'		425 "
Top of Yates sand	- 2460'		
First productive oil sand	- 3420'		
Total depth	- 3600'		
Type of tools	Rotary to 3250'		
Cable Tools	3250' to Total Depth		

cc: Mr. Roy Yarbrough
Hobbs, New Mexico

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company W. P. Y. & Co., Inc.Address P.O. Box 1720Port Worth, TexasBy /s/ P. D. Grommon, Jr.Title Chief Geologist