


NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico



WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

DUPLICATE

AREA 640 ACRES
LOCATE WELL CORRECTLY

Anderson-Prichard Oil Corp. 1000 Hamsey Tower, Okla. City, Okla.
Company or Operator Address
State **B-32** Well No. **1** in **NW SE** of Sec. **32**, T. **24S**
Lease
R. **37E**, N. M. P. M., **Mattix** Field, **Lea** County
Well is **3630** feet south of the North line and **2610** feet west of the East line of **Section 32**
If State land the oil and gas lease is No. **B-7682** Assignment No. _____
If patented land the owner is _____, Address _____
If Government land the permittee is _____, Address _____
The Lessee is **The Atlantic Refining Co.**, Address **Dallas, Texas**
Drilling commenced **6-29** 19 **39** Drilling was completed **7-21** 19 **39**
Name of drilling contractor **Uscan Dril'g Co.**, Address **Okla. City, Okla.**
Elevation above sea level at top of casing **3253** feet.
The information given is to be kept confidential until _____ 19 _____

OIL SANDS OR ZONES

No. 1, from **2855 3449** to **3547** No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet.
No. 2, from _____ to _____ feet.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM TO	PURPOSE
9-5/8	25.7	Slip Joint	Armo	549	Baker			
7	22	8	Ygstr	3432	HOWCO			

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
9-5/8	549		250	HOWCO	10.5#	Circulated
7	3432		300	"	10.5#	"

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from **0** feet to **3547** feet, and from _____ feet to _____ feet
Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing **7-21** 19 **39**
The production of the first 24 hours was **240** barrels of fluid of which **100** % was oil; _____ %
emulsion; _____ % water; and _____ % sediment. Gravity, Be. **36.0**
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. _____

EMPLOYEES

J. S. Gailbraith, Driller **C. C. Kinder**, Driller
Oscar Giles, Driller _____, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this **27th** day of **July**, 19 **39**
Patricia Tjahkony Notary Public.

Hobbs, N. Mex. **7-27-39**
Name **Frank Gray**
Position **Supt.**
Representing **Anderson-Prichard Oil Corp.**
Address **Box 1697, Hobbs, N. Mex.**

My Commission expires **10-24-39**

FORMATION RECORD

201-1111-11

FROM	TO	THICKNESS IN FEET	FORMATION
0	95	95	Caliche
95	165	70	Sand
165	525	360	Red beds
525	928	403	Red beds and red rock
928	1070	142	Red beds and shale
1070	1155	85	Red beds and red rock
1155	1251	96	Anhydrite
1251	2709	1458	Salt and anhydrite
2709	2745	36	Anhydrite and kyp
2745	2770	25	Anhydrite and lime
2770	2840	70	Lime
2840	2855	15	Lime and anhydrite
2855	3092	237	Lime
3092	3141	49	Lime and sand
3141	3186	45	Lime
3186	3199	13	Sand
3199	3201	2	Lime
3201	3209	8	Sand
3209	3357	148	Lime
3357	3366	9	Sand
3366	3390	24	Lime
3390	3402	12	Sandy Lime
3402	3413	11	Sand
3413	3488	75	Lime
3488	3497	9	Sand
3497	3547	50	Lime