

NEW MEXICO OIL CONSERVATION COMMISSION
 Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Hobbs, New Mexico

August 1, 1938

OIL CONSERVATION COMMISSION,
 Santa Fe, New Mexico


Gentlemen:

DUPLICATE

You are hereby notified that it is our intention to commence the drilling of a well to be known as _____

Skelly Oil Company State "NM" Well No. 1 in CSW SW

of Sec. 32, T. 24, R. 37, N. M. P. M., Mattix Area Field, Lea County.



AREA 640 ACRES
 LOCATE WELL CORRECTLY

The well is 660 feet [N.] 35 of the South line and 660 feet

[E.] 25 of the West line of Section 32 -

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. 5943 ? Assignment No. _____

If patented land the owner is _____


Address _____

If government land the permittee is _____

Address _____

The lessee is Skelly Oil Company

Address Tulsa, Oklahoma



We propose to drill well with drilling equipment as follows: _____

Rotary tools from top to approximately 3350' - cable tools from 3250' to total depth of approximately 3500'.

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: _____

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
11"	9-5/8" OD	36#	New	1340'	Cemented	400
<u>8-1/4"</u>	<u>7" OD</u>	<u>24#</u>	<u>New</u>	<u>3350'</u>	<u>Cemented</u>	<u>400</u>

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 3375 feet.

Additional information: In cementing the 9-5/8" OD casing the cement will be circulated back to bottom of cellar. Each time casing is set sufficient time shall be allowed for the cement to thoroughly set before drilling plug and testing.

Approved AUG 4 - 1938 19 _____

except as follows:

Sincerely yours,

Skelly Oil Company
 Company or Operator

By J. R. [Signature]

Position District Superintendent

Send communication regarding well to

Name Skelly Oil Company

Address Hobbs, New Mexico


OIL CONSERVATION COMMISSION

By [Signature]

Title

Oil & Gas Inspector

ALUMINUM



100-100