


N


NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico



WELL RECORD

DUPLICATE

AREA 640 ACRES
LOCATE WELL CORRECTLY

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

Sam Weiner Box 297, Wink, Texas
Company or Operator Address
May Woolworth Well No. **1** in **SE.NE.SW** of Sec. **33**, T. **25S**
Lease
R. **37E** N. M. P. M. **Langlie** Field, **Lea** County.
Well is **3630** feet south of the North line and **2970** feet west of the East line of **Sec. 33**
If State land the oil and gas lease is No. _____ Assignment No. _____
If patented land the owner is **May Woolworth**, Address **San Angelo, Texas**
If Government land the permittee is _____, Address _____
The Lessee is **Sam Weiner**, Address **Wink, Texas**
Drilling commenced **Sept. 15th** 19 **38** Drilling was completed **Nov. 14th** 19 **38**
Name of drilling contractor **Aero Gas Refining Co.**, Address **Fort Stockton, Texas**
Elevation above sea level at top of casing **3247** feet.
The information given is to be kept confidential until _____ 19 _____

OIL SANDS OR ZONES

No. 1, from **3479** to **3487** No. 4, from _____ to _____
No. 2, from **3502** to **3516** No. 5, from _____ to _____
No. 3, from **3535** to **3550** No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from **530** to **540** feet.
No. 2, from _____ to _____ feet.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
8-5/8	32	8	Nat	1230	Tex Pat.				
5-1/2"	17	10	"	3316	"				

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
10	8-5/8	1230	150	Halliburton		
7-7/8"	5-1/2	3316	250	"		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from **0** feet to **3550** feet, and from _____ feet to _____ feet
Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing **11-14-38**, 19 _____
The production of the first 24 hours was **407** barrels of fluid of which **100** % was oil; _____ %
emulsion; _____ % water; and _____ % sediment. Gravity, Be **37.8**
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. **1070**

EMPLOYEES

Ralph Reichman Driller
Ashley Williams Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this **14th**day of **November**, 19 **38**

Winkler County, Texas
My Commission expires _____

Wink, Texas **11-14-38**Name **Paul D. Hines**Position **Production Supt.**Representing **Sam Weiner**
Company or OperatorAddress **Box 297, Wink, Texas**

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	40	40	Calechle
40	55	15	Sand
55	275	220	Red Rock
275	350	75	Blue Sandy Shale
350	530	180	Red Rock
530	540	10	Water Sand
540	1105	565	Red Rock
1105	1210	105	Anhydrite
1210	1250	40	Anhydrite & Salt
1250	1360	110	Anhydrite
1360	1400	40	Anhydrite, Potash & Salt
1400	1570	170	Anhydrite & Salt
1570	1620	50	Anhydrite
1620	1872	252	Anhydrite & Salt
1872	2003	131	Anhydrite &
2003	2151	148	Salt
2151	2405	254	Anhydrite & Salt
2405	2465	60	Anhydrite
2465	2602	137	Salt
2602	2710	108	Anhydrite & Salt
2710	2865	155	Brown Lime
2865	2870	5	Gas Sand - Top of Yates
2870	2950	80	Lime
2950	2955	5	Gas Sand
2955	3000	45	Lime
3000	3015	15	Gas Sand
3015	3479	464	Lime
3479	3487	8	Oil Sand
3487	3502	15	Lime
3502	3516	14	Oil & Gas Sand
3516	3535	19	Broken Lime
3535	3550	15	Oil Sand
3550			TOTAL DEPTH