


DUPLICATE

NEW MEXICO OIL CONSERVATION COMMISSION  
Santa Fe, New Mexico



MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER) <b>sand-oil squeeze</b> <b>x</b>		NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION  
SANTA FE, NEW MEXICO

**Hobbs, New Mexico**  
(Place)

**December 3, 1953**  
(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the **John Williams**

**Humble Oil & Refining Co.** Well No. **3** in **E** (Company or Operator) (Unit)  
**SW**  $\frac{1}{4}$  **NE**  $\frac{1}{4}$  of Sec. **34**, T. **24-S**, R. **37-E** NMPM, **Langlie-Mattix** Pool  
(40-acre Subdivision)  
**Lea** County.

FULL DETAILS OF PROPOSED PLAN OF WORK  
(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

Present production - 3.17 BOPD

Formation - Permian

Objective: The purpose of this workover is to serve as an experimental project to evaluate the results of sand-oil treatment in the Langlie-Mattix Field.

Intended Procedure: The following workover procedure is recommended:

- (1) Pull rods and tubing
- (2) Run radio-activity logs
- (3) Rerun tubing with hookwall packer
- (4) Sand-oil treat open hole with 4000 gallons of oil with 1 pound of sand per gallon.
- (5) Unseat packer and grab well to test.
- (6) Remove packer and rerun tubing and rods.
- (7) Place well back on production.

Approved **DEC 4 1953**, 19  
Except as follows:

Approved  
OIL CONSERVATION COMMISSION

By **J. G. Stanley**  
Title **Engineer District 1**  
**mob/mob**

**Humble Oil & Refining Company**  
Company or Operator

By **R. M. Finner**

Position **District Chief Clerk**  
Send Communications regarding well to:

Name **Humble Oil & Refining Co.**

Address **Box 2347, Hobbs, N. M.**