

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.
LEASE DESIGNATION AND SERIAL NO.

LC-032874 (a)

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

TEXACO, Inc.

3. ADDRESS OF OPERATOR

P.O. Box 728, Hobbs, New Mexico 88240

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)

At surface

1650' FSL & 2310' FWL of Section 35, Township 24-S
Range 37-E, Unit Letter 'K', Lea County, New Mexico

14. PERMIT NO.

Regular

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3182' (DF)

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

G. L. Erwin A Fed.

9. WELL NO.

SURVEY 2

10. FIELD AND POOL, OR WILDCAT

Justin Devonian North

Justis Tubb Drinkard

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 35, T-24-S, R-37-E

12. COUNTY OR PARISH

Lea

13. STATE

New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

Downhole Commingle

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

X

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. Rig up. Install BOP. Test 2 7/8" casing. Tested O.K.
2. Perforate 2 7/8" OD Blinbry String in Devonian Zone w/2-JSPF from 7136' - 7146'.
3. Perforate 2 7/8" OD Blinbry String in Tubb-Drinkard Zone w/2-JSPF from 6090'-6100'.
Set CIBP @ 5700'. Set tbp plug @ 100'.
4. Acidize 2 7/8" OD Tubb-Drinkard String casing perforations 6025'-6103' w/500 gal.
15% NE Acid. Flushed w/34 Bbls water, used as Vent string.
5. Acidize 2 7/8" OD Devonian String casing perforations 7067'-7200' w/500 gal.
15% NE Acid. Flushed w/41 Bbls water.
6. Run production equipment in Devonian String. Test & place well on production.
7. Downhole Commingle Devonian & Drinkard. 24 Hr. Potential Test ending 6-7-76,
well pumped 14 BO & 29 BW, GOR 2357.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Asst. Dist. Supt.

DATE 6-9-76

(This space for Federal or State office use)

APPROVED BY

TITLE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

ACCEPTED FOR RECORD

JUN 11 1976

U. S. GEOLOGICAL SURVEY
HOBBS, NEW MEXICO