

UNITED STATES
DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ well gas ☐ well other ☐
2. NAME OF OPERATOR
TEXACO INC.
3. ADDRESS OF OPERATOR
P.O. Box 728, Hobbs, New Mexico 88240
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1980 FSL & 330 FEL
AT TOP PROD. INTERVAL: (Unit Letter I)
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	☐		☐
FRACTURE TREAT	☐		☐
SHOOT OR ACIDIZE	☐		☐
REPAIR WELL	☐		☐
PULL OR ALTER CASING	☐		☐
MULTIPLE COMPLETE	☐		☐
CHANGE ZONES	☐		☐
ABANDON*	☐		☐
(other) Status	☐		☐

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Well Status- On Production

5. LEASE

71-057509

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

G.L. Erwin 'B' Federal NCT-2

9. WELL NO.

3

10. FIELD OR WILDCAT NAME

Justis Tubb Drinkard

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 35, T-24-S, R-37-E

12. COUNTY OR PARISH

Lea

13. STATE


New Mexico

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)

3161 (DF)

(NOTE: Report results of multiple completion or zone change on Form 9-330.)



OIL & GAS
U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.


18. I hereby certify that the foregoing is true and correct

SIGNED _____ TITLE Asst. Dist. Mgr. DATE 9-14-82

ACCEPTED FOR RECORD (This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL _____



See Instructions on Reverse Side

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

RECEIVED

SEP 21 1982

OFFICE

GPO 680-655/684



STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT
OIL CONSERVATION DIVISION

BRUCE KING
GOVERNOR
LARRY KEHOE
SECRETARY

July 12, 1982

PO BOX 1880
HOBBES NEW MEXICO 87401
(505) 358-6161

TEXACO INC.
P.O. BOX 728
HOEBS, N.M. 88240

Gentlemen:

The Oil Conservation Division has for some time been concerned about temporarily abandoned wells in the State and recently it was decided to pick at random a Township in District I to evaluate this problem. The Township selected for evaluating temporarily abandoned wells was Township 24 South in Lea County, New Mexico.

Included in the study area are the following well/wells that you operate:

Well Name	No.	Unit	S - T - R	Pool
Cotton Draw Unit	72	P	33-24-32	Paduca Delaware North
G.L. Erwin "B" Fed (NCT-2)	3	I	35-24-37	Justis Tubbs-Drinkard
G.L. Erwin "B" Fed (NCT-1)	4	H	26-24-37	Langlie Mattix
G.L. Erwin "B" Fed (NCT-1)	7	H	26-24-37	Justis Blinebry
C.C. Fristoe "B" Fed (NCT-2)	3	P	26-24-37	Langlie Mattix
C.C. Fristoe "B" (NCT-2)	14	B	35-24-37	Justis Blinebry
G.L. Erwin "B" Fed (NCT-2)	2	J	35-24-37	Justis Blinebry
C.C. Fristoe "B" Fed (NCT-2)	1	J	26-24-37	Jalmat
C.C. Fristoe "B" Fed Nct-2	13	O	26-24-37	Langlie Mattix

Please advise as to your plans for each of the above wells, along with the time frame in which these plans are to be executed. This notification should be made on Form C-103 for state and fee wells; for federal wells, Form 9-331 should be submitted to the Minerals Management Service with a copy to this office.

The Division has set a few general guidelines as to what proposed plans will be acceptable. They are as follows:

1. Return well to production
2. Workover of well
3. Plug and abandonment of well
4. Request to Division Director for extension of temporarily abandoned status

This information should be submitted to the District I office of the OCD by September, 15, 1982.

Yours very truly,

OIL CONSERVATION DIVISION

Jerry Sexton
Supervisor, District I

JS/mc

F, K, C, 5-20-71; Opr's Elev. 3161' LF
FD 7152' WO (Fusselman)
(Orig. comp 4-30-62 thru (Ellebry) Perfs 5428-92',
(Drinkard) Perfs 5955-6052', (Fusselman) Perfs
6961-7020', (McKee) Perfs 8050-8119' & (Waddell)
Perfs 8246-54', OGD 8540'; OWW & Re-Comp 11-11-69
thru (Ellebry) Perfs 5052-5492' & (Fusselman)
Perfs 6961-7020')
5-17-71 ID 8540'; COMPLETE
Perf @ 7072', 7079', 7098', 7110', 7120-32',
7146-52' w/2 SPF
Acid (6961-7152') 2500 gals
Fpd 66 EC + 38 EW in 24 hrs, OK 840, (Fusselman)
(6961-7152')
5-20-71 COMPLETION REPORTED