

NUMBER OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
TRANSPORTER	OIL
	GAS
PRODUCTION OFFICE	
OPERATOR	

# NEW MEXICO OIL CONSERVATION COMMISSION

## Santa Fe, New Mexico

### MISCELLANEOUS NOTICES

strict Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS	NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL	NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE	NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE	NOTICE OF INTENTION (OTHER) TO FRAC	X	NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION  
SANTA FE, NEW MEXICO

Roswell, New Mexico  
(Place)

August 1, 1963  
(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the.....

Shell Oil Company State JP Well No. 1 in C  
(Company or Operator) Lease (Unit)  
NE 1/4 NW 1/4 of Sec. 2, T. 25S, R. 37E, NMPM, North Justis-Devonian Pool  
(40-acre Subdivision)  
Lea County.

### FULL DETAILS OF PROPOSED PLAN OF WORK

(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

#### PROPOSED OPERATION:

1. Shut in Blinbry and Drinkard production to maintain pressure on 2 7/8" casing strings.
2. Fill annulus between 4 1/2" casing & 10 3/4" surface casing w/10#/gallon fluid.
3. Pull rods, pump and tubing.
4. Run 2 1/2" integral joint tubing w/Baker tension-type fullbore packer and set packer near top of 4 1/2" casing.
5. Apply pressure to 4 1/2" - 10 3/4" annulus and treat Devonian perforations 6996' - 7114' w/30,000 gallons gelled water containing 1# 20-40 mesh sand/gallon.
6. Shut in overnight.
7. Check for sand fill and clean out if necessary.
8. Pull full bore packer, run tubing and swab test for sand flow-back.
9. Run rods and pump and place on production.

Approved....., 19.....  
Except as follows:

Approved  
OIL CONSERVATION COMMISSION

By.....  
Title.....

Shell Oil Company

Company or Operator

Original Signed By  
By..... R. A. Lowery..... R. A. LOWERY

Position..... District Exploitation Engineer  
Send Communications regarding well to:

Name..... Shell Oil Company

Address..... P. O. Box 1858, Roswell, New Mexico