

COUNTY LEA FIELD Justis STATE NM MN 11413
 CPR SHELL OIL CO. MAP
 1 State "JM"
 Sec 2, T-25-S, R-37-E CO-ORD
 660' FNL, 1980' FEL of Sec
 Re-Spd 9-22-70 CLASS OWO EL 3180
 Re-Cmp 10-29-70

	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING				
13 3/8" at 240' w/200 sx				
9 5/8" at 3649' w/1150 sx				
7 5/8" at 8951' w/800 sx.				
LOGS EL GR RA IND HC A				

TD 8951'; FBD 6180'

(Blinebry) Perfs 5263-5516' NO NEW POTENTIAL.

(Drinkard) Perfs 5973-6163' NO NEW POTENTIAL.

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 6163' TYPE WO
 DATE

F.R.C. 12-3-70; Gpr's Elev. 3180' DF

PD 6163' WO (Drinkard)

(Orig. comp 11-16-61 thru (Fusselman) Perfs 7240-

7335', comp 12-11-61 thru (Devonian) Perfs 7064-

7114', OED 8951', OFB 8700'; OWO & Re-Cmp

7-9-62 thru (Blinebry) Perfs 5506-5516' & (Drinkard)

Perfs 5973-6021', OFB 6180'

TD 8951'; FBD 6180'; COMPLETE

Perf @ 5263', 5266', 5273', 5292', 5345',

5347', 5393', 5406', 5410', 5420', 5424'

w/1 SPI

Acid (5263-5424') 2400 gals

Frac (5263-5516') 20,000 gals oil + 20,000# sd

12 1-70

12-1-70 Continued
Perf @ 6086', 6090', 6097', 6103', 6111',
6116', 6125', 6130', 6134', 6150', 6155',
6163' w/1 SPI
Acid (6086-6163') 2400 gals
Frac (5973-6163') 25,000 gals oil + 25,000# sd
12-3-70 COMPLETION REPORTED

Dual		Lea		FIELD North Justis		STATE N.M.		NO. OWWO	
OPR. Shell Oil Company						MAP			
NO. 1		LSE. State "JM"							
SEC. 2		T. 25S		BLK. 37E		SUR.		CO-ORD.	
LOC. 660' fr N Line & 1980' fr E Line of Sec.									
Re-		MI.		FROM 7-9-62(B)		CLASS.		ow JP EL 3180E	
SPUD. 6-22-62		COMP. 7-8-62(D)		FORMATION		DATUM		FORMATION DATUM	
TRT. F 15,000 + 15,000# (B)									
F 15,000 + 15,000# (D)									
CSG. & SX.									
9 5/8" 3649' 950									
7 5/8" 8951' 800									
TBG. DEPTH		SIZE							
LOGS EL GR RA IND HC A									
		OTD 8951'				PB 6180'			
PROD INT.		(DAILY RATE)		BS&W GH		GOR GTY		C. P. T. P. HRS. TEST	
5973-6021'		Flo. 119 BOPD		16/64"		39.4		840# 14 1/2	
(Drinkard)						hr test of 72 bbls oil			
5506-5516'		Flo. 248 BOPD + 16 18/64"				42.3		1510# 6	
(Blinebry)		BOPD				hr test of 62BO + 4BW			
Distribution limited and publication prohibited by subscribers' agreement. Reproduction rights reserved by Williams & Lee Scouting Service, Inc. 6200'									
CONT. DATE		PROP DEPTH 5625' & TYPE							

F.R. 6-28-62, Blinebry & Drinkard. OWWO, OTD 8951'. PD 5625' & 6200'.
 7-1-63 OTD 8951', dolo., PB 6180', COMPLETED
 Set BP @ 6197'
 Perf (Drinkard) 1 shot @ 5973', 5979', 5985', 5999', 6005', 6009', 6011', 6014', 6019' & 6021'.
 Perf (Blinebry) 10 shots 5506-16'.
 SOF (Drinkard) w/15,000 gals oil + 15,000# sd.
 SOF (Blinebry) w/15,000 gals oil + 15,000# sd.