FORM C-103

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELL

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-offs, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	X
REPORT ON RESULT OF PLUGGING OF WELL			

Midland, Texas — Place
February 17, 1939 — Date

DUPLICATE

OIL CONSERVATION COMMISSION
Santa Fe, New Mexico.
Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

Culbertson & Irwin, Inc. - Liberty Royalties Corp. Well No. 1 in the
Company or Operator — Lease

NW¼ NW¼ of Sec. 3, T. 25-S, R. 37-E, N. M. P. M.,

Langlie Field, Lea County

The dates of this work were as follows: February 5 to February 9, 1939

Notice of intention to do the work ~~was~~ (was not) submitted on Form C-102 on _____ 19__
and approval of the proposed plan ~~was~~ (was not) obtained. (Cross out incorrect words.)

RECEIVED
FEB 23 1939
HOBBS OFFICE

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Pulled tubing and cleaned out to original bottom of 3396, well flowing estimated 100 bbls. Decided to deepen - Drilled to 3470'.

3396 - 3397	Hard Lime	3464 - 3470	Hard Lime TD
3397 - 3405	Soft oil sand		
3405 - 3415	Lime - broken	Completed without shot flowing 16 bbls	
3415 - 3420	Soft oil sand	per hour through 3/4" choke	
3420 - 3433	Hard lime		
3433 - 3439	Oil Sand		
3439 - 3444	Lime		
3444 - 3453	Soft oil sand		
3453 - 3464	Sandy lime		

Witnessed by J. H. Curtis — Culbertson & Irwin, Inc. — Supt.
Name — Company — Title

Subscribed and sworn to before me this 17th day of February, 19 39

Lucille O. Norman
Notary Public

My Commission expires June 1, 1939

I hereby swear or affirm that the information given above is true and correct.

Name W. Culbertson

Position President

Representing Culbertson & Irwin, Inc.
Company or Operator

Address P. O. Box 1071, Midland, Texas

Remarks:

R. O. Yarbrough
Name
OIL & GAS INSPECTOR
Title