


COPY



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Las CrucesLease No. 055546Unit Wells

NOV 3 11:14

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		Report of Plug back	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

8-10-56, 19

Well No. 4 is located 1980 ft. from N line and 1980 ft. from E line of sec. 5

SE/4 NW/4 Sec. 5      25 S      37 E      NM-M  
(1/4 Sec. and Sec. No.)      (Twp.)      (Range)      (Meridian)

Langlie Mattix      Lea      New Mexico  
(Field)      (County or Subdivision)      (State or Territory)

The elevation of the derrick floor above sea level is 3242.5 ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We set a Lane Wells casing plug at 3310', perforated from 3155 to 3170 with 4 jet shots per foot.  
 Sandfrac with 5000 gals., 1# sand per gal.  
 Swabbed well in, making 3 bbls. oil per day and 6,000,000 ft. of gas.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company R. OlsenAddress 2811 Liberty Bank Bldg.Oklahoma City, Oklahoma

By \_\_\_\_\_

Title \_\_\_\_\_

