Submil 3 Copies To Appropriate District	trict State of New Mexico			Form C-103			
District I	Office District I Energy, Minerals and Natural Resources			Revised March 25, 1999			
1625 N. French Dr., Hobbs, NM 88240	WELL API NO.						
<u>District II</u> 1301 W. Grand Ave., Artesia, NM 88210	OIL CONSERVAT	TION DIVISION	30-025-11482				
District III	1220 South St	. Francis Dr.	5. Indicate Type of Lease STATE FEE S				
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, N	M 87505		Gas Lease No.			
District IV 1220 S. St. Francis Dr., Santa Fe, NM	Sunta 1 C, 1	111 0 7 5 0 5	0. State Off & C	las Lease No.			
87505							
SUNDRY NOTICE	ES AND REPORTS ON W	ELLS	7. Lease Name of	r Unit Agreement Name:			
(DO NOT USE THIS FORM FOR PROPOSA. DIFFERENT RESERVOIR. USE "APPLICA"							
PROPOSALS.)	South L	anglie Jal Unit					
1. Type of Well:							
Oil Well Gas Well C							
2. Name of Operator			8. Well No.				
Chaparral Energy Inc.		1					
3. Address of Operator	C: OY 53114		9. Pool name or Wildcat Jal Tansill Yates 7Rivers				
701 Cedar Lake Blvd, Oklahoma	City, OK 73114		Jai Lansili Yates	/Rivers			
4. Well Location							
Unit Letter G:	1980 feet from the	north line and	1980 feet from	m the <u>east</u> line			
Unit Letter <u>G</u> :	1980 leet Holli the	norm me and	1980ICCI IIO	in the <u>cast</u> inte			
Section 7	Township 25S	Range 37E	NMPM Lea	a County			
	10. Elevation (Show whet			Ale for the second seco			
	3154' GR, 3160' K						
11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data							
NOTICE OF INT	SEQUENT RE						
		ALTERING CASING					
PERFORM REMIEDIAL WORK	PLUG AND ABANDON	REMEDIAL WOF					
TEMPORARILY ABANDON	CHANGE PLANS] COMMENCE DR	RILLING OPNS.	PLUG AND			
		7		ABANDONMENT			
, -		CASING TEST A CEMENT JOB	ND 🗆				
	COMPLETION	CEMENT JOB					
OTHER:		OTHER:					
12. Describe proposed or completed of	operations. (Clearly state a	all pertinent details, and g	ive pertinent dates, i	including estimated date of			
starting any proposed work). SEE	RULE 1103. For Multipl	e Completions: Attach w	ellbore diagram of p	proposed completion or			
recompilation.	•	-					
-							
Note: PBTD is at 3150' with CIBP be	ing set @ 3,200' & capped	with 50' cement as report	rted by TEXACO or	1 Form C-103 dated 6/15/93			
requesting TA status and approved by	OCD on 6/17/93.			50.562			
			1 2 Cyc	892			
1. Set CIBP @ 2,765'	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			.07			
2. Run the & displace hole with 10 p			€ ₹∂3	6 0 2			
3. Spot cement plug from 2,765' – 2		e di Terrette de .		3			
4. Spot cement plug from 1,300' – 1,060' (25 sxs cl "C") 5. Perforate at 360' and squeeze with 45 sxs cl "C" for 50' in/out plug on surface casing; WOC and tag plug to confirm required thup							
		ut plug on surface casing	, wee and tag ping	to company and strup			
6. Spot cement plug from 98° – surfa7. Install a 4" dry hole marker.	ice (10 3A3 C1 C)			- 5/			
7. Histair a 4 dry note marker.							
I hereby certify that the information ab	ove is true and complete to	the best of my knowled	ge and belief.				
DOOL CH							
SIGNATURE LA 210.	TIT TIT	LE <u>Operations Engine</u>	<u>eer</u> DATI	4/26/02			
Type or print name Ralph W. Ever	ett		Telephone No	. (405) 478-8770			
(This space for State use)							
	- are with	PE SIGNED BY		DANN A SOOS			
APPPROVED BY	TTP/SO	WINK	CTAFF MANAGER	DAMAI U 6 ZUL			
APPPROVED BY ORIGINAL SIGNED BY Conditions of approval, if any: OC FIELD REPRESENTATIVE I!/STAFF MANAGER DAMAY 0 6							
	~ - · ·						

