

Form 9-331  
Dec. 1973

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ well ☐ gas ☒ well ☐ other
2. NAME OF OPERATOR  
Amoco Production Company
3. ADDRESS OF OPERATOR  
P. O. Box 68, Hobbs, New Mexico 88240
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 1980' FSL & 660' FWL  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

- TEST WATER SHUT-OFF ☐  
FRACTURE TREAT ☐  
SHOOT OR ACIDIZE ☐  
REPAIR WELL ☐  
PULL OR ALTER CASING ☐  
MULTIPLE COMPLETE ☐  
CHANGE ZONES ☐  
ABANDON\* ☐  
(other) ☐

SUBSEQUENT REPORT OF:

- ☐  
☐  
☐  
☐  
☐  
☐  
☐  
☒

RECEIVED

DEC 3 1982

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

OIL & GAS  
MINERALS MGMT. SERVICE  
ROSWELL, NEW MEXICO

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

MIRUSU - Install blowout preventer, Pull out of hole with short string of tubing. Packer would not unseat. Tubing stuck. Backed off tubing at 1918'. Pull out of hole. Went in hole with string shot @ 2970'. Came out of hole with 1052' of tubing. Top of fish at 2970'. Fished and milled on fish. Left packer in hole with unknown amount of tubing. Top of fish at 3265'. Loaded hole with sand to 3155'. Set cement retainer at 2800'. Squeezed with 300 sacks of cement. Squeeze did not hold. Re-squeezed with 300 sacks cement at maximum pressure of 1500 psi. Squeeze held. Abandoned Amoco's Yates zone. Union Texas Petroleum's Langlie Mattix zone is temporarily abandoned.

0+6-MMS, R 1-HOU 1-W. Stafford, HOU 1-CMH

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Charles M. Loring TITLE Ast. Adm. Analyst DATE 11-30-82

(Orig. Sgd.) PETER W. CHICK (This space for Federal or State office use)

APPROVED BY FEB 4 1983 TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

MINERALS MANAGEMENT SERVICE  
ROSWELL, NEW MEXICO

RECEIVED  
FEB 7 1983  
O.C.D.  
HOBBS OFFICE