

Adapters—Material

Size

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from 0 feet to 3430 feet, and from feet to feet
 Cable tools were used from feet to feet, and from feet to feet

DATES

9-16, 1938

Put to producing 9-16, 1938

The production for the first 24 hours was 120 barrels of fluid of which 100% was oil; %
 emulsion, % water; and % sediment. Gravity, °Bé. 40

If gas well, cu. ft. per 24 hours

Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in.

EMPLOYEES

G.F. Corbett, Driller

H.N. Johnson, Driller

Frank Hendricks, Driller

, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
0	331	331	Surface sand, Caliche & Gravel
331	534	203	Redbeds and shells
534	619	85	
619	912	293	Redbeds and shells
912	1003	91	Redrock and shells
1003	1050	47	Redbeds
1050	1140	90	Anhydrite
1140	1187	47	Salt
1187	1280	93	Anhydrite, Potash and salt
1280	1376	96	Anhydrite and salt
1376	1665	289	Salt
1665	1787	122	Salt and Anhydrite
1787	1920	133	Salt
1920	2000	80	Salt, anhydrite and potash
2000	2020	20	Salt and anhydrite
2020	2050	30	Potash and anhydrite
2050	2128	78	Anhydrite and salt
2128	2288	160	Salt
2288	2360	72	Anhydrite and potash
2360	2385	25	Line
2385	2410	25	Anhydrite and potash
2410	2508	98	Line
2508	2558	50	Sand and lime
2558	2597	39	Line
2597	2602	5	Gyp
2602	2627	25	Line

(OVER)

FORMATION RECORD—Continued