

R. Olsen Oil Company

Eaton # 6
660 fr. WL & 1980 fr. SL of
Sec. 12-25S-37E

Samples described from 2100-3310 as a supplement to New Mexico
Oil Commission form no. C-105.

2000-2230	V. Poor samples.	wh anhy, salt, poly halite & red sh
2230-40	100%	wh anhy, tr salt & tr red sh
2240-50	95	" " 5 red sh, tr grn sh
2250-60	70	" " 30 " " " " "
2260-70	60	" " 40 " " "
2270-80	100	" " tr " " "
2280-90	100	" " " " " "
2290-2300	100	" " " " " "
2300-10	95	" " 5 " " "
2310-20	90	" " 10 " " "
2320-30	100	" " tr " " "
2330-40	100	" " " " " "
2340-50	100	" " " " " "
2350-60	100	" " tr dns lt tan dol
2360-70	100	" " " " " " "
2370-80	100	" " " " " " "
2380-90	100	" " " " " " "
2390-2400	80	" " 20 dns lt tan sli anhy dol
2400-10	95	" " 5 " " " " " "
2410-20	85	" " 15 " " " " " "
2420-30	90	" " 10 " " " " " "
2430-40	100	" " tr " " " " " "
2440-50	90	" " 10 red sh
2450-60	90	" " 10 " " " " " "
2460-70	80	" " 5 " " 15 clr FOG's tr dol
2470-80	80	" " 10 " " 10 " " " "
2480-90	80	" " 10 " " 10 " " " "
2490-2500	80	" " 15 " " 5 " " " "
2500-10	65	gry-wh anhy, 15 dns tan anhy dol, 10 red & 10 gry sh
2510-20	70	" " 10 " " " " 10 " 10 " "
2520-30	70	" " 15 " " " " 15 " "
2530-40	75	" " 20 " " " " 5 " "
2540-50	65	" " 20 tan & tan gry dol, 15 red sh
2550-60	60	" " 35 " " " " 5 " "
2560-70	60	" " 20 " " " " 20 " "
2570-80	55	" " 5 " " " " 40 " "
2580-90	85	" " tr " " " " 15 " "
2590-2600	95	" " tr " " " " 5 " "
2600-10	80	" " 20 dns bf-wh dol, tr red sh
2610-20	70	" " 30 " " " " tr " "
2620-30	75	" " 25 " " " " "
2630-40	85	" " 15 " " " " "
2640-50	70	" " 30 " " " " "
2650-60	75	" " 25 " " " " "
2660-70	25	" " 75 dns-fx bf-wh dol des in gry dol
2670-80	40	" " 60 " " " " " "
2680-90	45	" " 55 " " " " " "
2690-2700	45	" " 55 " " " " " "

Я. Ойсен Өлгі Компартия

Locality	Sample No.	Depth (ft)	Stratigraphic Unit	Remarks
2600-2700	75	75	"	"
2680-2700	75	75	"	"
2670-80	75	75	"	"
2660-70	75	75	"	"
2650-60	75	75	"	"
2640-50	75	75	"	"
2630-40	75	75	"	"
2620-30	75	75	"	"
2610-20	75	75	"	"
2600-10	80	80	"	"
2590-2600	95	95	"	"
2580-90	85	85	"	"
2570-80	75	75	"	"
2560-70	60	60	"	"
2550-60	60	60	"	"
2540-50	60	60	"	"
2530-40	60	60	"	"
2520-30	75	75	"	"
2510-20	70	70	"	"
2500-10	65	65	"	"
2490-2500	85	85	"	"
2480-90	80	80	"	"
2470-80	80	80	"	"
2460-70	80	80	"	"
2450-60	90	90	"	"
2440-50	90	90	"	"
2430-40	100	100	"	"
2420-30	90	90	"	"
2410-20	85	85	"	"
2400-10	95	95	"	"
2390-2400	80	80	"	"
2380-90	100	100	"	"
2370-80	100	100	"	"
2360-70	100	100	"	"
2350-60	100	100	"	"
2340-50	100	100	"	"
2330-40	100	100	"	"
2320-30	100	100	"	"
2310-20	90	90	"	"
2300-10	95	95	"	"
2290-2300	100	100	"	"
2280-90	100	100	"	"
2270-80	100	100	"	"
2260-70	60	60	"	"
2250-60	70	70	"	"
2240-50	95	95	"	"
2230-40	100	100	"	"
2220-30	100	100	"	"
2210-20	100	100	"	"
2200-10	100	100	"	"
2190-2200	100	100	"	"
2180-90	100	100	"	"
2170-80	100	100	"	"
2160-70	100	100	"	"
2150-60	100	100	"	"
2140-50	100	100	"	"
2130-40	100	100	"	"
2120-30	100	100	"	"
2110-20	100	100	"	"
2100-10	100	100	"	"
2090-2100	100	100	"	"
2080-90	100	100	"	"
2070-80	100	100	"	"
2060-70	100	100	"	"
2050-60	100	100	"	"
2040-50	100	100	"	"
2030-40	100	100	"	"
2020-30	100	100	"	"
2010-20	100	100	"	"
2000-10	100	100	"	"

2700-10	60	gry-wh	anhy	40	dns	bf-wh &	tan	fx	dol	sli	o	s	in	tan	dol
2710-20	30	"	"	70	"	"	"	"	"	"	"	"	"	"	"
2720-30	65	"	"	35	"	"	"	"	"	"	"	"	"	"	"
2730-40	70	"	"	30	"	"	"	"	"	"	"	"	"	"	"
2740-50	15	"	"	85	"	"	"	"	"	"	"	"	"	"	"
2750-60	30	"	"	70	"	"	"	"	"	"	"	"	"	"	"
2760-70	35	"	"	65	"	"	"	"	"	"	"	"	"	"	"
2770-80	50	"	"	50	"	"	"	"	"	"	"	"	"	"	"
2780-90	40	"	"	60	"	"	"	"	"	"	"	"	"	"	"
2790-2800	30	"	"	70	"	"	"	"	"	"	"	"	"	"	"

2800-10	40	tan-wh &	gry	anhy	60	bf-wh &	tan	dns-fx	dol
2810-20	40	"	"	"	60	"	"	"	"
2820-30	30	"	"	"	70	"	"	"	"
2830-40	45	"	"	"	55	"	"	"	"
2840-50	30	"	"	"	70	"	"	"	"
2850-60	45	"	"	"	55	"	"	"	"
2860-70	30	"	"	"	70	"	"	"	"
2870-80	25	"	"	"	75	"	"	"	"
2880-90	50	"	"	"	50	"	"	"	"
2890-2900	50	"	"	"	50	"	"	"	"

2900-10	30	"	"	"	70	bf	dns-fx	dol	tr	red	sh
2910-20	30	"	"	"	70	"	"	"	"	"	"
2920-30	25	"	"	"	75	"	"	"	"	"	"
2930-40	20	"	"	"	65	"	"	"	15	"	"
2940-50	35	"	"	"	60	"	"	"	5	"	"
2950-60	SAMPLE MISSING										
2960-70	35	"	"	"	65	"	"	"	"	"	"
2970-80	35	"	"	"	65	"	"	"	"	"	"
2980-90	35	"	"	"	65	"	"	"	"	"	"
2990-3000	35	"	"	"	65	"	"	"	"	"	"

3000-10	50	"	"	"	50	"	"	"
3010-20	50	"	"	"	50	"	"	"
3020-30	40	"	"	"	60	iner	dns	gry dol
3030-40	70	"	"	"	30	"	"	"
3040-50	60	"	"	"	40	"	"	"
3050-60	BAD SAMPLES CAVINGS							
3060-70	"	"	"	"	"	"	"	"
3070-80	"	"	"	"	"	"	"	"
3080-90	"	"	"	"	"	"	"	"
3090-3100	"	"	"	"	"	"	"	"

3100-3110	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	
3110-20	40	gry-wh	anhy	60	gry	tan &	bf	dns-fx	dol								
3120-30	60	"	"	40	"	"	"	"	"								
3130-40	45	"	"	55	"	"	"	"	"								
3140-50	45	"	"	55	"	"	"	"	"								
3150-60	BAD SAMPLES CAVINGS																
3160-70	20	gry	wh	anhy,	50	tan,	bf &	gry	dol,	30	hd	tite	tan &	gry	frn	sel	fai
3170-80	10	"	"	"	50	"	"	"	"	40	"	"	"	"	"	"	"
3180-90	10	"	"	"	50	"	"	"	"	40	"	"	"	"	"	"	"
3190-3200	20	"	"	"	60	"	"	"	"	20	"	"	"	"	"	"	"

& flud.