



AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

AM 10 23

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

Texas Pacific Coal and Oil Company
(Company or Operator)

Eaton "B" A/o-1
(Lease)

Well No. 1, in SW 1/4 of NE 1/4, of Sec. 12, T. 25-S, R. 37-E, NMPM.

Langlie Mattix

Pool,

Lea

County.

Well is 1980 feet from North line and 2310 feet from East line of Section 12.

If State Land the Oil and Gas Lease No. is

Drilling Commenced March 30, 1962 Drilling was Completed April 4, 1962

Name of Drilling Contractor F.W.A. Drilling Company

Address Wichita Falls, Texas

Elevation above sea level at Top of Tubing Head 3095.4 The information given is to be kept confidential until 19

Perforations:

OIL SANDS OR ZONES

No. 1, from 3424 to 3430 No. 4, from to
No. 2, from 3436 to 3440 No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8-5/8"	24.4	New	349	Float			Surface
5-1/2"	14.4	New	3492	Float		3424-3440'	Production

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
10-1/4"	8-5/8"	341	300 Reg.	Pump & Plug		
7"	5-1/2"	3502	300 Reg.	Pump & Plug		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

SOT w/10,000 gal. refined oil, 10,000# sand, 500# Mark II Adomite, 500 gal. MCA in two stages of 5000 gal. and 12 ball sealers between perforations at 3424-3430', 3436-3440', 2 shots/ft.

Result of Production Stimulation Well swabbed and flowed 349 BO w/5 -15' water. Put on Pump. Pumped 221 BO and 9 BW first 24 hrs. 145 bbls. load to recover.

Depth Cleaned Out 3492'

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 3502 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing April 1962
OIL WELL: The production during the first 24 hours was 110 barrels of liquid of which 9% was oil; 0% was emulsion; 5% water; and 2 of 1% was sediment. A.P.I. Gravity 33°
GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.
Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy.	930	T. Devonian	T. Ojo Alamo
T. Salt	1050	T. Silurian	T. Kirtland-Fruitland
B. Salt	2350	T. Montoya	T. Farmington
T. Yates	2511	T. Simpson	T. Pictured Cliffs
T. 7 Rivers	Not Picked	T. McKee	T. Menefee
T. Queen	3268	T. Ellenburger	T. Point Lookout
T. Grayburg		T. Gr. Wash.	T. Mancos
T. San Andres		T. Granite	T. Dakota
T. Glorieta		T.	T. Morrison
T. Drinkard		T.	T. Penn.
T. Tubbs		T.	T.
T. Abo		T.	T.
T. Penn.		T.	T.
T. Miss.		T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
Surface	165	165	Caliche & Sand				
165	341	176	Red Bed				
341	1000	659	Red Bed, Shale & Sand				
1000	2180	1180	Salt & Anhydrite				
2180	2866	686	Anhydrite & Lime				
2866	3316	450	Lime & Shale				
3316	3502	186	Lime & Sand				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

May 9, 1962 (Date)
Company or Operator Texas Pacific Coal & Oil Co. Address P.O. Box 1688, Hobbs, New Mexico
Name Rollins M. Rath Position Title Petroleum Engineer