Cliowined	7/1/08)
(Press	0.100

		x		
		-		

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

			·
G	M		
	- 47	5	53

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES LOCATE WELL CORRECTLY

Texas Pac	ific Coa	1 and Oi	L Company		Eator	` "B" A∕c-l	•	
	(Cor	npany or Operat	(30			(Lease)		
Well No. 2		in IW	1/4 of NE		, T	25 - S	R. 37-E	NMPM.
Langlie-1	attix			Pool,	••••••		Laa	County.
Well is	0	feet from	North	line and	2310	feet from	East	line
of Section		If Sta	te Land the Oil	and Gas Lease No.	is	*******		
Drilling Commen	cedآي	1y19,	•••••••	, 19.62 Drilling	g was Completed.		August 1	, 19.62
Name of Drilling	Contractor.	Eastla	nd Drillin	g Company	••••••			
Address			Texas		•••••••••••••••••••••••••••••••••••••••			
				5.10		ormation given i	is to be kept conf	idential until

OIL SANDS OR ZONES

No.	1,	from	to	No. 4, from
No.	2,	from	.to	No. 5, fromto
No.	3,	from	.to	No. 6, fromto

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No.	1,	from	.to	feet.	
No.	2,	from	.to	feet.	
No.	3,	from	.to	feet.	
No.	4,	from	.to	feet.	

CASING RECORD

SIZE	WEIGHT PEB FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8-5/8	24	ilew	319	Float		·····	Surface
					++		
	<u> </u>						<u> </u>

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE Set	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
12-1/4	8-5/8	330	300	Pump & Plug		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

.....

.....

None - Dry Hole, Plugged and abandoned 8/1/62.

ECORD OF DBILL-STEM AND SPECIAL 1 5

.*

T.
B.
T.
<

1:	f drill-stem or other special tests or de	viation surveys were	e made, submit report on sep	arate sheet and attach hereto	
		TOOLS	USED		
Rotary tools w	ere used fromQfeet	to	feet, and from	feet to	feet.
Cable tools we	re used fromfeet	t o	feet, and from	feet to	feet.
		PRODU	CTION		
Put to Produc	ing	, 19			
OIL WELL:	The production during the first 24 h	ours was	barrels of	liquid of which	
	was oil;% was	emulsion;	% water; and	% was sed	iment. A.P.I.
	Gravity				
GAS WELL:	The production during the first 24 h	ours was	M.C.F. plus		barrels of
	liquid Hydrocarbon. Shut in Pressure	lbs.			
Length of Tir	ne Shut in				
PLEASE	INDICATE BELOW FORMATION	N TOPS (IN CON	FORMANCE WITH GEO	GRAPHICAL SECTION OF	STATE):
	Southeastern New	Mexico		Northwestern New M	íexico

Anhy	Τ.	Devonian	Т.	Ojo Alamo
Salt				
Salt				Farmington
Yates				
7 Rivers. 2834	T.	McKee	Т.	Mencfee
Queen				
Grayburg				
San Andres	Τ.	Granite	Τ.	Dakota
Glorieta				Morrison
Drinkard	Т.		Т.	Penn
Tubbs	Τ.		Τ.	
Abo				
Penn	Τ.		Τ.	
Miss	Τ.		Т.	

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
Surface	1030	1030	Red bed & Shells				
1030	1838	803	Salt & Anhydrits				
1838	3110	1272	Gypsum, salt & Anhydrite				
3110	3387	277	Idme, Sand & Shals			:	
3387	3527	140	Dolomite & sand				
					1 		
					a version de la constante de la		
					:		

ATTACH SEPARATE SHEET IF ADDUTION OF SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

.....

August	3, 1962
--------	---------

Company or OperatorTexas Pacific Coal	& 011 Co.
Name Kallin m Rard	
Name Mallin M Mark	

Post Citte Petroleum Engineer

Address. P.O. Box 1688, Hobbs, New Maxi.co