

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office New Mexico  
Lease No. 0766  
Unit Blocker

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	

ILLEGIBLE

NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 7, 1956

Well No. 3 is located 330 ft. from N line and 990 ft. from W line of sec. 13  
NE 1/4 of NE 1/4 (1/4 Sec. and Sec. No.) 25E 37E 10N  
Langlie-Mettix (Field) Lee (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is ? ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is proposed to drill this well to an approximate total depth of 3450' and test the Queens Sand. Casing program as follows:


Set 8 5/8" OD Casing @ 325' - Circulate Cement  
 Set 5 1/2" Casing @ 3450 with two stage cementing tool  
 Set @ top of salt. Cement with 200 sks. cement on 1st stage, and 150 sks on 2nd stage.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Anderson-Prichard Oil Corp.

Address Box 196

Midland, Texas

By 

Title District Superintendent