

OWWO

COUNTY LEA FIELD Justis STATE NM MN 11565

OPR GULF OIL CORP. MAP

4 McBuffington, Learcy

Sec 13, T-25-S, R-37-E CO-ORD

660' FSL, 1980' FWL of Sec

Re-Cmp 11-14-71		CLASS <u>OWOF</u> EL <u>30908</u>	
FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING			
13 3/8" at 410' w/500 sx			
9 5/8" at 3449' w/2200 sx			
7" at 8230' w/1250 sx.			
LOGS EL GR RA IND HC A			
TD 8264'; PBD 7165'			

(Blinebry) Perfs 5458-5549' NO CHANGE.

IP (Fusselman) Perfs 6718-56' P 38 BOPD + 141 BW. Pot based on 24 hr test. GOR 725; Grav 38.6.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT	PROP DEPTH	6756'	TYPE	WO
DATE				

F.R.C. 12-23-71; Opr's Elev. 3091' GL
 PD 6756' WO (Fusselman)
 (Orig. comp 11-4-57 from (Ellenburger) OH 8230-64',
 OTD 8264'; OWWO & Dual comp 8-4-58 thru (Blinebry)
 Perfs 5134-5547' & (Ellenburger) OH 8230-64',
 OTD 8264'; OWWO & Dual comp 11-20-59 thru (Ellenburger)
 Perfs 5900-57' & (Ellenburger) OH 8230-64',
 OTD 8264'; OWWO & Re-Cmp 7-20-65 thru (Blinebry)
 Perfs 5458-5549', OPB 5841'; OWWO & Re-Cmp 9-1-61
 as Tidewater Oil Co. as WI-604 Justis McKee Unit
 as Water Injection Well thru (McKee) Perfs
 7768-7871'; OWWO & Re-Cmp 7-20-65 as Gulf Oil Corp.
 #4 McBuffington, Learcy thru (Blinebry) Perfs
 5458-5549', OPB 7900')
 12-21-71 TD 8264'; PBD 7165'; COMPLETE

LEA Justis NM Sec 13,T25S,R37E CWWO
GULF OIL CORP. 4 McBuffington, Learcy Page #2

12-21-71 Continued
PB to 7165'
Perf 6718-22', 6752-56' w/2 SPF
Acid (6718-56') 1000 gals
12-23-71 COMPLETION REPORTED

COUNTY	LEA	FIELD	Justis-Blinebry	STATE	NM	OWWO
OPR	GULF OIL CORPORATION					MAP
	4 McBiffington, Learcy					
	Sec. 13, T-25-S, R-37-E					CO-ORD
	660' fr S Line & 1980' fr W Line of Sec.					
	Re-Spd 7-13-65					CLASS
	Re-Cmp 7-20-65					EL
	FORMATION	DATUM	FORMATION	DATUM		
CSG & SX - TUBING						
13 3/8" 410' 500						
9 5/8" 3449' 2200						
7" 8230' 1250						
LOGS EL GR RA IND HC A						
TD 8264', PBD 5841'						

IP Blinebry Perfs 5458-5549' Flwd 162 BOPD. Pot. Based on 24 hr test thru 14/64" chk., TP 1140#, CP Pkr, GOR 2852.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP DEPTH	TYPE
DATE		

F.R.C. 8-12-65; OWWO
Orig. comp from Tubb-Drinkard perfs 5900-57',
OTD 8264'
8-9-65 TD 8264', PBD 5841', COMPLETED.
Set Retainer @ 5868'
Squeezed perfs 5900-57' W/100 sx.
Perf (Blinebry) 5458-60', 5477-79', 5547-49'
W/4 SPF
Ac. 500 gals.,
Frac 18,000 gals oil + 3/4 to 1# sd. per gallon.