

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised March 25, 1999

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.

30-025-11573

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name:

South Justis Unit "H" Well #17
South Justice Unit

8. Well No. #H-17

9. Pool name or Wildcat

Justis-Blbry-Tubb-Drinkard

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well:

Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator Henry Petroleum LP

3. Address of Operator

3525 Andrews Highway, Midland, Texas 79703

4. Well Location

Unit Letter I : 1650 feet from the South line and 990 feet from the East line

Section 13 Township 25-S Range 37-E NMPM County Lea

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

3078' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☒

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

11/15/02 Cut tubing @ 5,310'. Pumped 50 sx C cmt w/ 2% CaCl₂ w/ 1/4 #/sk cellophane 5,310 - 5,018'. PUH to 5,062'. Pumped 50 sx C cmt w/ 2% CaCl₂ w/ 1/4 #/sk cellophane 5,062 - 4,770'. PUH to 4,814'. Pumped 50 sx C cmt w/ 2% CaCl₂ w/ 1/4 #/sk cellophane 4,814 - 4,522'.

11/18/02 RIH w/ tbg and tagged cement @ 4274' Loaded hole w/ mud. PUH to 3,651'. Circulated hole. Pumped 50 sx C cmt w/ 2% CaCl₂ @ 3,651'. WOC 4 hrs. RIH w/ wireline and 4" gun, tagged cement @ 3,322'. PUH and perforated @ 2310', POOH w/ wireline. RIH w/ 7" CICR to 2255' Pumped 5 BBLS w/ circulation through CICR. Set retainer. Test tbg to 2,000 psi. Sting out of CICR. Sting in CICR and pressured up to 1,500 psi, no rate. Pressured up to 2,300 psi, still no rate. No bleed off. Chris Williams approval to set a continuous plug 2255' to 1100' to cover salt zone.

11/19/02 POOH w/ tbg and setting tool. RIH w/ tbg to 2,255'. ND BOP. NU tbg flange. Loaded hole. Circulated cement to surface w/ 365 sx C cmt from 2,255'. POOH w/ tbg. Topped off wellbore w/ 35 sx C cmt. RDMO.

11/20/02 Dug around W/H to 13-3/8" casing head - Cut off csg 6' below ground-Install DHM - P&A
I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE Engineer DATE 12/18/02

Type or print name James F. Newman, P.E. Triple N Services, Inc. Telephone No. 915-687-1994
(This space for State use)

ORIGINAL SIGNED BY

CARY W. WINK
OC FIELD REPRESENTATIVE

TITLE

Approved as to plugging of the Well Bore.

Liability under bond is retained until
surface restoration is completed.

DATE JAN 28 2003